# Alaska Sport Fishing in the Aftermath of the Exxon Valdez Oil Spill

by

Michael J. Mills

December 1992

Alaska Department of Fish and Game

Division of Sport Fish



## SPECIAL PUBLICATION NO. 92-5

## ALASKA SPORT FISHING IN THE AFTERMATH OF THE EXXON VALDEZ OIL SPILL

bу

Michael J. Mills

Alaska Department of Fish and Game Division of Sport Fish Anchorage, Alaska

December 1992

The Special Publications series was established in 1991 for the publication of techniques and procedures manuals, informational pamphlets, special subject reports to decision-making bodies, symposia and workshop proceedings, application software documentation, in-house lectures, and other documents that do not fit in another publication series of the Division of Sport Fish. Special Publications are intended for fishery and other technical professionals. Distribution is to state and local publication distribution centers, libraries and individuals and, on request, to other libraries, agencies, and individuals.

The Alaska Department of Fish and Game receives federal funding. All of its public programs and activities are operated free from discrimination on the basis of race, religion, sex, color, national origin, age, or handicap. Any person who believes he or she has been discriminated against by this agency should write to:

OEO U.S. Department of the Interior Washington, D.C. 20240

#### PREFACE

Following the Exxon Valdez oil spill in 1989, those planning economic studies to assess damages from lost recreational uses identified sport fishing as the recreational activity with the most potential for rigorous evaluation of the spill's impact. The Alaska Department of Fish and Game had for a good many years collected data that if appropriately synthesized would produce information fundamental to such an evaluation. The Alaska Department of Law determined that it required this information for legal representation of the state in the oil spill litigation and contracted the Department of Fish and Game to produce it.

In January, 1991, the Department of Fish and Game delivered to the Department of Law a document entitled Alaska Sport Fishing in the Aftermath of the Exxon Valdez Oil Spill. That document was prepared for the Department of Law for litigation purposes, thus the Department of Fish and Game distributed no other copies.

The State of Alaska has since reached a settlement agreement with the Exxon Corporation and the Exxon Shipping Company and, most recently, with Alyeska Pipeline Service Company. According, it has authorized release of the document. Preparatory to this release, a section summarizing results was added and a few inconsequential, typographical revisions were made. Nothing was updated. The result is this Special Publication.

December 1992 Michael J. Mills

## TABLE OF CONTENTS

	<u>Page</u>
PREFACE	i
TABLE OF CONTENTS	ii
LIST OF TABLES	iii
LIST OF FIGURES	vi
LIST OF APPENDICES:	vii
INTRODUCTION	1
METHODS	1
RESULTS	1
The entire oil spill area	1
Saltwater versus freshwater	2
Subareas	2
Residency	3
Sport fishing by clean-up workers	3
Other results	3
ACKNOWLEDGEMENTS	114
LITERATURE CITED	114
APPENDIX A	116
A DADARTY D	162

## LIST OF TABLES

<u>Tabl</u>	<u>e</u>	<u>Page</u>
1.	Sport fishing participation and harvest for the Exxon Valdez oil spill area, 1989	20
2.	Sport fishing participation and harvest by household type for the Exxon Valdez oil spill area, 1989	21
3.	Sport fishing participation and harvest by water type for the Exxon Valdez oil spill area, 1989	22
4.	Sport fishing participation and harvest by subarea for the Exxon Valdez oil spill area, 1989	23
5.	Sport fishing participation and harvest by residency for the Exxon Valdez oil spill area, 1989	24
6.	Sport fishing participation and percentage change for the Exxon Valdez oil spill area by water type, subarea, and residence, 1984-1989	25
7.	Sport fishing participation and harvest for the Exxon Valdez oil spill area, 1984-1989	27
8.	Freshwater sport fishing participation and harvest for the Exxon Valdez oil spill area, 1984-1989	28
9.	Saltwater sport fishing participation and harvest for the Exxon Valdez oil spill area, 1984-1989	29
10.	Sport fishing participation and harvest in the Prince William Sound subarea of the Exxon Valdez oil spill area, 1984-1989	30
11.	Sport fishing participation and harvest in the Kenai Peninsula subarea of the Exxon Valdez oil spill area, 1984-1989	31
12.	Sport fishing participation and harvest in the West Gook Inlet subarea of the Exxon Valdez oil spill area, 1984-1989	32
13.	Sport fishing participation and harvest in the Kodiak subarea of the Exxon Valdez oil spill area, 1984-1989	33
14.	Sport fishing participation and harvest in the Alaska Peninsula subarea of the Exxon Valdez oil spill area, 1984-1989	34
15.	Sport fishing participation and harvest by residents of the Exxon Valdez oil spill area, 1984-1989	35
16.	Sport fishing participation and harvest in the Exxon Valdez oil spill area by Alaskan's residing outside the oil spill area, 1984-1989	36

## LIST OF TABLES (Continued)

Tabl	<u>e</u>	Page
17.	Sport fishing participation and harvest in the Exxon Valdez oil spill area by nonresidents of Alaska, 1984-1989	37
18.	Percentage of Southcentral sport fishing participation and harvest by households that did and did not participate in the oil spill cleanup, 1989	38
19.	Percentage of Southcentral Alaska sport fishing participation and harvest in the Exxon Valdez oil spill area, 1984-1989	39
20.	Percentage of Southcentral Alaska freshwater sport fishing participation and harvest in the Exxon Valdez oil spill area, 1984-1989	40
21.	Percentage of Southcentral Alaska saltwater sport fishing participation and harvest in the Exxon Valdez oil spill area, 1984-1989	41
22.	Percentage of Southcentral Alaska sport fishing participation and harvest in the Prince William Sound subarea of the Exxon Valdez oil spill area, 1984-1989	42
23.	Percentage of Southcentral Alaska sport fishing participation and harvest in the Kenai Peninsula subarea of the Exxon Valdez oil spill area, 1984-1989	43
24.	Percentage of Southcentral Alaska sport fishing participation and harvest in the West Cook Inlet subarea of the Exxon Valdez oil spill area, 1984-1989	44
25.	Percentage of Southcentral Alaska sport fishing participation and harvest in the Kodiak subarea of the Exxon Valdez oil spill area, 1984-1989	45
26.	Percentage of Southcentral Alaska sport fishing participation and harvest in the Alaska Peninsula subarea of the Exxon Valdez oil spill area, 1984-1989	46
27.	Percentage of Southcentral Alaska sport fishing participation and harvest by residents of the Exxon Valdez oil spill area, 1984-1989	47
28.	Percentage of Southcentral Alaska sport fishing participation and harvest in the Exxon Valdez oil spill area by Alaskan's residing outside the oil spill area, 1984-1989	48
29.	Percentage of Southcentral Alaska sport fishing participation and harvest in the Exxon Valdez oil spill area by nonresidents of Alaska, 1984-1989	49

## LIST OF TABLES (Continued)

<u>Tabl</u>	<u>.e</u>	<u>Page</u>
30.	Number of anglers by subarea and fishery in the Exxon Valdez oil spill area, 1984-1989	50
31.	Number of sport fishing trips by subarea and fishery in the Exxon Valdez oil spill area, 1984-1989	54
32.	Number of angler-days fished by subarea and fishery in the Exxon Valdez oil spill area, 1984-1989	58
33.	Chinook salmon sport harvest by subarea and fishery for the Exxon Valdez oil spill area, 1984-1989	62
34.	Coho salmon sport harvest by subarea and fishery for the Exxon Valdez oil spill area, 1984-1989	66
35.	Sockeye salmon sport harvest by subarea and fishery for the Exxon Valdez oil spill area, 1984-1989	70
36.	Pink salmon sport harvest by subarea and fishery for the Exxon Valdez oil spill area, 1984-1989	74
37.	Chum salmon sport harvest by subarea and fishery for the Exxon Valdez oil spill area, 1984-1989	78
38.	Steelhead sport harvest by subarea and fishery for the Exxon Valdez oil spill area, 1984-1989	82
39.	Rainbow trout sport harvest by subarea and fishery for the Exxon Valdez oil spill area, 1984-1989	86
40.	Cutthroat trout sport harvest by subarea and fishery for the Exxon Valdez oil spill area, 1984-1989	90
41.	Dolly Varden/Arctic char sport harvest by subarea and fishery for the Exxon Valdez oil spill area, 1984-1989	94
42.	Halibut sport harvest by subarea and fishery for the Exxon Valdez oil spill area, 1984-1989	98
43.	Rockfish sport harvest by subarea and fishery for the Exxon Valdez oil spill area, 1984-1989	102
44.	Razor clam sport harvest by subarea and fishery for the Exxon Valdez oil spill area, 1984-1989	106
45.	Other fish sport harvest by subarea and fishery for the Exxon  Valdez oil spill area, 1984-1989	110

## LIST OF FIGURES

Figu	<u>re</u>	<u>Page</u>
1.	Map of Alaska and Southcentral Alaska	4
2.	Map of the Exxon Valdez oil spill area	5
3.	Number of anglers by region and Exxon Valdez oil spill area, 1984-1989	6
4.	Number of sport fishing trips by region and Exxon Valdez oil spill area, 1984-1989	7
5.	Number of angler-days by region and Exxon Valdez oil spill area, 1984-1989	8
6.	Sport fishing participation for the Exxon Valdez oil spill area, 1984-1989	9
7.	Freshwater sport fishing participation for the Exxon Valdez oil spill area, 1984-1989	10
8.	Saltwater sport fishing participation for the Exxon Valdez oil spill area, 1984-1989	11
9.	Sport fishing participation in the Prince William Sound subarea of the Exxon Valdez oil spill area, 1984-1989	12
10.	Sport fishing participation in the Kenai Peninsula subarea of the Exxon Valdez oil spill area, 1984-1989	13
11.	Sport fishing participation in the West Cook Inlet subarea of the Exxon Valdez oil spill area, 1984-1989	14
12.	Sport fishing participation in the Kodiak subarea of the Exxon Valdez oil spill area, 1984-1989	15
13.	Sport fishing participation in the Alaska Peninsula subarea of the Exxon Valdez oil spill area, 1984-1989	16
14.	Sport fishing participation by residents of the Exxon Valdez oil spill area, 1984-1989	17
15.	Sport fishing participation in the Exxon Valdez oil spill area by Alaskan's residing outside the oil spill area, 1984-1989	18
16.	Sport fishing participation in the Exxon Valdez oil spill area by nonresidents of Alaska, 1984-1989	19

## LIST OF APPENDICES

Appe	ndix .	Page
A1.	Sport fish survey questionnaire, 1989	117
A2.	First reminder, 1989	161
АЗ.	Second reminder, 1989	162
B1.	Comments by anglers on the Exxon Valdez oil spill	164

#### INTRODUCTION

At 12:04 a.m., March 24, 1989, the tanker Exxon Valdez ran aground on Bligh Reef 25 miles south of Valdez in Alaska's Prince William Sound. The tanker ruptured spilling 11 million gallons of crude oil, which eventually spread southwest for more than four hundred miles. Inquiries immediately arose concerning the effects of the spill on recreation in the area. One recreational activity for which there was sufficient information to examine trends for the spill area was sport fishing.

Since 1977, the Sport Fish Division of the Alaska Department of Fish and Game has conducted an annual survey of anglers who sport fished in Alaska. These surveys collected data on number of fish harvested and the number of days fished, and have since 1983 been site-specific for all areas of the state. Since 1984, data have also been collected on the number of anglers fishing each site and the number of household fishing trips to each site. The Southcentral Alaska (Figure 1) portions of the 1984-1989 databases resulting from these surveys were reorganized to provide historical information for the area of the Exxon Valdez oil spill (Figure 2). This publication contains that information.

#### **METHODS**

The surveys of sport fishing in Alaska involved mailing questionnaires to random samples selected from computerized files of names and addresses of individuals who had purchased licenses to sport fish. Reminder letters and questionnaires were mailed to those individuals who did not respond to the first mailing. A second reminder and a questionnaire were mailed to those who did not respond to the first reminder. Further details and results for these surveys may be found in Mills (1979, 1980, 1981a, 1981b, 1982, 1983, 1984, 1985, 1986, 1987, 1988, 1989, 1990). Appendix A contains copies of the questionnaire and letters used in 1989.

Reorganization of historical databases involved first identifying those fishing sites, excluding lakes, that were in the oil spill area. Codes associated with these sites were then used to extract estimates for these sites from the 1984-1989 databases to form a new database. This new database was manipulated to produce the results in this report. Standard errors were estimated by bootstrapping (Efron, 1982) with 1,000 replications.

#### RESULTS

#### The entire oil spill area

During the five-year period, 1984-1988, the estimated number of anglers who fished the area where oil was spilled in 1989 increased continuously from 73,037 in 1984 to 120,160 in 1988, a mean increase of 10% per year; the number of household trips increased from 164,985 to 270,956, an increase of 10% per year; the number of days fished increased from 209,075 to 312,521, an increase of 8% per year; and the number of fish harvested increased from 187,157 to 352,630, an increase of 14% per year (Figure 6, Table 7). Similar trends

occurred elsewhere in Alaska—in Southeast Alaska, in the Arctic-Yukon-Kuskokwim region, and in areas of Southcentral Alaska outside the oil spill area (Figures 3-5).

In 1989, the year of the spill, these increasing trends continued except in the oil spill area where participation, effort, and harvest all decreased (Figures 3-6). In the oil spill area, the estimated number of anglers decreased 13% from 120,160 in 1988 to 104,739 in 1989, the number of household trips decreased 15% from 270,956 to 230,520, the number of days fished decreased 6% from 312,521 to 294,598, and the number of fish harvested decreased 10% from 352,630 to 318,981 (Table 1).

### Saltwater versus freshwater

Decreases in the spill area from 1988 to 1989 were greatest in saltwater (Tables 3, 6, 9, 20, and 21): number of anglers decreased 13% from 111,046 to 96,653, household trips decreased 21% from 208,762 to 165,189, days fished decreased 10% from 249,134 to 224,502, and fish harvested decreased 12% from 304,979 to 267,259. In freshwater (streams) of the spill area, number of anglers decreased 16% from 22,489 to 18,971; but trips increased 5% from 62,194 to 65,331, days fished increased 11% from 63,387 to 70,096, and fish harvested increased 9% from 47,651 to 51,722 (Tables 6 and 8 and Figures 7 and 8).

#### Subareas

With the exception of harvest in Prince William Sound, household trips and days fished around Kodiak, and days fished and fish harvested along the Alaska Peninsula, participation, and harvest decreased from 1988 to 1989 in all subareas of the oil spill area (Tables 4, 6, 10-14, 22-26, and 30-45; and Figures 9-13).

In the Prince William Sound subarea the estimated number of anglers decreased 19% from 29,550 to 23,866, the number of household trips decreased 16% from 58,977 to 49,789, the number of days fished decreased 3% from 79,203 to 77,156, but the number of fish harvested increased 17% from 94,867 to 111,155. In the Kenai Peninsula subarea the number of anglers decreased 14% from 85,602 to 73,960, household trips decreased 26% from 145,143 to 107,791, days fished decreased 20% from 165,308 to 132,421, and fish harvested decreased 19% from 159,595 to 128,499.

In the subarea comprising the Westside of Cook Inlet, the number of anglers decreased 35% from 529 to 344, trips decreased 42% from 434 to 253, days fished decreased 46% from 835 to 447, and fish harvested decreased 52% from 871 to 415. In the Kodiak subarea anglers decreased 2% from 12,255 to 11,964, trips increased 10% from 65,040 to 71,692, days fished increased 26% from 66,289 to 83,456, and fish harvested decreased 20% from 96,374 to 77,349. For the Alaska Peninsula subarea anglers decreased by 12% from 249 to 219, trips decreased 27% from 1,362 to 995, but days fished increased by 26% from 886 to 1,118 and fish harvested increased by 69% from 923 to 1,563.

#### Residency

Participation and harvest decreased from 1988 to 1989 in the oil spill area for local residents of the oil spill area and for Alaskan's residing outside the oil spill area, but increased for nonresidents of Alaska (Tables 5, 15-18, and 27-29, and Figures 14-16).

For local residents of the spill area, the estimated number of anglers decreased 19% from 17,015 to 13,825, the number of household trips decreased 18% from 108,481 to 89,075, the number of days fished increased 1% from 108,544 to 109,877, and the number of fish harvested decreased by 11% from 118,622 to 105,518. For Alaska residents residing outside of the spill area, the number of anglers decreased 18% from 68,214 to 55,771, the number of household trips decreased 21% from 112,133 to 88,956, the number of days fished decreased 19% from 147,697 to 119,870, and the number of fish harvested decreased 15% from 161,076 to 136,867.

For nonresidents of Alaska, the number of anglers fishing the oil spill area increased 1% from 34,931 to 35,142, the number of household trips increased 4% from 50,343 to 52,489, the number of days fished increased 15% from 56,279 to 64,851, and the number of fish harvested increased 5% from 72,929 to 76,596.

#### Sport fishing by clean-up workers

Many members of households that worked in the clean-up of the oil spill also sport fished in the oil spill area (Table 2). Of 104,739 anglers fishing the oil spill area 10,635 (10%) were oil spill workers. These workers accounted for 20% of all household fishing trips in the area (46,969 of 230,520 trips), 21% of the all days fished (62,250 of 294,598 days), and 24% of all fish harvested (75,827 of 318,981 fish).

#### Other results

Tabulations of harvest and participation for the oil spill area for 1984 through 1989 are detailed by household type (clean-up or nonclean-up), water type (saltwater or streams), subareas, residency, percentage of Southcentral region totals, and specific fisheries in tables that follow. Angler's comments regarding the oil spill are in Appendix B.




Figure 1. Map of Alaska and Southcentral Alaska.




Figure 2. Map of the Exxon Valdez oil spill area.




Figure 3. Number of anglers by region and Exxon Valdez oil spill area, 1984-1989.




Figure 4. Number of sport fishing trips by region and Exxon Valdez oil spill area, 1984-1989.




Figure 5. Number of angler-days by region and Exxon Valdez oil spill area, 1984-1989.




Figure 6. Sport fishing participation for the Exxon Valdez oil spill area, 1984-1989.




Figure 7. Freshwater sport fishing participation for the Exxon Valdez oil spill area, 1984-1989.




Figure 8. Saltwater sport fishing participation for the Exxon Valdez oil spill area, 1984-1989.




Figure 9. Sport fishing participation in the Prince William Sound subarea of the Exxon Valdez oil spill area, 1984-1989.




Figure 10. Sport fishing participation in the Kenai Peninsula subarea of the Exxon Valdez oil spill area, 1984-1989.




Figure 11. Sport fishing participation in the West Cook Inlet subarea of the Exxon Valdez oil spill area, 1984-1989.




Figure 12. Sport fishing participation in the Kodiak subarea of the Exxon Valdez oil spill area, 1984-1989.




Figure 13. Sport fishing participation in the Alaska Peninsula subarea of the Exxon Valdez oil spill area, 1984-1989.




Figure 14. Sport fishing participation by residents of the Exxon Valdez oil spill area, 1984-1989.




Figure 15. Sport fishing participation in the Exxon Valdez oil spill area by Alaskans residing outside the oil spill area, 1984-1989.




Figure 16. Sport fishing participation in the Exxon Valdez oil spill area by nonresidents of Alaska, 1984-1989.

Table 1. Sport fishing participation and harvest for the Exxon Valdez oil spill area, 1989.

	Tota	1
	Number	SEª
Anglers	104,739	1,798
Trips	230,520	•
Days fished	294,598	14,293
Chinook salmon	7,796	765
Coho salmon	47,477	3,423
Sockeye salmon	11,809	1,284
Pink salmon	63,065	4,650
Chum salmon	4,549	710
Steelhead	676	274
Rainbow trout	473	220
Cutthroat trout	494	453
Dolly Varden/Arctic Char	19,862	2,200
Halibut	105,793	
Rockfish	21,431	•
Razor clams	1,541	•
Other fish	34,015	

<sup>\*</sup> SE - standard error of participation or harvest numbers.

Table 2. Sport fishing participation and harvest by household type for the Exxon Valdez oil spill area, 1989.

		nclean-up useholds		Clean-up Households				
	Number	Percent SE	Number	Percent SE*	Number			
Anglers	94,104	89.9 1,744	10,635	10.1 689	104,739			
Trips	183,551	79.6 5,602	46,969	20,4 4,469	230,520			
Days fished	232,348	78.9 7,283	62,250	21.1 5,907	294,598			
Chinook salmon	6,309	80.9 592	1,487	19.1 296	7,796			
Coho salmon	34,324	72.3 2,188	13,153	27.7 1,584	47,477			
Sockeye salmon	8,909	75.4 1,001	2,900	24.6 618	11,809			
Pink salmon	49,173	78.0 2,937	13,892	22.0 1,851	63,065			
Chum salmon	2,748	60.4 368	1,801	39.6 523	4,549			
Steelhead	637	94.2 257	39	5.8 28	676			
Rainbow trout	412	87.1 218	61	12.9 45	473			
Cutthroat trout	475	96.1 486	19	3.9 20	494			
Dolly Varden/Arctic Char	13,944	70.2 1,447	5,918	29.8 1,453	19,862			
Halibut	94,728	89.5 4,023	-	10.5 1,374	105,793			
Rockfish	15,939	74.4 2,096	•	25.6 971	21,431			
Razor clams	228	14,8 179	1,313	85.2 948	1,541			
Other fish	15,328	45.1 2,360		54.9 16,304	34,015			

<sup>\*</sup> SE - standard error of participation or harvest numbers.

Table 3. Sport fishing participation and harvest by water type for the Exxon Valdez oil spill area, 1989.

	Freshw	ater	Saltwater		
	Number	SE*	Number	SE*	
Anglers	18,971	811	96,653	1,794	
Trips	65,331	6,873	165,189	8,298	
Days fished	70,096	7,788	224,502	11,989	
Chinook salmon	1,571	485	6,225	604	
Coho salmon	17,456	2,021	30,021	2,861	
Sockeye salmon	6,176		5,633	837	
Pink salmon	11,131	1,582	51,934	4,313	
Chum salmon	494	133	4,055	703	
Steelhead	379	213	297	168	
Rainbow trout	473	226	0	C	
Cutthroat trout	494	453	0	C	
Dolly Varden/Arctic Char	12,965	1,977	6,897	1,032	
Halibut	. 0	0	105,793	· -	
Rockfish	0	0	21,431		
Razor clams	Ō	Õ	1,541	•	
Other fish	583	301	33,432		

<sup>\*</sup> SE - standard error of participation or harvest numbers.

Table 4. Sport fishing participation and harvest by subarea for the Exxon Valdez oil spill area, 1989.

	Prince William Sound		Kenai Peninsula		West Cook Inlet		Kodiak		Alaska Peninsula	
	Number	SE*	Number	SE*	Number	SE*	Number	SE*	Number	SEª
Anglers	23,866	1,065	73,960	1,469	344	114	11,964	789	219	110
Trips	49,789	5,481	107,791	6,142	253	165	71,692	6,849	995	392
Days fished	77,156	•	132,421		447	320	83,456	8,722	1,118	524
Chinook salmon	1,052	•	5,553	•	0	0	1,087	474	104	85
Coho salmon	21,670	2,648	6,440	920	56	58	18,973	2,053	338	229
Sockeye salmon	3,488	658	1,753		43	43	6,499	1,005	26	26
Pink salmon	37,128			1,148	0	0	17,582	•	624	414
Chum salmon	3,607	•	233		0	0	631	165	78	59
Steelhead	39	36	9	9	0	0	628	273	0	0
Rainbow trout	19	18	95	53	0	0	359	223	0	0
Cutthroat trout	494	453	0	0	0	0	0	0	0	0
Dolly Varden/Arctic Char	2,488	680	4,419	919	0	0	12,851	1,881	104	57
Halibut	8,439	1,341	86,503		316	278	10,435	1,338	100	60
Rockfish	11,975	1,984	4,342	•	0	0	5,070 1	•	44	28
Razor clams	64	. 64	Ó	0	0	0	1,477	938	0	0
Other fish	20,692	14,962	11,421	2,201	0	0	1,757	529	145	144

<sup>\*</sup> SE - standard error of participation or harvest numbers.

Table 5. Sport fishing participation and harvest by residency for the Exxon Valdez oil spill area, 1989.

	Reside Oil Spil		Other A	.laska	Nonresident of Alaska		
	Number	SE*	Number	SEª	Number	SE*	
Anglers	13,825	757	55,771	1,392	35,142	1,064	
Trips	89,075	6,387	88,956	3,700	52,489	3,053	
Days fished	109,877	8,531	119,870	5,219	64,851	3,236	
Chinook salmon	1,582	324	3,389	328	2,825	449	
Coho salmon	24,487	2,243	16,552	1,564	6,438	941	
Sockeye salmon	4,886	783	3,827	524	3,096	778	
Pink salmon	20,569	2,219	26,431	2,222	16,065	1,657	
Chum salmon	1,259	384	2,220	491	1,070	216	
Steelhead	299	179	78	36	299	218	
Rainbow trout	171	92	31	23	271	214	
Cutthroat trout	0	0	484	451	10	10	
Dolly Varden/Arctic Char	13,023	1,749	3,982	796	2,857	753	
Halibut	13,378	1,727	59,111	2,854	33,304	2,360	
Rockfish	6,675		8,876	1,094	5,880	1,559	
Razor clams	1,313	903	164	165	64	62	
Other fish	17,876	16,165	11,722	2,099	4,417	901	

<sup>\*</sup> SE = standard error of participation or harvest numbers.

Table 6. Sport fishing participation and percentage change from prior year for the Exxon Valdez oil spill area by water type, subarea, and residence, 1984-1989.

	1984	1985	Percent change	1986	Percent change	1987	Percent change	1988	Percent change	1989	Percent change
Entire area		_									
Anglers	73,037	86,067	17.84	89,494	3.98	104,152	16.38	120,160	15.37	104,739	-12.83
Trips	164,985	200,251	21.38	198,465	-0,89	226,767	14.26	270,956	19.49	230,520	~14.92
Days fished	209,075	245,754	17.54	252,239	2.64	310,812	23.22	312,521	0.55	294,598	-5.73
Freshwater											
Anglers	26,325	23,269	-11.61	27,364	17.60	26,339	-3.75	22,489	-14.62	18,971	~15.64
Trips	61,480	70,944	15.39	66,929	-5.66	58,690	-12.31	62,194	5.97	65,331	5.04
Days fished	76,243	84,211	7.63	82,309	-2.26	79,595	-3.30	63,387	~20.36	70,096	10.58
Seltwater											
Anglers	58,851	74,657	26.86	76,742	2.79	93,919	22.38	111,046	18.24	96,653	-12.96
Trips	103,505	129,307	24,93	131,536	1.72	168,077	27.78	208,762	24,21	165,189	-20.87
Days fished	130,832	161,543	23.47	169,930	5.19	231,217	36.07	249,134	7.75	224,502	-9.69
Frince William Sound											
Anglers	14,508	26,054	79,58	25,153	-3.46	29,060	15.53	29,550	1.69	23,866	-19.24
Trips	24,522	43,653	75.86	38,387	~12.06	47,742	24.37	58,977	23.53	49,789	~15,58
Days fished	33,257	65,648	97.40	54,610	-16,81	72,508	32.77	79,203	9.23	77,156	-2,58
Kenei Peninsula											
Anglers	49,754	52,856	6.24	57,548	8.88	71,970	25.06	85,602	18,94	73,960	-13.60
Trips	74,425	82,396	10.71	96,533	17,16	120,786	25.12	145,143	20.17	107,791	-25.73
Days fished	99,094	98,351	-0.75	122,017	24.06	163,883	34.31	165,308	0,87	132,421	-19.89
destside Cook Inlet											
Anglers	59	150	154.37	288	92.00	278	-3.47	529	90,29	344	-34.97
Trips	84	548	552,38	425	-22.45	186	-56.24	434	133,33	253	-41.71
Days fished	100	467	367.00	428	-8.35	287	~32.94	835	190.94	447	-46.47

Table 6. (Page 2 of 2).

	1984 1984 - 1984	1985	Percent change	1946	Percent change	1987	Percent change	1988	Percent. change	1989	Percent change
					<b></b> -						
Kodiak											
Anglers	11,495	12,346	7.60	12,048	-2.59	11,067	-8.14	12,255	10,73	11,964	-2.3
Trips	45,404	72,615	11,03	62,591	-13,80	56,207	-10.20	65,040	15,72	71,692	10.2
Days fished	76,367	80,577	5.49	73,860	-8.34	72,676	-1,60	66,289	-8.7 <del>9</del>	83,456	25.9
llaska Peninsula											
Anglers	205	240	17.07	320	33.33	556	73.75	249	-55.22	219	-12.0
Trips	250	1,039	315.60	529	-49.09	1,846	248.96	1,362	-26.22	995	-26.9
Days fished	237	711	200.00	1,324	86.22	1,458	10.12	886	-39.23	1,118	26.1
ocal Alaska											
Anglers	14,918	14,434	-3.24	14,387	-0.33	15,952	10.88	17,015	6.66	13,825	-18.7
Trips	45,491	88,491	3,51	91,645	3,54	93,678	2.22	108,481	15.80	89,075	-17.8
Days fished	108,320	106,637	-1.55	107,950	1,23	123,107	14.04	108,544	-11,83	109,877	1.2
ther Alaska											
Anglers	43,173	43,572	0.92	56,619	29.94	61,273	8.22	68,214	11.33	55,771	-18.24
Tripe	59,276	66,827	12,74	76,677	14,74	93,671	22.16	112,133	19.71	88,956	-20.67
Days fished	78,576	90,009	14.55	109,483	21.64	138,158	26 . 19	147,697	6,90	119,870	-18.84
Conresident				•							
Anglers	14,947	28,060	87.73	18,488	-34.11	26,927	45.65	34,931	29.72	35,142	0.60
Trips	20,216	44,932	122.24	30,143	-32,91	39,418	30.77	50,343	27.72	52,489	4.26
Days fished	22,179	49,109	121.42	34,806	-29.13	49,547	42.35	56,279	13.59	64,851	15,23

-27-

ACE 10917318

Table 7. Sport fishing participation and harvest for the Exxon Valdez oil spill area, 1984-1989.

	1984	1985	1986	1987	1988	1989
Anglers	73,037	86,067	89,494	104,152	120,160	104,739
Trips	164,985	200,251	198,465	226,767	270,956	230,520
Days fished	209,075	245, 754	252,239	310,812	312,521	294,598
Chinook salmon	4,406	2,913	3,491	4,899	13,333	7,796
Coho salmon	22,455	27,138	35,525	36,031	37,833	47,477
Sockeye salmon	10,089	11,642	9,921	10,047	10,038	11,809
Pink salmon	27,968	47,840	40,849	45,135	56,703	63,065
Chum salmon	2,755	2,730	3,241	2,601	9,050	4,549
Steelhead	1,408	1,232	719	733	1,235	676
Rainbow trout	934	279	291	292	292	473
Cutthroat trout	573	277	137	290	73	494
Dolly Varden/Arctic Char	37,171	31,177	31,953	16,027	24,847	19,862
Halibut	49,455	56,076	72,852	68,202	123,616	105,793
Rockfish	15,999	16,001	20,394	15,885	32,472	21,431
Razor clams	7,360	6,650	8,532	11,543	4,641	1,541
Other fish	6,584	22,823	46,064	38,724	38,497	34,015

ACE 10917319

Table 8. Freshwater sport fishing participation and harvest for the Exxon Valdez oil spill area, 1984-1989.

	1984	1985	1986	1987	1988	1989	SE*
Anglers	26,325	23,269	27,364	26,339	22,489	18,971	811
Trips	61,480	70,944	66,929	58,690	62,194	65,331	6,873
Days fished	78,243	84,211	82,309	79,595	63,387	70,096	7,788
Chinook salmon	1,751	1,421	1,343	1,193	2,488	1,571	485
Coho salmon	8,289	9,543	13,064	11,618	14,093	17,456	2,021
Sockeye salmon	5,106	6,480	5,320	5,143	5,690	6,176	984
Pink salmon	9,999	8,366	9,675	7,208	10,137	11,131	1,582
Chum salmon	547	891	199	604	1,358	494	133
Steelhead	1,284	757	474	534	345	379	213
Rainbow trout	934	279	291	292	292	473	226
Gutthroat trout	573	277	0	163	73	494	453
Dolly Varden/Arctic Char	29,912	25,175	22,185	10,053	13,113	12,965	1,977
Halibut	0	0	0	0	0	. 0	0
Rockfish	0	0	0	0	0	0	0
Razor clams	0	0	0	0	0	0	0
Other fish	50	35	6,336	616	62	583	301

<sup>•</sup> SE - standard error of participation or harvest numbers.

-29-

ACE 10917320

Table 9. Saltwater sport fishing participation and harvest for the Exxon Valdez oil spill area, 1984-1989.

	1984	1985	1986	1987	1988	1989	SE*
Anglers	58,851	74,657	76,742	93,919	111,046	96,653	1,794
Trips	103,505	129,307	131,536	168,077	208,762	165,189	8,298
Days fished	130,832	161,543	169,930	231,217	249,134	224,502	11,989
Chinook salmon	2,655	1,492	2,148	3,706	10,845	6,225	604
Coho salmon	14,166	17,595	22,461	24,413	23,740	30,021	2,861
Sockeye salmon	4,983	5,162	4,601	4,904	4,348	5,633	837
Pink salmon	17,969	39,474	31,174	37,927	46,566	51,934	4,313
Chum salmon	2,208	1,839	3,042	1,997	7,692	4,055	703
Steelhead	124	475	245	199	890	297	168
Rainbow trout	0	0	0	0	0	0	0
Cutthroat trout	0	0	137	127	0	0	0
Dolly Varden/Arctic Char	7,259	6,002	9,768	5,974	11,734	6,897	1,032
Halibut .	49,455	56,076	72,852	68,202	123,616	105,793	5,586
Rockfish	15,999	16,001	20,394	15,885	32,472	21,431	2,617
Razor clams	7,360	6,650	8,532	11,543	4,641	1,541	938
Other fish	6,534	22,788	39,728	38,108	38,435	33,432	15,225

<sup>\*</sup> SE - standard error of participation or harvest numbers.

10917321

Table 10. Sport fishing participation and harvest in the Prince William Sound subarea of the Exxon Valdez oil spill area, 1984-1989.

			Estimat	e by Year			SEª
	1984	1985	1986	1987	1988	1989	1989
Anglers	14,508	26,054	25,153	29,060	29,550	23,866	1,069
Trips	24,822	43,653	38,387	47,742	58,977	49,789	5,481
Days fished	33,257	65,648	54,610	72,508	79,203	77,156	8,206
Chinook salmon	337	348	435	846	443	1,052	279
Coho salmon	6,122	10,190	12,079	13,156	15,260	21,670	2,648
Sockeye salmon	2,482	2,441	4,297	4,220	3,201	3,488	658
Pink salmon	12,182	30,869	24,998	30,769	31,087	37,128	3,791
Chum salmon	1,434	1,628	2,858	1,894	7,237	3,607	684
Steelhead	. 0	. 0	. 0	0	. 18	39	36
Rainbow trout	0	0	0	0	0	19	18
Cutthroat trout	573	277	137	290	73	494	453
Dolly Varden/Arctic Char	8,578	4,889	5,735	3,421	1,165	2,488	680
Halibut	1,946	4,375	8,026	4,359	9,749	8,439	1,341
Rockfish	5,287	8,810	9,706	6,534	12,591	11,975	1,984
Razor clams	0	1,680	1,468	9,388	27	64	64
Other fish	3,081	18,085	21,301	19,237	14,016	20,692	14,962

<sup>\*</sup> SE - standard error of participation or harvest numbers.

12

ACE 10917322

Table 11. Sport fishing participation and harvest in the Kenai Peninsula subarea of the Exxon Valdez oil spill area, 1984-1989.

			Estima	te by Year			SE*
	1984	1985	1986	1987	1988	1989	1989
Anglers	49,754	52,856	57,548	71,970	85,602	73,960	1,469
Trips	74,425	82,396	96,533	120,786	145,143	107,791	6,142
Days fished	99,094	98,351	122,017	163,883	165,308	132,421	8,031
Chinook salmon	3,118	1,654	2,565	3,567	11,233	5,553	550
Coho salmon	2,755	3,619	2,957	5,005	4,493	6,440	920
Sockeye salmon	2,844	2,235	689	1,642	1,020	1,753	399
Pink salmon	3,106	3,842	1,923	2,480	6,258	7,731	1,148
Chum salmon	12	62	62	54	418	233	87
Steelhead	761	472	459	480	418	9	9
Rainbow trout	224	52	138	253	36	95	53
Cutthroat trout	0	0	0	0	0	0	0
Dolly Varden/Arctic Char	7,470	9,919	6,407	4,473	5,929	4,419	919
Halibut	39,255	44,336	53,379	53,440	105,429	86,503	5,130
Rockfish	2,481	2,500	6,178	2,607	8,512	4,342	750
Razor clams	. 0	0	Ó	. 0	0	0	0
Other fish	1,322	2,792	13,812	9,021	15,849	11,421	2,201

<sup>\*</sup> SE - standard error of participation or harvest numbers.

Table 12. Sport fishing participation and harvest in the West Cook Inlet subarea of the Exxon Valdez oil spill area, 1984-1989.

			Estimate	by Year			SEª
	1984	1985	1986	1987	1988	1989	1989
Anglers	59	150	288	278	529	344	114
Trips	84	548	425	186	434	253	165
Days fished	100	467	428	287	835	447	320
Chinook salmon	0	0	78	0	0	0	0
Coho salmon	112	100	0	0	73	56	58
Sockeye salmon	0	0	89	0	0	43	43
Pink salmon	0	0	0	0	182	0	0
Chum salmon	0	125	0	18	182	0	0
Steelhead	0	0	0	0	. 0	0	0
Rainbow trout	0	0	0	0	0	0	0
Cutthroat trout	0	0	0	0	0	0	0
Dolly Varden/Arctic Char	0	52	11	0	0	0	0
Halibut	0	0	212	325	434	316	278
Rockfish	0	0	0	0	0	0	0
Razor clams	0	0	0	0	0	0	0
Other fish	0	0	29	0	0	0	0

<sup>\*</sup> SE - standard error of participation or harvest numbers.

Table 13. Sport fishing participation and harvest in the Kodiak subarea of the Exxon Valdez oil spill area, 1984-1989.

			Estimat	e by Year			SEª
	1984	1985	1986	1987	1988	1989	1989
Anglers	11,495	12,368	12,048	11,067	12,255	11,964	789
Trips	65,404	72,615	62,591	56,207	65,040	71,692	6,849
Days fished	76,387	80,577	73,860	72,676	66,289	83,456	8,722
Chinook salmon	909	737	413	379	1,564	1,087	474
Coho salmon	13,466	12,806	20,245	16,625	17,790	18,973	2,053
Sockeye salmon	4,763	6,929	4.846	3,966	5,786	6,499	1,005
Pink salmon	12,655	13,104	13,928	11,644	18,898	17,582	2,479
Chum salmon	1,309	865	321	542	1,182	631	165
Steelhead	647	760	260	253	799	628	273
Rainbow trout	710	227	153	18	256	359	223
Cutthroat trout	0	0	0	0	0	0	0
Dolly Varden/Arctic Char	20,973	16,317	19,341	8,112	17,735	12,851	1,881
Halibut	8,179	7.303	10,960	9,869	7,749	10,435	1,338
Rockfish	8,231	4,691	4,479	6,501	11,369	5,070	1,437
Razor clams	7,360	4,970	7,064	2,155	4,614	1,477	938
Other fish	2,181	1,946	10,922	9,542	8,632	1,757	529

<sup>\*</sup> SE - standard error of participation or harvest numbers.

Table 14. Sport fishing participation and harvest in the Alaska Peninsula subarea of the Exxon Valdez oil spill area, 1984-1989.

			Estimat	e by Year			SE*
	1984	1985	1986	1987	1988	1989	1989
Anglers	205	240	320	556	249	219	110
Trips	250	1,039	529	1,846	1,362	995	392
Days fished	237	711	1,324	1,458	886	1,118	524
Chinook salmon	42	174	0	107	<b>.</b> 93	104	85
Coho salmon	0	423	244	1,245	217	338	229
Sockeye salmon	0	37	0	219	31	26	26
Pink salmon	25	25	0	242	278	624	414
Chum salmon	0	50	0	93	31	78	59
Steelhead	0	0	0	0	0	0	0
Rainbow trout	0	0	0	21	0	0	0
Cutthroat trout	0	0	0	0	0	0	0
Dolly Varden/Arctic Char	150	0	459	21	18	104	57
Halibut	75	62	275	209	255	100	60
Rockfish	0	0	31	243	0	44	28
Razor clams	0	0	0	0	0	0	0
Other fish	0	0	0	924	0	145	144

<sup>\*</sup> SE - standard error of participation or harvest numbers.

င်္မ

ACE 10917326

Table 15. Sport fishing participation and harvest by residents of the Exxon Valdez oil spill area, 1984-1989.

	1984	1985	1986	1987	1988	1989
Anglers	14,918	14,434	14,387	15,952	17,015	13,825
Trips	85,491	88,491	91,645	93,678	108,481	89,075
Days fished	108,320	106,637	107,950	123,107	108,544	109,877
Chinook salmon	1,760	1,077	1,155	1,708	4,466	1,582
Coho salmon	14,016	13,481	21,240	18,327	20,775	24,487
Sockeye salmon	5,706	5,567	3,708	2,837	5,513	4,886
Pink salmon	16,094	16,746	16,629	18,255	20,027	20,569
Chum salmon	1,870	926	1,498	325	3,255	1,259
Steelhead	448	233	337	210	603	299
Rainbow trout	386	106	61	52	256	171
Cutthroat trout	524	0	76	127	0	0
Dolly Varden/Arctic Char	26,008	20,247	22,078	8,524	16,835	13,023
Halibut	14,091	9,658	16,908	14,191	23,013	13,378
Rockfish	10,500	4,752	4,437	4,610	12,763	6,675
Razor clams	7,360	5,705	7,431	9,850	4,125	1,313
Other fish	2,537	13,897	8,205	12,893	6,991	17,876

Table 16. Sport fishing participation and harvest in the Exxon Valdez oil spill area by Alaskan's residing outside the oil spill area, 1984-1989.

	1984	1985	1986	1987	1988	1989
Anglers	43,173	43,572	56,619	61,273	68,214	55,771
Trīps	59,276	66,827	76,677	93,671	112,133	88,956
Days fished	78,576	90,009	109,483	138,158	147,697	119,870
Chinook salmon	1,729	1,031	1,162	1,691	4,576	3,389
Coho salmon	5,992	8,869	9,650	12,408	12,672	16,552
Sockaye salmon	3,411	2,742	4,165	4,617	3,294	3,827
Pink salmon	8,369	14,642	19,071	20,057	22,992	26,431
Chum salmon	710	1,234	1,253	1,885	4,492	2,220
Steelhead	761	420	291	327	533	78
Rainbow trout	524	15	107	142	24	31
Cutthroat trout	37	156	0	163	55	484
Dolly Varden/Arctic Char	8,546	5,793	3,993	4,750	5,231	3,982
Halibut	27,764	30,566	42,874	38,210	71,268	59,111
Rockfish	4,177	6,675	10,871	9,473	16,099	8,876
Razor clams	0	Ō	612	154	516	164
Other fish	3,405	7,584	32,282	23,329	19,324	11,722

-37-

ACE 10917321

Table 17. Sport fishing participation and harvest in the Exxon Valdez oil spill area by nonresidents of Alaska, 1984-1989.

	1984	1985	1986	1987	1988	1989
Anglers	14,947	28,060	18,488	26,927	34,931	35,142
Trips	20,218	44,932	30,143	39,418	50,343	52,489
Days fished	22,179	49,109	34,806	49,547	56,279	64,851
Chinook salmon	917	806	1,175	1,500	4,291	2,825
Coho salmon	2,447	4,788	4,635	5,296	4,385	6,438
Sockeye salmon	971	3,333	2,049	2,593	1,231	3,096
Pink salmon	3,505	16,451	5,149	6,823	13,684	16,065
Chum salmon	175	570	490	391	1,303	1,070
Steelhead	200	580	92	196	98	299
Rainbow trout	24	158	122	99	12	271
Cutthroat trout	12	121	61	0	18	10
Dolly Varden/Arctic Char	2,617	5,136	5,883	2,753	2,781	2,857
Halibut	7,600	15,852	13,070	15,801	29,335	33,304
Rockfish	1,321	4,574	5,086	1,802	3,610	5,880
Razor clams	0	945	489	1,539	0	64
Other fish	642	1,342	5,578	2,502	12,181	4,417

Table 18. Percentage of Southcentral sport fishing participation and harvest by households that did and did not participate in the oil spill cleanup, 1989.

	Nonclean-up Households	Clean-up Households
Anglers	32.2	3.6
Trips	14.8	3.8
Days fished	14.7	3.9
Chinook salmon.	7.1	1.7
Coho salmon	14.5	5.5
Sockeye salmon	2.1	0.7
Pink salmon	54.5	15.4
Chum salmon	13.9	9.1
Steelhead	65.1	4.0
Rainbow trout	0.3	0.0
Cutthroat trout	31.4	1.3
Dolly Varden/Arctic Char	19.9	8.4
Halibut	61.2	7.2
Rockfish	33.7	11.6
Razor clams	0.0	0.1
Other fish	4.4	5.4

-39

ACE 10917330

Table 19. Percentage of Southcentral Alaska sport fishing participation and harvest in the Exxon Valdez oil spill area, 1984-1989.

	1984	1985	1986	1987	1988	1989
Anglers	31.0	36.2	36.3	41.0	42.1	35.8
Trips	15.6	18.3	16.3	18.7	19.3	18.6
Days fished	15.6	17.5	16.6	20.0	18.6	18.6
Chinook salmon	7.2	4.6	4.4	5.5	12.8	8.8
Coho salmon	1.3.5	19.7	18,8	20.4	16.8	20.0
Sockeye salmon	8.5	6.8	5.5	2.1	3.6	2.8
Pink salmon	27.7	70.5	37.5	74.4	52.6	69.9
Chum salmon	17.4	34.6	18.7	20.3	29.7	22.9
Steelhead	59.2	75.4	63.7	59.3	62.4	69.1
Rainbow trout	0.7	0.2	0.3	0.3	0.2	0.4
Sutthroat trout	22.5	30.3	8,5	21.4	11.8	32.7
Oolly Varden/Arctic Char	33.6	34.1	34.1	22.8	31.5	28.3
lalibut	63.4	68.8	62.9	67.2	73.4	68.4
Rockfish	36.5	47.7	34.2	50.8	45.6	45.3
Razor clams	0.6	0.6	0.7	1.0	0.4	0.2
Other fish	1.3	4.8	12.9	11.2	10.9	9.9

-40-

ACE 10917331

Table 20. Percentage of Southcentral Alaska freshwater sport fishing participation and harvest in the Exxon Valdez oil spill area, 1984-1989.

	1984	1985	1986	1987	1988	1989
Anglers	11.2	9.8	11.1	10.4	7.9	6.5
Trips	5.8	6.5	5.5	4.8	4.4	5.3
Days fished	<b>5.8</b>	6.0	5.4	5.1	3.8	4.4
Chinook salmon	2.9	2.2	1.7	1.3	2.4	1.8
Coho salmon	5.0	6.9	6.9	6.6	6.2	7.4
Sockeye salmon	4.3	3.8	3.0	1.1	2.0	1.5
Pink salmon	9.9	12.3	8.9	11.9	9.4	12.3
Chum salmon	3.5	11.3	1.1	4.7	4.5	2.5
Steelhead	54.0	46.3	42.0	43.2	17.4	38.8
Rainbow trout	0.7	0.2	0.3	0.3	0.2	0.4
Cutthroat trout	22.5	30.3	0.0	12.0	11.8	32.7
Dolly Varden/Arctic Char	27.1	27.6	23.7	14.3	16.6	18.5
Halibut	0.0	0.0	0.0	0.0	0.0	0.0
Rockfish	0.0	0.0	0.0	0.0	0.0	0.0
Razor clams	0.0	0.0	0.0	0.0	0.0	0.0
Other fish	0.0	0.0	1.8	0.2	0.0	0.2

14-

10917332

1984 1985 1986 1987 1988 1989 Anglers 25.0 31.4 31.2 36.9 38.9 33.0 Trips 9.8 11.8 10.8 13.9 14.8 13.3 Days fished 14.8 9.8 11.5 11.2 14.9 14.2 4.3 Chinook salmon 2.4 2.7 4.1 10.4 7.1 8.5 10.5 Coho salmon 12.8 11.9 13.8 12.7 4.2 2.6 Sockeye salmon 3.0 1.0 1.5 1.3 Pink salmon 17.8 58.2 28.6 62.5 43.2 57.6 14.0 23.3 20.4 Chum salmon 17.5 15.6 25.3 Steelhead 5.2 29.1 21.7 16.1 45.0 30,4 Rainbow trout 0.0 0.0 0.0 0.0 0.0 0.0 Cutthroat trout 0.0 0.0 8.5 9.4 0.0 0.0 Dolly Varden/Arctic Char 6.6 6.6 10.4 8.5 14.9 9.8 Halibut 63.4 68.8 62.9 67.2 73,4 68.4 45.6 Rockfish 36.5 47.7 34.2 50.8 45.3 Razor clams 0.6 0.6 0.7 1.0 0.4 0.2 1.3 11.1 Other fish 4.8 11.0 10.8 9.7

Table 21. Percentage of Southcentral Alaska saltwater sport fishing participation and harvest in the Exxon Valdez oil spill area, 1984-1989.

-42-

ACE 10917333

Table 22. Percentage of Southcentral Alaska sport fishing participation and harvest in the Prince William Sound subarea of the Exxon Valdez oil spill area, 1984-1989.

	1984	1985	1986	1987	1988	1989
Anglers	6.2	10.9	10.2	11.4	10.4	8.2
Trips	2.3	4.0	3.2	3.9	4.2	4.0
Days fished	2.5	4.7	3.6	4.7	4.7	4.9
Chinook salmon	0.6	0.5	0.5	0.9	0.4	1.2
Coho salmon	3.7	7.4	6.4	7.4	6.8	9,1
Sockeye salmon	2.1	1.4	2.4	0.9	1.1	0.8
Pink salmon	12,1	45.5	22.9	50.7	28.8	41.2
Chum salmon	9.1	20.6	16.5	14.8	23.8	18.2
Steelhead	0.0	0.0	0.0	0.0	0.9	4.0
Rainbow trout	0.0	0.0	0.0	0.0	0.0	0.0
Cutthroat trout	22.5	30.3	8.5	21.4	11.8	32.7
Dolly Varden/Arctic Char	7.8	5.4	6.1	4.9	1.5	3.5
Halibut	2,5	5.4	6.9	4.3	5.8	5,5
Rockf1sh	12.1	26.2	16.3	20.9	17.7	25.3
Razor clams	0.0	0.1	0.1	0.8	0.0	0.0
Other fish	0.6	3.8	6.0	5.6	4.0	6.0

Table 23. Percentage of Southcentral Alaska sport fishing participation and harvest in the Kenai Peninsula subarea of the Exxon Valdez oil spill area, 1984-1989.

	1984	1985	1986	1987	1988	1989
Anglers	21.1	22.2	23.4	28.3	30.0	25.3
Trīps	7.0	7.5	7.9	10.0	10.3	8.7
Days fished	7.4	7.0	8.0	10.5	9.8	8.4
Chinook salmon	5.1	2.6	3,2	4.0	10.8	6.3
Coho salmon	1.7	2.6	1.6	2.8	2.0	2.7
Sockeye salmon	2.4	1.3	0.4	0.4	0.4	0.4
Pink salmon	3,1	5.7	1.8	4.1	5.8	8.6
Chum salmon	0,1	0.8	0.4	0.4	1.4	1.2
Staelhead	32,0	28.9	40.7	38.8	21.1	0.9
Rainbow trout	0.2	0.0	0.1	0,3	0.0	0.1
Cutthroat trout	0.0	0.0	0.0	0.0	0.0	0.0
Dolly Varden/Arctic Char	6.8	10.9	6.8	6.4	7.5	6.3
Halibut	50.3	54.4	46.1	52.7	62.6	55.9
Rockfish	5.7	7.4	10,4	8,3	11.9	9.2
Razor clams	0.0	0.0	0.0	0.0	0,0	0.0
Other fish	0.3	0.6	3.9	2.6	4.5	3,3

Table 24. Percentage of Southcentral Alaska sport fishing participation and harvest in the West Cook Inlet subarea of the Exxon Valdez oil spill area, 1984-1989.

	1984	1985	1986	1987	1988	1989
Anglers	0.0	0.1	0.1	0.1	0.2	0.1
Trips	0.0	0.1	0.0	0.0	0.0	0.0
Days fished	0.0	0.0	0.0	0.0	0.1	0.0
Chinook salmon	0.0	0.0	0.1	0.0	0.0	0.0
Coho salmon	0.1	0.1	0.0	0.0	0.0	0.0
Sockeye salmon	0.0	0.0	0.1	0.0	0.0	0.0
Pink salmon	0.0	0.0	0.0	0.0	0.2	0.0
Chum salmon	0.0	1.6	0.0	0.1	0.6	0.0
Steelhead	0.0	0.0	0.0	0.0	0.0	0.0
Rainbow trout	0.0	0.0	0.0	0.0	0.0	0.0
Cutthroat trout	0.0	0.0	0.0	0.0	0.0	0.0
Dolly Varden/Arctic Char	0.0	0.1	0.0	0.0	0,0	0.0
Halibut	0.0	0.0	0,2	0.3	0,3	0.2
Rockfish	0.0	0.0	0.0	0.0	0.0	0.0
Razor clams	0.0	0.0	0.0	0.0	0 , 0.	0.0
Other fish	0.0	0.0	0.0	0.0	0.0	0.0

-45-

ACE 10917336

Table 25. Percentage of Southcentral Alaska sport fishing participation and harvest in the Kodiak subarea of the Exxon Valdez oil spill area, 1984-1989.

	1984	1985	1986	1987	1988	1989
Anglers	4.9	5.2	4.9	4.4	4,3	4,1
Trips	6.2	6.6	5.1	4.6	4.6	5,8
Days fished	5.7	5.7	4.9	4.7	3.9	5.3
Chinook salmon	1.5	1.2	0.5	0.4	1.5	1.2
Coho salmon	8.1	9.3	10.7	9.4	7.9	8.0
Sockeye salmon	4.0	4.1	2.7	0.8	2.1	1.5
Pink salmon	12.5	19.3	12.8	19.2	17.5	19.5
Chum salmon	8.3	11.0	1.8	4.2	3.9	3.2
Steelhead	27.2	46.5	23.1	20.5	40.4	64.2
Rainbow trout	0.6	0,2	0.1	0.0	0,2	0.3
Gutthroat trout	0.0	0.0	0.0	0.0	0.0	0.0
Dolly Varden/Arctic Char	19.0	17.9	20.7	11.5	22,5	18.3
Halibut	10.5	9.0	9.5	9.7	4.6	6.7
Rockfish	18.8	14.0	7.5	20.8	15.9	10.7
Razor clams	0.6	0.4	0.5	0.2	0.4	0.2
Other fish	0.4	0.4	3.1	2.8	2.4	0.5

40

ACE 10917337

Table 26. Percentage of Southcentral Alaska sport fishing participation and harvest in the Alaska Peninsula subarea of the Exxon Valdez oil spill area, 1984-1989.

	1984	1985	1986	1987	1988	1989
Anglers	0.1	0.1	0.1	0.2	0.1	0.1
Trips	0.0	0.1	0.0	0.2	0.1	0.1
Days fished	0.0	0.1	0.1	0.1	0.1	0.1
Chinook salmon	0.1	0.3	0.0	0.1	0.1	0.1
Coho salmon	0.0	0.3	0.1	0.7	0.1	0.1
Sockeye salmon	0.0	0.0	0.0	0.0	0.0	0.0
Pink salmon	0.0	0.0	0.0	0.4	0.3	0.7
Chum salmon	0.0	0.6	0.0	0.7	0.1	0.4
Steelhead	0.0	0.0	0.0	0.0	0.0	0.0
Rainbow trout	0.0	0.0	0.0	0.0	0.0	0.0
Cutthroat trout	0.0	0.0	0.0	0.0	0.0	0.0
Dolly Varden/Arctic Char	0.1	0.0	0.5	0.0	0.0	0.1
Halibut	0.1	0.1	0.2	0.2	0.2	0.1
Rockfish	0.0	0.0	0.1	0.8	0.0	0.1
Razor clams	0.0	0.0	0.0	0.0	0.0	0.0
Other fish	0.0	0.0	0.0	0.3	0.0	0.0

-41

E 10917338

Table 27. Percentage of Southcentral Alaska sport fishing participation and harvest by residents of the Exxon Valdez oil spill area, 1984-1989.

	1984	1985	1986	1987	1988	1989
Anglers	6.3	6.1	5.8	6.3	6.0	4.7
Trips	8.1	8.1	7.5	7.7	7.7	7.2
Days fished	8.1	7.6	7.1	7.9	6,5	6.9
Chinook salmon	2.9	1.7	1.4	1.9	4.3	1.8
Coho salmon	8.4	9.8	11,2	10.4	9,2	10.3
Sockeye salmon	4.8	3.3	2.1	0.6	2.0	1.2
Pink salmon	15.9	24.7	15.2	30.1	18.6	22.8
Chum salmon	11.8	11.7	8,6	2.5	10.7	6.3
Steelhead	18.8	14.2	29.8	17.0	30,5	30.6
Rainbow trout	0.3	0,1	0.1	0.1	0.2	0.1
Cutthroat trout	20.6	0.0	4.7	9.4	0.0	0.0
Dolly Varden/Arctic Char	23.5	22.2	23,6	12.1	21,3	18.5
Halibut	18.1	11.9	14.6	14.0	13.7	8.6
Rockfish	24.0	14.2	7.4	14.7	17.9	14.1
Razor clams	0.6	0.5	0.6	0.9	0.3	0.1
Other fish	0.5	2.9	2.3	3.7	2.0	5.2

48

ACE 10917339

Table 28. Percentage of Southcentral Alaska sport fishing participation and harvest in the Exxon Valdez oil spill area by Alaskans residing outside the oil spill area, 1984-1989.

	1984	1985	1986	1987	1988	1989
Anglers	18.3	18.3	23.0	24.1	23.9	19.1
Trips	5.6	6.1	6.3	7.7	8.0	7.2
Days fished	5.9	6.4	7.2	8.9	8.8	7.6
Chinook salmon	2.8	1.6	1.5	1.9	4.4	3.8
Coho salmon	3.6	6.4	5.1	7.0	5.6	7.0
Sockeye salmon	2.9	1.6	2.3	1.0	1.2	0.9
Pink salmon	8.3	21.6	17.5	33.1	21.3	29.3
Chum salmon	4.5	15.6	7.2	14.7	14.8	11,2
Steelhead	32.0	25.7	25.8	26.4	26.9	8.0
Rainbow trout	0.4	0.0	0.1	0.1	0.0	0.0
Cutthroat trout	1.5	17.0	0.0	12.Ő	8.8	32.0
Dolly Varden/Arctic Char	7.7	6.3	4.3	6.7	6.6	5.7
Halibut	35.6	37.5	37.0	37.7	42.3	38.2
Rockfish	9.5	19.9	18.2	30.3	22.6	18.8
Razor clams	0.0	0.0	0.0	0.0	0.0	0.0
Other fish	0.7	1,6	9.1	6.7	5.5	3,4

ICE 10917340

Table 29. Percentage of Southcentral Alaska sport fishing participation and harvest in the Exxon Valdez oil spill area by nonresidents of Alaska, 1984-1989.

, **, , ,** 

·	1984	1985	1986	1987	1988	1989
Anglers	6.3	11.8	7.5	10.6	12.2	12.0
Trips	1.9	4.1	2.5	3.2	3.6	4.2
Days fished	1.7	3.5	2.3	3.2	3.4	4.1
Chinook salmon	1.5	1.3	1.5	1.7	4.1	3.2
Coho salmon	1.5	3.5	2.5	3.0	1.9	2.7
Sockeye salmon	0.8	1.9	1.1	0.6	0.4	0.7
Pink salmon	3.5	24.3	4.7	11.2	12.7	17.8
Chum salmon	1.1	7.2	2.8	3.1	4.3	5.4
Steelhead	8.4	35.5	8.1	15.9	5.0	30.6
Rainbow trout	0.0	0.1	0.1	0.1	0.0	0.2
Sutthroat trout	0.5	13.2	3.8	0.0	2.9	0.7
Dolly Varden/Arctic Char	2,4	5.6	6.3	3.9	3,5	4.1
Halibut	9.7	19.5	11.3	15.6	17.4	21.5
Rockfish	3,0	13.6	8.5	5.8	5.1	12.4
Razor clams	0.0	0.1	0.0	0.1	0,0	0.0
Other fish	0.1	0.3	1.6	0.7	3,4	1.3

Table 30. Number of anglers by subarea and fishery in the Exxon Valdez oil spill area, 1984-1989.

			Estimat	e by Year <sup>a</sup>			SE <sup>k</sup>
	1984	1985	1986	1987	1988	1989	1989
Prince William Sound subares							
Saltwater boat							
Valder Bay	8,657	11,980	7,563	8,988	10,829	10,336	807
Passage Canel (Whittier)	3,062	2.764	4,438	4,094	4,301	2,408	675
Orca Inlat	176	224	555	246	1,083	510	221
Boat - Other	620	1.948	2,158	3,266	3,718	2,940	406
Saltwater shoreline			-•	-,	- •	-•	
Valdes Arm and Road System	······ wh	7,457	7,183	13,851	14,250 <sup>C</sup>	12.848 <sup>C</sup>	589
Pessage Canal (Whittier)	***	362	759	646	309	271	196
Orce Inlet		195	526	431	278	447	154
Shoreline - Other	90	585	1,134	1,232	991	624	158
Saltwater Total	12,402°	24,736°	23,583°	27,452 <sup>c</sup>	28,804°	22,928°	994
Freshwater							
Eshamy Creek and Lagoon	824	586	1,022	739	402	191	158
Coghill River	758	755	847	985	371	415	166
Robe River	824	224	818	215	217	112	66
Other Streems	1,910	639	874	1,354	527	751	174
Freshwater Total	3,686 <sup>c</sup>	2,156°	3,493°	3,030°	1,431°	1,408 <sup>c</sup>	208
Subarea Total	14,508°	26,054°	25,153 <sup>c</sup>	29,060°	29,550°	23,866°	1,065
Cenai Peninsula subarea							
Saltwater boat							
Homer Spit - Private Boat			4.380	6,895	9.065	6,401	1,033
Halibut Cove - Charter Boat	**	***	13.695	16.530	23.856	23,159	2,307
Halibut Cove - Private Boat			6,190	8, 187	9,808	8,155	1,178
Tutke Bay - Charter Boat	nitr ton	** **	W. M.	3,170	3,527	2,955	814
Tutka Bay - Private Boat	we we		***	2.739	2,723	1,874	534
Other Kachemak Bay - Charter Boat			7,680 -	11,327	12,933	9, 189	1,032
Other Kachemak Bay - Private Boat		New vide	7,650	10,250	11,169	6.805	1.240
Kachemak Bay Subtotal	39,162	45,218	39.595°	53.691 <sup>C</sup>	62,562°	54,365°	1,523

Table 30. (Page 2 of 4).

			Estimat	e by Year <sup>a</sup>			SE
	1984	1985	1986	1987	1988	1989	198
enai Peninsula subarea (continued)							
Saltwater boat (continued)							
Anchor River Ares - Charter Bost		~	409	431	248	449	22
Anchor River Area - Private Boat		~-	6,278	8,372	8,292	5,771	88
Anchor River Subtotal	1,295	2,040	6,687°	8,748°	8,540°	6,220°	46
Cook Inlet - Charter Boat	***	~ ~	642	893	1,331	1,299	42
Cook Inlat - Private Boat	-	** ***	380	523	990	300	22
Cook Inlet Subtotal	176	324	1,022 <sup>c</sup>	1,144°	1,462°	1,599 <sup>0</sup>	23
Boat - Other Charter	salu Adu	<b>₩</b>	175	647	248	772	23
Boat - Other Private		~-	845	1,077	155	690	17
Boat - Other Subtotal	558	941	1,020 <sup>c</sup>	1,724°	403 <sup>C</sup>	1,462°	27
Saltwater shoreline							
Tutka Bay		***	~	646	897	720	21
Homer Spit	~~	•	4,467	7,172	15,037	11,842	1,55
Seldovie Bay		33	234	92	495	285	11
Shoreline - Other	324	1,649	145	309	372	585	17
Saltwater Total	40,248 <sup>G</sup>	45,549°	48,224 <sup>c</sup>	64,952 <sup>c</sup>	80,501°	69,346 <sup>C</sup>	1,48
Freshwater							
Anchor River	14,870	12,923	14,074	15,821	12,747	9,797	1,41
Other Streams	676	426	292	555	651	236	11:
Freshwater Total	15,210°	12,158°	14,366°	16,376 <sup>c</sup>	13,251 <sup>c</sup>	9,9160	590
Subarea Total	49,754 <sup>c</sup>	52,856 <sup>C</sup>	57,548°	71,970°	85,602 <sup>0</sup>	73,960°	1,46

Table 30. (Page 3 of 4).

			Estimat	e by Year <sup>a</sup>			SE
	1984	1985	1986	1987	1988	1989	198
West Cook Inlet subarea							
Saltwater boat	0	33	175	184	434	267	27:
Saltwater shoreline	0	0	29	31	31	0	•
Saltwater Total	0 <sub>G</sub>	30°	204 <sup>C</sup>	215 <sup>c</sup>	465 <sup>c</sup>	266 <sup>c</sup>	110
Freshwater streams	58	164	58	62	62	79	42
Freshwater Total	58°	120 <sup>c</sup>	58 <sup>c</sup>	62 <sup>c</sup>	62 <sup>c</sup>	78 <sup>C</sup>	59
Subarea Total	58°	150°	262 <sup>c</sup>	277°	527°	344°	114
Kodiak subarea							
Saltwater boat							
Chiniak Bay Area		454	3,884	3,417	3,435	3,250	461
Afognak Island Area			2,891	2,370	2,362	2,411	352
Barren Islands				369	681	1,149	295
Boat - Other	7,008	5,099	1,663	956	1,054	1,245	252
Saltwater shoreline						-	
Chiniak Bay Area		141	2,073	2,001	1,547	2,199	362
Afognak Island Area			672	677	774	574	25
Women's Bay		738	146	554	155	509	237
Shoreline - Other	3,594	3,403	1,225	1,603	1,147	1,049	252
Saltwater Total	8,219 <sup>c</sup>	7,756 <sup>c</sup>	9,068 <sup>c</sup>	8,069 <sup>c</sup>	7,994 <sup>c</sup>	8,477 <sup>C</sup>	670
Proshwator							
Buskin River	4,800	6,378	5,460	4,217	5,445	5,744	996
Pasagshak River	2,591	3,119	2,891	2,493	2,321	3,282	687
Karluk River and Lagoon	590	1,077	292	523	774	870	328
American River	1,001	681	1,810	1,693	2,197	2,199	474
Olds River	1,148	425	2,044	1,077	1,795	2,511	556
Saltery Creek	206	284	263	92	248	410	188
Other Streems	2,948	2,428	1,721	1,479	1,456	1,408	317
Preshwater Total	7,722 <sup>c</sup>	9,373 <sup>c</sup>	8,523°	6,956 <sup>c</sup>	7,994 <sup>C</sup>	7,820°	571
Subares Total	11,495°	12,368°	12.048°	11,067°	12,255°	11,964 <sup>C</sup>	789

ACE 10917344

Table 30. (Page 4 of 4).

			Estimat	e by Year			seb
<u> </u>	1984	1985	1986	1987	1988	1989	1989
Alaska Paninsula subarea							
Saltwater boat	44	130	116	148	155	136	52
Saltwater shoreline	Ö	33	146	126	31	102	62
Saltweter Total	440	150°	224°	276 <sup>C</sup>	156°	172°	61
Proshwater strooms	153	196	87	149	124	51	30
Freshwater Total	146°	150°	87°	149 <sup>G</sup>	124°	47°	19
Subarea Total	190°	240°	311 <sup>c</sup>	425 <sup>c</sup>	249 <sup>c</sup>	219 <sup>6</sup>	110
Grand Total	73,837°	86,067°	89,494 <sup>G</sup>	104,152°	120, 160°	104,739 <sup>C</sup>	1,798

<sup>\* --</sup> Indicates that data were not disaggregated for a specific fishery for a given year. Harvest and participation information were collected and estimates are reported in a more aggregated fishery or in one of several "Other" categories.

b SE - standard error.

o Angler totals may not equal sum of sites due to some anglers fishing at more than one site.

Table 31. Number of sport fishing trips by subarea and fishery in the Exxon Valdez oil spill area, 1984-1989.

			Estimat	e by Year <sup>a</sup>			Si
	1984	1985	1986	1987	1988	1989	198
Prince William Sound Subarea							
Saltwater boat							
Valdes Bay	13,912	19.561	11,532	13,328	17,017	17,417	2,8
Passage Canal (Whittier)	3,232	5,456	6.510	5,602	8,044	3,318	8:
Orce Inlet	786	503	1.355	492	2,537	1,579	8:
Boat - Other	565	4,226	5,657	4,834	9,471	7,151	1,2
Saltwater shoreline		.,	-,	,,,,,,	-,	.,	-,-
Velder Arm and Road System		9.455	6,563	16.652	16,553	15.264	3,2
Passage Canal (Whittier)		503	850	1,570	526	702	5
Orga Inlet	***	253	877	1,170	743	1.340	8
Shoreline - Other	87	561	1,617	1,540	2,445	958	4
Saltwater Total	18,582	40,718	34,961	45,188	57,336	47.729	5,4
Fronhwater							•
Eshamy Creek and Lagoon	759	419	558	616	340	128	
Coghill River	618	588	479	523	248	415	1
Robe River	2,614	1,035	1,674	215	557	494	2
Other Streams	2,249	893	715	1,200	496	1,023	3
Freshwater Total	6,240	2,935	3,426	2,554	1,641	2,060	5
Subarea Total	24,822	43,653	38,387	47,742	58,977	49,789	5,41
enai Feninsula subarea							
Saltwater boat							
Somer Spit - Private Boat		*** ***	4,278	7,910	10,458	6,985	1,43
Halibut Cove - Charter Boat			10,416	12,989	19,956	17,930	1,86
Halibut Cove - Private Boat			7,547	6,588	10,551	10,283	1,60
Tutka Bay - Charter Boat	₩ ₩	780 MIN		2,555	3,156	2,027	58
Tutka Bay - Private Boat			•	3,263	3,001	2,054	57
Other Kachemek Bey - Charter Boat		~~	8,397	8,434	12,067	8,246	1,72
Other Kachemak Bay - Private Boat	***	186. 466.	17,538	18,653	21,967	11,587	2,14
Kachemak Bay Subtotal	49,102	48,327	48,176	62,392	81,156	59,112	4,05

Table 31. (Page 2 of 4).

			Estima	te by Year <sup>a</sup>			SE
	1984	1985	1986	1987	1988	1989	198
enai Paninsula subares (continued)							
Saltwater boat (continued)							
Anchor River Area - Charter Boat	-	w w	266	616	186	325	17
Anchor River Area - Private Boat	••	Mr 44	9,300	14,467	14,727	8,964	1,60
Anchor River Subtotal	2,305	4,024	9,566	15,083	14,913	9,289	1,60
Cook Inlet - Charter Boat	m m		319	1,016	4,177	1,501	694
Cook Inlet - Private Boat			3,082	554	1,300	345	233
Cook Inlet Subtotel	197	\$85	3,401	1,570	5,477	1,846	724
Boat - Other Charter	m **	m	185	585	217	509	239
Bost - Other Private	w w		1.938	1.141	279	1,905	854
Boat - Other Subtotal	1,461	1,453	2,123	1,726	496	2,414	887
Saltwater shoreline							
Tutke Bay				585	959	735	278
Homer Spit	****		5,288	9,080	16,584	14,345	2,044
Seldovia Bay		97	691	62	928	914	425
Shoreline - Other	619	2,300	397	431	774	1,440	661
Saltwater Total	53,684	56,786	69,642	90,929	121,287	90,095	5,101
Freshwater							
Anchor River	20,096	25,187	26,386	28,718	23,205	17,192	3,452
Other Streams	645	423	505	1,139	651	504	277
Freshwater Total	20,741	25,610	26,891	29,857	23,856	17,696	3,458
Subarea Total	74,425	82,396	96,533	120,786	145,143	107,791	6,142

Table 31. (Page 3 of 4).

			Estimat	e by Year <sup>a</sup>			SE
	1984	1985	1986	1987	1988	1989	196
West Cook Inlet subarea		- ""					
Saltwater boat	0	97	319	124	372	189	16
Saltwater shoreline	0	0	80	31	31	0	4
Saltwater Total	0	97	399	155	403	189	16:
Freshwater streams	84	451	26	31	31	64	3:
Preshwater Total	84	451	26	31	31	64	32
Subarea Total	84	548	425	186	434	253	165
Kodiak subarea							
Saltwater boat							
Chiniak Bay Area		1,789	8,450	11,820	7,735	7,269	1,622
Afognak Island Area			3,241	5,448	4,826	4,546	1,045
Barren Islands				215	557	903	237
Boat - Other	19,140	12,302	3,635	1,909	2,941	2,821	773
Saltwater shoreline	·	·	_	ŕ	-	·	
Chiniak Bay Area		313	6,696	5,941	7,673	5.727	1,673
Afognak Island Area			717	1,170	1,392	706	302
Women's Bay		3,040	159	1,508	278	2, 150	985
Shoreline - Other	12,057	13,776	3,213	2,463	3,560	2,213	872
Seltweter Total	31,197	31,220	26,111	30,474	28,962	26,335	3,055
Freshwater							
Buskin River	20,293	29,040	22,613	13,451	20,359	24,976	5,300
Pasagshak River	4,160	5,456	4,863	4,432	4,827	5,399	1,278
Karluk River and Lagoon	534	1,223	39 <b>9</b>	431	990	1,313	527
American River	1,715	768	3,082	2,893	2,939	3,955	903
Olds River	1,967	1,137	2,843	2,062	4,393	5,333	1,156
Saltery Creek	534	256	558	185	557	1,067	479
Other Streams	5,004	3,515	2,122	2,279	2,013	3,314	950
Preshwater Total	34,207	41,395	36,480	25,733	36,078	45,357	5,848
Subarea Total	65,404	72,615	62,591	56,207	65,040	71,692	6,849

CE 10917348

Table 31. (Page 4 of 4).

			Estima	te by Year <sup>a</sup>			SE <sup>b</sup>
	1984	1985	1986	1987	1988	1989	1989
Alasks Paninsula subares							
Saltwater boat	42	259	238	558	712	395	228
Saltwater shoreline	0	227	185	773	62	446	305
Seltwater Total	42	486	423	1,331	774	841	378
Freeheater atreams	208	553	106	515	588	154	124
Preshwater Total	208	553	106	515	588	154	124
Subarea Total	250	1,039	529	1,846	1,362	995	392
Grand Total	164,985	200,251	198,465	226,767	270,956	230,520	10,725

<sup>\* --</sup> Indicates that data were not disaggregated for a specific fishery for a given year. Harvest and participation information were collected and estimates are reported in a more aggregated fishery or in one of several "Other" categories.

b SE - standard error.

Table 32. Number of angler-days fished by subarea and fishery in the Exxon Valdez oil spill area, 1984-1989.

			Estimat	e by Year <sup>a</sup>			SE
	1984	1985	1986	1987	1988	1989	198
Prince William Sound subarea							
Saltwater boat							
Valdez Bay	18,620	33,174	19,403	20.645	29.923	28,985	4.89
Passage Canal (Whittier)	4,166	7,281	9,556	8,439	9.568	6.592	2.12
Orca Inlet	970	344	1,697	362	2,310	2,468	1,36
Boat - Other	1,405	7,043	5,551	6,112	10,640	12,785	1,51
Saltwater shoreline	•	-	•	•	•	,	.,
Valdes Arm and Road System		12,498	9,419	25,100	21,173	19,486	3,22
Pessage Canal (Whittier)		508	1,238	1,286	546	561	45
Orca Inlet		209	1,024	2,626	946	1,929	1,47
Shoreline - Other	67	853	2,072	3,246	2,297	1,970	83
Saltwater Total	25,228	61,910	49,960	67,816	77,403	74,776	8,18
Freshwater							
Eshamy Creek and Lagoon	1,740	688	1,022	739	473	203	17
Coghill River	786	897	847	985	371	415	17
Robe River	2,995	1,136	1,712	215	327	494	29
Other Streams	2,508	1,017	1,069	2,753	629	1,268	43
Freshwater Total	8,029	3,738	4,650	4,692	1,800	2,380	58
Subarea Total	33,257	65,648	54,610	72,508	79,203	77,156	8,20
Genei Peninsula subarea							
Saltwater boat							
Homer Spit - Private Boat			6,009	14,633	14,443	8,790	1,62
Halibut Cove - Charter Boat			13,695	18,530	23,886	23,159	2,57
Helibut Cove - Private Boat			8,975	9,997	11,423	13,199	2,08
Tutke Bay - Charter Boat				3,170	3,527	2,955	84
Tutka Bay - Private Boat				4,328	3,383	2,273	63
Other Kachemak Bay - Charter Boat			7,737	11,327	12,942	9,189	1,48
Other Kachemak Bay - Private Boat		***	24,540	26,078	28,576	16,180	3,17
Kachemak Bay Subtotal	64,411	56,823	60,956	88,063	98,180	75,745	5,200

Table 32. (Page 2 of 4).

			Estima	te by Year <sup>a</sup>			SE
	1984	1985	1986	1987	1988	1989	198
enai Peninsula suberes (continued)							
Saltwater boat (continued)							
Anchor River Area - Charter Boat		***	409	431	248	449	23
Anchor River Area - Private Boat			10,734	18,816	13,308	12,644	2,68
Anchor River Subtotal	2,844	4,335	11,143	19,247	13,636	13,093	2,69
Cook Inlet - Charter Boat		<del>4-</del>	642	893	2,738	1,388	50
Cook Inlet - Private Bost	.4. **	** **	3,058	739	1,802	491	39
Cook Inlet Subtotal	134	798	3,700	1,632	4,540	1,879	63
Boat - Other Charter	WA -W-		364	647	280	922	42
Boat - Other Private	ngip make		2,923	1,630	340	2,849	1,56
Boat - Other Subtotal	2,861	1,750	3,287	2,277	620	3,771	1,62
Saltwater shoreline							
Tutka Bay				646	982	727	29
Homer Spit			6,620	10,721	20,282	15,753	2,36
Saldovia Bay		52	657	92	982	727	31
Shoreline - Other	1,104	2,496	273	677	721	1,181	47
Saltwater Total	71,354	66,254	86,636	123,355	139,943	112,876	6,56
Frashwater							
Anchor River	26,919	31,715	34,938	39,045	24,356	19,145	4,50
Other Streems	821	362	443	1,483	1,009	400	20
Preshwater Total	27,740	32,097	35,381	40,528	25,365	19,545	4,500
Subarea Total	99,094	98,351	122,017	163,883	165,308	132,421	8,03

Table 32. (Page 3 of 4).

			Estimat	by Year <sup>a</sup>			SE
	1984	1985	1986	1987	1988	1989	198
West Cook Inlet suberes							
Saltwater boat	0	52	291	184	695	368	314
Saltwater shoreline	0	0	61	31	31	0	(
Saltwater Total	a	52	352	215	726	368	310
Proshwater streams	100	415	76	72	109	79	42
Freshwater Total	100	415	76	72	109	79	43
Subarea Total	100	467	426	287	835	447	320
Codiak subarea							
Seltwater boat							
Chiniak Bay Area		1,002	8,654	14,614	8,694	8,392	1,935
Afognak Island Area		·	6,988	6,610	6,420	6,963	1.59
Barren Islands			·	369	681	1,149	345
Bost - Other	22,268	13,980	4,584	3,049	2,602	3,304	940
Saltwater shoreline	•	•	•	•	·	•	
Chiniak Bay Area		592	6.284	6.701	6,276	6.902	2,216
Afognak Island Area			1,972	1,413	2,656	966	424
Women's Bay		2,672	146	2,318	382	1,912	902
Shoreline - Other	11,945	14,786	3,134	3,597	2,811	5,897	3,573
Saltwater Total	34,213	33,032	31,762	38,671	30,522	35,485	5,306
Freshwater							
Buskin River	24,024	32,485	24,219	16,390	18,426	26,145	5,637
Pasagshak River	4,751	6,011	5,504	5,143	5,111	5,578	1,246
Karluk River and Lagoon	820	2,520	657	3,459	2,128	2,420	1,108
American River	1,974	729	4,419	3,622	3,038	3,506	821
Olds River	3, 145	987	3,578	1,938	4,147	5,378	1,253
Seltory Creek	937	380	566	145	528	1,175	530
Other Streams	6,523	4,433	3,155	3,308	2,389	3,769	1,184
Freshwater Total	42,174	47,545	42,098	34,005	35,767	47,971	6,278
Subarea Total	76,387	80.577	73,860	72.676	66.289	83,456	8,722

te 10917352

Table 32. (Page 4 of 4).

			Estima	te by Year <sup>a</sup>			SE
	1984	1985	1986	1987	1988	1989	1989
Alaska Paninsula subarea	•						
Saltwater boat	37	174	166	527	504	394	222
Saltwater shoreline	0	121	1,054	633	36	603	474
Saltwater Total	37	295	1,220	1,160	540	997	522
Frankester streems	200	416	104	298	346	121	83
Freshwater Total	200	416	104	298	346	121	83
Subarea Total	237	711	1,324	1,458	886	1,118	524
Grand Total	209,075	245,754	252,239	310,812	312,521	294,598	14,293

Indicates that data were not disaggregated for a specific fishery for a given year. Harvest and participation information were collected and estimates are reported in a more aggregated fishery or in one of several "Other" categories.

b SE - standard error.

Table 33. Chinook salmon sport harvest by subarea and fishery in the Exxon Valdez oil spill area, 1984-1989.

			Estimate	by Year			SE
	1984	1985	1986	1987	1988	1989	198
Prince William Sound subares							
Saltwater boat							
Valdez Bay	125	271	123	146	170	374	16
Passage Canal (Whittier)	212	22	11	78	123	70	3
Orca Inlet	0	0	11	0	9	0	
Boat - Other	Q	44	234	165	56	339	143
Saltwater shoreline							
Valdez Arm and Road System	~=	11	4.5	214	57	152	8:
Passage Canal (Mhittier)		Ů	11	243	28	117	109
Orce Inlet		۵	0	0	0	0	
Shoreline - Other	0	C	0	0	0	0	•
Saltwater Total	337	348	435	846	443	1,052	279
Frashwater							
Rahamy Creek and Lagoon	0	0	0	0	0	0	
Coghill River	û	0	0	û	0	0	(
Robe River	0	0	0	0	0	0	
Other Streams	0	0	0	0	0	0	•
Freahwater Total	0	0	9	0	0	0	(
Subarea Total	337	346	435	846	443	1,052	279
Genei Peninsula subarea							
Saltwater boat							
Bomer Spit - Private Boat		<b>*</b> ~	213	199	564	466	159
Halibut Cove - Charter Boat	<b>4</b> ***	<b>***</b>	110	579	1,292	283	76
Halibut Cove - Private Boat	***	ades belo	258	326	1,619	1,097	315
Tutka Bay - Charter Boat	<b>~</b> ~			0	145	34	24
Tutke Bay - Private Boat	***			0	36	8	6
Other Kachemak Bay - Charter Boat			52	91	200	79	45
Other Kachemak Bay - Private Boat	age, safe	***	84	36	201	126	6.3
Kachemak Bay Subtotal	1,859	621	717	1,231	4,057	2,093	370

Table 33. (Page 2 of 4).

			Estimat	e by Year <sup>a</sup>		_	SE
	1984	1985	1986	1987	1988	1989	198
enai Peninsula subarea (continuad)							
Saltwater boat (continued)							
Anchor River Area - Charter Boat	<b></b>		65	127	54	0	
Anchor River Area - Private Boat			304	489	654	624	20
Anchor River Subtotal	87	149	369	616	708	624	20
Cook Inlet - Charter Boat	**		65	18	36	34	2
Cook Inlet - Private Boat	<b>**</b>		19	18	0	16	1
Cook Inlet Subtutel	0	0	84	36	36	50	2
Boat - Other Charter	····	one office	o	0	0	0	
Boat - Other Private	***	**	Ö	٥	0	0	
Bost - Other Subtotal	125	0	0	O	0	0	
Saltwater shoreline							
Tutka Bay	w w			54	145	94	4
Homer Spit	~~	***	297	833	5,275	1,956	30
Seldovia Bay		٥	0	0	36	150	8
Shoreline - Other	37	12	0	36	0	8	1
Saltwater Total	2,108	982	1,467	2,806	10,257	4,975	53
Freshwater							
Anchor River	998	672	1,098	761	976	578	11:
Other Streams	12	0	0	0	0	0	•
Frashwater Total	1,010	672	1,098	761	976	578	11!
Subares Total	3,118	1,654	2,565	3,567	11,233	5,553	550

Table 33. (Page 3 of 4).

			Estimata	by Year <sup>a</sup>			se <sup>l</sup>
i i i i i i i i i i i i i i i i i i i	1984	1985	1986	1987	1988	1989	198
est Cook Inlet suberes							
Saltwater boat	0	0	78	0	0	0	(
Seltwater shoreline	0	0	0	0	Q	0	,
Saltwater Total	0	Q	78	0	0	0	C
Prosporator strongs	0	0	0	0	0	0	Ó
Fremhwater Total	0	0	ů	0	Û	0	C
Subarea Total	0	0	76	0	0	0	ď
Kodiak subares							
Saltwater boat							
Chiniak Bay Area	alle Alle	0	0	٥	73	60	35
Afognek Island Area	***	**	153	0	18	12	5
Barren Islanda	nippi apini			Û	0	12	12
Boat - Other	98	86	15	Ó	0	6	6
Saltwater shoraline							
Chiniak Bay Area	MANA ANNA	0	0	18	0	24	19
Afognak Island Area			0	0	18	0	0
Women's Bay	were with	0	0	0	Q	0	0
Shoreline - Other	112	76	0	36	36	6	6
Saltwater Total	210	162	168	54	145	120	44
Freshwater	•						
Buskin River	0	0	ů ·	0	O	0	0
Pasagabak Rivar	87	40	123	0	0	18	14
Karluk River and Lagoon	175	447	122	199	819	559	287
American River	0	0	0	0	0	0	0
Olds River	0	0	0	0	0	0	0
Saltery Creek	٥	0	0	0	0	0	0
Other Streems	437	88	O	126	600	390	361
Freshwater Total	699	575	245	325	1,419	967	472
Subarea Total	909	737	413	379	1,564	1,087	474

Table 33. (Page 4 of 4).

		Estimate by Year <sup>a</sup>							
	***	1984	1985	1986	1987	1988	1989	1989	
Alaska Peninsula subarea									
Saltwater boat		0	0	0	0	0	78	82	
Saltwater shoreline		0	0	0	0	0	0	0	
Saltwater Total		0	0	0	0	0	78	82	
Freshwater streams		42	174	0	107	93	26	25	
Freshwater Total		42	174	0	107	93	26	25	
Subares Total		42	174	0	107	93	104	85	
Grand Total		4,406	2,913	3,491	4,899	13,333	7,796	765	

Indicates that data were not disaggregated for a specific fishery for a given year. Harvest and participation information were collected and estimates are reported in a more aggregated fishery or in one of several "Other" categories.

b SE = standard error.

Table 34. Coho salmon sport harvest by subarea and fishery in the Exxon Valdez oil spill area, 1984-1989.

			Estimat	e by Year			SE)
·	1984	1985	1986	1987	1988	1989	198
Prince William Sound Subarea							
Saltwater boat							
Valdes Bay	5,138	5,848	5,749	5,010	6,457	13,868	2,39
Passage Canal (Whittier)	549	1,260	1,437	1,554	728	587	230
Orca Inlet	50	108	413	184	691	180	9
Boat - Other	Ö	686	642	534	1,455	821	30
Saltwater shoreline	_	**-			-,	<del></del>	
Valdes Arm and Road System		1,530	1.040	3.729	3.784	4.266	946
Passage Canal (Whittier)		109	1,177	583	218	132	129
Orce Inlet	••	0	61	447	327	596	391
Shoreline - Other	0	282	933	582	1,162	359	227
Saltwater Total	5,737	9,843	11,452	12,623	14.842	20,809	2,630
Frashmater							
Rshamy Creak and Lagoon	37	43	76	Ō	0	95	77
Coghill River	12	0	0	10	0	9	9
Robe River	Q	0	0	0	0	9	9
Other Streams	336	304	551	523	418	748	301
Freshwater Total	385	347	627	533	418	861	313
Subarea Total	6,122	10,190	12,079	13,156	15,260	21,670	2,647
Kensi Peninsula subares							
Saltwater boat							
Homer Spit - Private Boat	**	<b></b>	306	77	146	515	208
Halibut Cove - Charter Boat	***		46	18	218	202	78
Halibut Cove - Private Boat			76	115	291	213	79
Tutka Bay ~ Charter Boat	***	Hage time		Ô	36	55	38
Tutka Bay - Private Bost	*** ***			0	18	9	9
Other Kechemak Bay - Charter Boat	44.44	WW 1889	61	Q.	55	0	0
Other Kachemak Bay - Private Boat	w w		612	536	255	266	142
Kachemak Bay Subtotal	1,097	485	1,101	746	1,019	1,260	288

Table 34. (Page 2 of 4).

			Estimat	a by Year <sup>a</sup>			SE
	1984	1965	1986	1987	1988	1989	198
ensi Peninsula subarea (continued)							
Saltwater bost (continued)							
Anchor River Area ~ Charter Boat		**	76	0	0	0	
Anchor River Area - Private Boat			245	651	509	311	19
Anchor River Subtotal	37	162	321	651	509	311	19
Cook Inlet - Charter Boat		w w	31	o	0	0	
Cook Inlet - Private Boat	**	***	0	0	0	0	
Cook Inlet Subtotel	0	249	31	0	o	ů	
Boat - Other Charter	- AA	antin sala	o	0	0	a	
Boat - Other Private	-M- VM		0	536	0	89	a
Boat - Other Subtotal	225	25	0	536	0	89	8
Saltwater shoreline							
Tutka Bay				0	55	0	
Homer Spit			245	459	200	1,439	35
Seldovie Bay		a	46	0	200	240	17
Shoreline - Other	125	286	30	459	18	275	17
Saltwater Total	1,484	1,207	1,774	2,851	2,001	3,614	569
Frontmater							
Anchor River	1,135	2,239	1,021	2,010	2,219	2,635	709
Other Streems	136	173	162	144	273	191	134
Frashwater Total	1,271	2,412	1,183	2,154	2,492	2,826	714
Suberes Total	2,755	3,619	2,957	5,005	4,493	6,440	920

Table 34. (Page 3 of 4).

			Estimat	e by Year <sup>a</sup>			SE
	1984	1985	1986	1987	1988	1989	198
West Cook Inlet suberes							
Saltwater boat	0	0	0	0	0	0	ļ
Saltwater shoreline	0	0	0	0	18	0	(
Saltwater Total	0	0	0	0	18	0	(
Preshwater streams	112	100	0	0	55	56	58
Preshwater Total	112	100	0	0	55	56	58
Subarea Total	112	100	0	0	73	56	56
Kodiak subarea							
Saltwater boat							
Chiniak Bay Area		46	902	1,195	1,364	934	323
Afognak Island Area			3,517	3,459	2,310	1,783	496
Barren Islands				Q	Q	0	
Boat - Other	4,838	3,081	840	308	109	371	300
Saltwater shoreline	•						
Chiniak Bay Area	• •	0	2,049	1,847	1,019	663	266
Afognak Island Area			1,208	706	1,110	779	417
Homen's Bay		380	31	127	0	244	140
Shoreline - Other	2,107	2,702	673	417	874	564	222
Saltwater Total	6,945	6,209	9,220	8,059	6,786	5,338	868
Freshwater							
Buskin River	1,871	2,178	4,098	3,133	3,474	4,782	1,278
Pasagshak River	1,646	2,292	2,951	3,459	2,601	2,065	585
Karluk River and Lagoon	37	106	306	18	309	906	535
American River	486	349	826	435	1,710	1,500	417
Olds River	561	304	1,651	235	1,273	2,571	731
Saltery Creek	137	304	336	163	528	1,013	532
Other Streems	1,783	1,064	857	1,123	1,109	798	262
Preshwater Total	6,521	6,597	11,025	8,566	11,004	13,635	1,817
Subarea Total	13,466	12,806	20,245	16,625	17,790	18,973	2,053

Table 34. (Page 4 of 4).

			Estimat	a by Year <sup>a</sup>			SEb
	1984	1985	1986	1987	1988	1989	1989
Alaska Peninsula subarea							
Saltwater boat	Ó	149	15	64	31	208	210
Saltwater shoreline	0	187	Q	816	62	52	52
Saltwater Total	0	336	15	880	93	260	215
Freshwater streems	o	87	229	365	124	78	79
Freshwater Total	0	87	229	365	124	78	79
Subarem Total	0	423	244	1,245	217	338	229
Grand Total	22,455	27,138	35,525	36,031	37,633	47,477	3,423

Indicates that data were not disaggregated for a specific fishery for a given year. Harvest and participation information were collected and estimates are reported in a more aggregated fishery or in one of several "Other" categories.

b SE - standard error.

Table 35. Sockeye salmon sport harvest by subarea and fishery in the Exxon Valdez oil spill area, 1984-1989.

			Estimat	e by Year <sup>a</sup>			SE <sup>l</sup>
	1984	1985	1986	1987	1988	1989	198
Prince William Sound subarea							
Saltwater boat							
Valdez Bay	786	846	260	525	891	326	147
Passage Canal (Whittier)	62	119	1,193	1,159	291	352	146
Orca Inlet	0	0	153	0	0	53	53
Boat - Other	437	173	626	54	654	1,215	342
Saltwater shoreline					•	-1	
Valdes Arm and Road System		226	153	1,231	691	502	204
Passage Canal (Whittier)		0	0	0	0	0	
Orca Inlet		Ó	Ō	254	Ŏ	0	Č
Shoreline - Other	0	109	15	0	0	53	52
Seltwater Total	1,285	1,475	2,400	3,223	2,527	2,501	566
Freshwater							
Eshemy Creek and Lagoon	736	467	612	453	528	79	58
Coghill River	249	456	321	417	146	344	172
Robe River	25	0	0	0	0	53	31
Other Streams	187	43	964	127	0	511	276
Freshwater Total	1,197	966	1,897	997	674	987	329
Subarea Total	2,482	2,441	4,297	4,220	3,201	3,488	658
Kenai Paninsula subarea							
Saltwater boat							
Homer Spit - Private Boat			15	54	55	132	76
Halibut Cove - Charter Boat			61	18	146	51	29
Halibut Cove - Private Boat			0	54	73	248	132
Tutka Bay - Charter Boat				127	0	9	9
Tutka Bay - Private Boat				0	18	41	42
Other Kachemak Bay - Charter Boat			15	0	18	17	12
Other Kachemak Bay - Private Boat			505	0	91	397	257
Kachemak Bay Subtotal	2,426	1,596	596	253	401	895	310

Table 35. (Page 2 of 4).

			Estimat	e by Year			SE
	1984	1985	1986	1987	1988	1989	198
enai Peningula guberea (continued)							
Saltwater boat (continued)							
Anchor River Area - Charter Bost		***	0	0	0	0	
Anchor River Area - Private Boat		** ***	15	0	O	17	1
Anchor River Subtotal	0	52	15	0	0	17	1
Cook Inlet - Charter Boat	**		0	0	0	0	
Cook Inlet - Private Bost			0	Q	0	Q	
Cook Inlet Subtotal	0	262	0	a	0	0	
Bost - Other Charter		ww ****	0	o	o	0	
Boat - Other Private		••	Ó	36	0	99	10
Boat - Other Subtotal	Ò	0	ø	36	Ò	99	10
Saltwater shoreline							
Tutka Bay				0	18	0	
Homer Spit	- Mar Mar		0	54	146	265	8
Seldovia Bay		Ó	0	0	91	0	
Shoreline - Other	0	26	0	36	146	224	10
Saltwater Total	2,426	1,936	611	379	802	1,500	36
Frenhwater							
Anchor River	167	224	39	1,263	109	136	9
Other Streems	251	75	39	a	109	117	11
Freshwater Total	418	299	78	1,263	218	253	14
Subarea Total	2.844	2,235	689	1,642	1,020	1,753	39

Table 35. (Page 3 of 4).

			Estimet	e by Year <sup>a</sup>			SE
	1984	1985	1986	1987	1988	1989	198
West Cook Inlet subarea							
Saltwater boat	0	0	0	0	0	0	(
Saltwater shoreline	0	0	0	0	0	0	•
Saltwater Total	0	0	0	0	0	0	•
Freshwater streams	. 0	0	89	0	0	43	43
Freshwater Total	0	0	89	0	0	43	43
Subarea Total	0	0	89	a	0	43	43
Kodiak subarea							
Saltwater boat							
Chiniak Bay Area		0	0	435	236	218	10
Afognak Island Area			214	381	164	590	24
Berren Islands				0	0	54	5
Boat - Other	611	106	122	0	0	336	333
Saltwater shoreline							
Chiniak Bay Area		0	321	54	273	100	50
Afognak Island Area			214	145	346	281	19:
Homen's Bay		30	0	91	0	0	
Shoreline - Other	661	1,578	719	0	0	27	21
Seltwater Total	1,272	1,714	1,590	1,106	1,019	1,606	475
Freshwater							
Buskin River	1,197	3,484	2,339	1,503	2,274	1,816	511
Pasagshak River	374	182	428	417	819	1,244	409
Karluk River and Lagoon	62	1,078	214	235	891	799	330
American River	0	0	0	0	0	0	0
Olds River	125	C	0	0	0	0	0
Saltery Creek	0	61	107	0	437	390	196
Other Streams	, 1,733	410	168	705	346	644	469
Freshwater Total	3,491	5,215	3,256	2,860	4,767	4,893	897
Subarea Total	4,763	6.929	4,846	3,966	5,786	6,499	1,005

Table 35. (Page 4 of 4).

			Estimat	e by Year*			SEb
	1984	1985	1986	1987	1988	1989	1989
Alaska Peninsula subarea							
Saltwater boat	0	25	O	0	0	26	26
Saltwater shoreline	0	12	0	196	0	0	0
Saltwater Total	0	37	0	196	0	26	26
Preshwater streams	0	0	0	23	31	ō	0
Freshwater Total	o	q	a	23	31	0	0
Subarea Total	0	37	0	219	31	26	26
Grand Total	10,089	11,642	9,921	10,047	10,038	11,809	1,284

Indicates that data were not disaggregated for a specific fishery for a given year. Harvest and participation information were collected and estimates are reported in a more aggregated fishery or in one of several "Other" categories.

b SE - standard error.

Table 36. Pink salmon sport harvest by subarea and fishery in the Exxon Valdez oil spill area, 1984-1989.

			Estimat	e by Year <sup>a</sup>			SE
·	1984	1985	1986	1987	1988	1989	198
rince William Sound subarea							
Saltwater boat							
Valdes Bay	9,639	15,223	12,782	8,652	10,659	14,740	2,35
Passage Canal (Whittier)	935	1,573	1,437	2,039	1.019	918	4:
Orca Inlet	0	0	76	0	164	172	1
Boat - Other	212	901	168	581	1.364	1,614	5
Saltwater shoreline					•	·	
Valdes Arm and Road System		11,805	9,312	17,303	16,117	18,139	2,8
Passage Canal (Whittier)		195	153	. 0	273	0	
Orca Inlet	near war	22	214	437	182	240	1
Shoreline - Other	12	596	489	1,126	1,127	403	3
Saltwater Total	10,798	30,315	24,631	30,138	30,905	36,226	3.7
Freshwater							
Eshamy Creek and Lagoon	449	54	260	194	18	17	
Coghill River	112	109	0	252	0	86	
Robe River	0	0	0	0	0	43	
Other Streams	823	391	107	185	164	756	5
Freshmater Total	1,384	554	367	631	182	902	5
Subarea Total	12,182	30,869	24,998	30,769	31,087	37,128	3,7
nai Peninaula subarea							
Saltwater boat							
Homer Spit - Private Boat	***		122	18	127	652	3
Halibut Cove - Charter Boat		~~	31	۵	18	183	
Halibut Cove - Private Boat			46	18	437	467	1
Tutka Bay - Charter Boat	**	**	w	616	364	798	7
Tutka Bay - Private Boat				779	1,528	757	3
Other Kachemak Bay - Charter Boat			31	Ó	291	116	
Other Kachemak Bay - Private Boat	WW 400		642	761	346	56	
Kachemak Bay Subtotal	2,395	2,836	872	2,192	3,111	3,029	8

Table 36. (Page 2 of 4).

			Estimat	e by Year <sup>a</sup>			SE
	1984	1985	1986	1987	1988	1989	198
enai Peninsula subarea (continued)							
Saltwater boat (continued)							
Anchor River Area - Charter Bost			0	O	0	0	
Anchor River Area - Private Boat		<b></b>	15	36	18	56	3
Anchor River Subtotel	Ō	O	15	36	18	56	3
Cook Inlet - Charter Boat	<b>*** ==</b>	***	0	0	0	0	
Cook Inlet - Private Boat	**	**	0	0	273	0	
Cook Inlet Subtotal	0	0	0	Q	273	0	
Boat - Other Charter		± 14	0	0	0	0	
Boat - Other Private			382	18	O	241	19
Boat - Other Subtotal	462	435	382	18	0	241	19
Saltwater shoreline							
Tutke Bay	** **		**	0	36	153	9
Homer Spit			337	0	1,819	3,856	67
Seldovia Bay	<b></b>	ů	76	0	364	169	12
Shoreline - Other	0	124	92	72	0	40	2
Saltwater Total	2,857	3,395	1,774	2,310	5,621	7,544	1,14
Freshwater							
Anchor River	249	124	136	54	109	115	40
Other Streams	0	323	13	108	528	72	5
Freshwater Total	249	447	149	162	637	187	7:
Subarea Total	3,106	3,842	1,923	2,480	6,258	7,731	1,14

Table 36. (Page 3 of 4).

			Estimat	e by Year <sup>a</sup>			SE <sup>l</sup>
	1984	1985	1986	1987	1988	1989	198
West Cook Inlet subares							
Saltwater boat	0	0	0	0	0	0	(
Saltwater shoreline	0	0	0	0	0	0	(
Saltwater Total	0	0	0	a	0	o	C
Freshwater streams	0	0	o	0	162	0	C
Preshwater Total	a	٥	0	0	182	0	0
Subarea Total	0	0	o	0	182	0	C
Kodiak subarea							
Saltwater boat							
Chiniak Bay Area	<b>***</b>	0	474	743	1,418	168	106
Afognak Island Area		<b>~~</b>	321	217	1,638	1,317	584
Barren Islands				0	0	O	a
Boat - Other	1,658	821	519	217	18	316	201
Saltwater shoreline							
Chiniak Bay Area		30	2,538	2,934	6,075	3,554	1,495
Afognak Island Area	**	~~	245	0	127	8.6	51
Homen's Bay	*-	2,292	76	290	36	1,414	975
Shoreline - Other	2,656	2,596	596	851	728	707	350
Saltwater Total	4,314	5,739	4,769	5,252	10,040	7,566	1,915
Frankmeter							
Buskin River	4,701	3,812	5,810	2,354	5,202	4,402	1,082
Pasagshak River	499	501	321	706	327	804	276
Karluk River and Lagoon	O	774	0	54	36	35	20
American River	835	380	948	1,739	1,310	1,397	446
Olds River	611	440	1,086	1,105	982	2,325	762
Saltery Creek	0	15	153	18	0	97	87
Other Streams	1,695	1,443	841	416	1,001	956	411
Frashwater Total	8,341	7,365	9,159	6,392	8,858	10,016	1,505
Subarea Total	12,655	13,104	13,928	11,644	18,898	17,582	2.479

Table 36. (Page 4 of 4).

			Entimat	e by Year <sup>a</sup>			SEP
	1984	1985	1986	1987	1988	1989	1989
Alaska Peninsula subarea							
Seltwater boat	0	25	0	0	0	52	38
Seltwater shoreline	0	Q	0	219	0	546	413
Saltwater Total	0	25	0	219	a	598	414
Preshwater streams	25	Q	o	23	278	26	26
Freshwater Total	25	û	0	23	278	26	26
Subarea Total	25	25	0	242	278	624	414
Grand Total	27,948	47,840	40,849	45, 135	56,703	63,065	4,650

<sup>\* --</sup> Indicates that data were not disaggregated for a specific fishery for a given year. Harvest and participation information were collected and estimates are reported in a more aggregated fishery or in one of several "Other" categories.

b SE - standard error.

Table 37. Chum salmon sport harvest by subarea and fishery in the Exxon Valdez oil spill area, 1984-1989.

			Estimate	by Year <sup>a</sup>			SI
	1984	1985	1986	1987	1986	1989	190
ringe William Sound subsree							
Saltwater boat							
Valdez Bay	1,397	868	1,116	1,078	3,674	1,497	37
Passage Canal (Whittier)	0	217	596	194	1,637	147	10
Orca Inlet	0	0	15	0	236	0	
Bost - Other	Õ	120	367	39	1,091	596	3(
Saltwater shoreline							
Valdez Arm and Road System	~~	380	749	447	527	1,221	3
Passage Canal (Mhittier)	anv 100	0	0	0	18	9	-
Orga Inlet	** **	O	O	0	0	64	
Shoreline - Other	a	0	15	0	54	0	
Saltwater Total	1,397	1,585	2,858	1,758	7,237	3,534	6
Freshwater							
Eshamy Creek and Lagoon	¢	0	0	Q	0	9	
Coghill River	1.2	0	0	0	0	0	
Robe River	0	0	0	0	0	18	
Other Streams	25	43	0	136	0	46	
Preshwater Total	37	43	0	136	0	73	
Subarea Total	1,434	1,628	2,858	1,894	7,237	3,607	6
wnai Peninsula subarea							
Saltwater boat							
Homer Spit - Private Boat			Q	۵	0	0	
Halibut Cove - Charter Boat	ww. 4Mh		0	0	0	53	;
Halibut Cove - Private Bost	and one	***	0	0	0	52	:
Tutke Bay - Charter Boat	w-tw		w w	0	D	0	
Tutka Bay - Private Boat	***	•••	ete Min	18	0	0	
Other Kachemak Bay - Charter Boat			0	0	0	Q	
Other Kachemak Bay - Private Bost	PP 44	***	0	0	73	0	
Kachemak Bay Subtotal	12	0	Ô	18	73	105	

Table 37. (Page 2 of 4).

			Estimate	by Year			SE
	1984	1985	1986	1987	1988	1989	198
enai Peminaula subarea (comtinued)							
Saltwater boat (continued)						•	
Anchor River Area - Charter Bost			0	0	0	0	
Anchor River Area - Private Boat	<b></b> -	***	Ŏ	Ö	18	9	
Anchor River Subtotel	0	0	Ö	Ö	16	9	
Cook Inlat - Charter Boat	***	***	0	0	0	O	
Cook Inlet - Private Boat			0	0	18	0	
Cook Inlet Subtotal	0	0	0	0	18	0	
Boat - Other Charter			0	0	<b>Q</b>	0	
Boat - Other Private			31	0	0	9	
Boat - Other Subtotel	0	37	31	Ů	0	9	
Saltwater shoreline							
Tutke Bay		***		0	0	34	3
Homer Spit			0	0	18	52	3
Seldovia Bay	-	0	٥	0	200	0	
Shoreline - Other	Ó	0	31	0	55	9	
Saltwater Total	12	37	62	18	382	218	8
Frankwater							
Anchor River	0	25	0	36	0	15	1
Other Streams	0	0	0	Ó	36	0	
Freshwater Total	ů	25	ů	36	36	15	1
Subarea Total	12	62	62	54	418	233	8

Table 37. (Page 3 of 4).

			Estimate	by Year <sup>a</sup>			SE
÷	1984	1985	1986	1987	1988	1989	198
West Cook Inlet suberes							
Saltwater boat	0	50	0	0	0	0	(
Saltwater shoreline	0	0	0	Ů	0	0	1
Saltwater Total	0	50	0	0	0	0	ı
Freshwater streems	0	75	0	18	182	0	(
Freshwater Total	0	75	a	18	182	0	(
Subarea Total	0	125	0	18	182	Ó	(
Codiak subarea							
Saltwater boat							
Chiniak Bay Area	***	0	0	54	0	0	
Afognak Island Ares	** A**	new Adv	0	72	0	28	27
Barren Islands	***			0	Ġ	0	•
Boat - Other	549	0	a	0	0	18	13
Saltweter shoreline							
Chiniak Bay Area		0	122	18	O	57	34
Afognak Island Area			0	Û	0	0	0
Homen's Bay		30	Ó	18	0	0	0
Shoreline - Other	250	137	0	36	73	122	94
Saltwater Total	799	167	122	198	73	225	105
Frankwater							
Buskin River	162	152	107	217	218	66	59
Pasagahak River	0	15	0	0	0	0	0
Karluk River and Lagoon	0	0	O	0	0	9	9
American River	100	0	0	36	400	95	48
Olds River	62	76	92	0	455	142	74
Saltery Creek	0	0	Û	0	0	0	0
Other Streams	186	455	0	91	36	94	65
Freshwater Total	510	698	199	344	1,109	406	124
Subarea Total	1,309	865	321	542	1.182	631	165

CE 10917375

Table 37, (Page 4 of 4).

			Estimate	by Year <sup>a</sup>			SEp
	1984	1985	1986	1987	1988	1989	1989
Alaska Peninaula subarea							
Saltwater boat	0	0	0	0	0	26	26
Saltweter shoreline	0	0	0	23	0	52	54
Saltwater Total	o	o	0	23	0	78	59
Frankwater streams	0	50	0	70	31	0	0
Freshwater Total	0	50	0	70	31	0	Q
Subarea Total	O	50	0	93	31	78	59
Grand Total	2,755	2,730	3,241	2,601	9,050	4,549	716

Indicates that data were not disaggregated for a specific fishery for a given year. Harvest and participation information were collected and estimates are reported in a more aggregated fishery or in one of several "Other" categories.

b SE - standard error.

Table 38. Steelhead sport harvest by subarea and fishery in the Exxon Valdez oil spill area, 1984-1989.

			Estimate	by Year <sup>a</sup>			sı
	1984	1985	1986	1987	1988	1989	196
Prince William Sound Subarea							
Saltwater boat							
Valdez Bay	C	0	0	0	0	0	
Passage Canal (Whittier)	0	Ö	0	0	0	0	
Orca Inlet	0	0	0	0	0	0	
Boat - Other	0	G	0	0	0	39	3
Saltwater shoreline							
Valdez Arm and Road System		0	0	0	0	0	
Passage Canal (Whittier)		0	0	0	0	0	
Orca Inlet		0	0	0	0	0	
Shoreline - Other	0	Ó	0	0	0	0	
Saltwater Total	0	0	0	0	0	39	:
Freshwater							
Eshamy Creek and Lagoon	0	0	0	0	0	0	
Coghill River	0	0	0	0	0	0	
Robe River	0	0	0	0	0	0	
Other Streems	0	0	0	0	18	0	
Freshwater Total	0	0	0	0	18	0	
Subarea Total	0	0	0	0	18	39	3
enai Peninsula subarea							
Saltwater boat							
Homer Spit - Private Boat		*-	0	0	0	0	
Halibut Cove - Charter Boat			0	0	0	0	
Halibut Cove - Private Boat			0	0	0	0	
Tutka Bay - Charter Boat		÷-		0	0	0	
Tutka Bay - Privata Boat				0	0	0	
Other Kachemak Bay - Charter Boat			0	0	0	0	
Other Kachemak Bay - Private Boat		~~	46	0	0	0	
Kachemak Bay Subtotal	0	12	46	0	0	0	

Table 38. (Page 2 of 4).

			Estimata	by Year*			SE <sup>1</sup>
	1984	1985	1986	1987	1988	1989	198
enai Peninsula suberea (continued)							
Saltmater boat (continued)							
Anchor River Area - Charter Boat	• •		Ó	Ú	0	0	(
Anchor River Area - Private Boat	***		31	16	236	Ō	
Anchor River Subtotal	0	37	31	18	236	0	C
Cook Inlat - Charter Boat			0	0	0	0	(
Cook Inlet - Private Boat		w	0	0	0	0	C
Cook Inlat Subtotal	0	0	0	0	D	0	ſ
Boat - Other Charter			O O	0	O	Ö	C
Bost - Other Private			0	Ó	0	Q	6
Bost - Other Subtotal	0	٥	0	0	0	0	C
Saltwater shoreline							
Tutka Bay	w **	w <b>-</b>	197 · 1944	0	0	0	O
Homer Spit			Đ	O	18	0	0
Seldovia Bay	***	O	0	0	0	0	0
Shoreline - Other	o	O	O	0	0	9	9
Saltwater Total	0	49	77	18	254	9	9
Freshweter							
Anchor River	761	423	385	462	164	0	a
Other Streems	0	0	O	0	0	0	0
Preshwater Total	761	423	382	462	164	0	0
Suberes Total	761	472	459	480	418	9	9

Table 38. (Page 3 of 4).

			Estimate	by Year			SEb
	1984	1985	1986	1987	1968	1989	1989
West Cook Inlet subarea					• •		
Saltwater boat	0	0	Q	0	0	0	0
Saltwater shoreline	Ű	0	0	0	0	O	0
Saltwater Total	0	0	0	0	0	0	o
Preshwater streams	0	a	0	0	0	0	o
Freshwater Total	0	0	0	0	0	Õ	0
Suberea Total	0	0	0	Ó	0	0	0
Kodiak subaras							
Saltwater boat							
Chiniak Bay Area		0	0	0	0	0	0
Afognak Island Area		****	15	36	218	0	0
Barren Islands			***	0	0	Ú	0
Boat - Other	112	46	153	0	0	0	0
Saltwater shoreline							
Chiniak Bay Area		0	a	0	ø	0	0
Afognak Island Area	400 ****		G	36	236	20	20
Women's Ray	***	ů.	0	Ó	0	100	98
Shoreline - Other	12	380	0	109	162	129	129
Saltwater Total	124	426	168	181	636	249	163
Freehmater							
Bunkin River	0	0	92	Ú	0	0	Û
Pasagahak River	0	0	0	0	0	0	0
Karluk River and Legoon	150	167	0	72	16	20	20
American River	Ó	0	0	0	0	0	0
Olds River	0	0	0	0	0	0	0
Saltery Creek	137	46	0	0	0	30	23
Other Streams	236	121	0	0	145	329	210
Freshwater Total	523	334	92	72	163	379	213
Subarea Total	647	760	260	253	799	628	272

ACE 10917376

Table 38. (Page 4 of 4).

			Estimate	by Year*			SEb
	1984	1985	1986	1987	1988	1989	1989
Alaska Peninsula subarea							
Saltwater boat	0	à	Q	Û	0	0	0
Saltwater shoreline	0	0	٥	0	0	0	0
Saltwater Total	0	a	0	Û	0	0	0
Preshwater streams	0	0	0	0	0	0	o
Preshwater Total	0	0	0	0	0	o	0
Subarea Total	0	0	0	0	o	0	0
Grand Total	1,408	1,232	719	733	1,235	676	274

<sup>\* --</sup> Indicates that data were not disaggregated for a specific fishery for a given year. Harvest and participation information were collected and estimates are reported in a more aggregated fishery or in one of several "Other" categories.

b SE - standard error.

Table 39. Rainbow trout sport harvest by subarea and fishery in the Exxon Valdez oil spill area, 1984-1989.

			Estimate	by Year <sup>a</sup>			SE
	1984	1985	1986	1987	1988	1989	198
Prince William Sound subarea							
Saltwater boat							
Valdes Bay	0	0	0	0	0	0	
Passage Canal (Whittier)	0	0	0	0	0	0	
Orca Inlet	0	0	0	0	Ó	0	
Boat - Other	0	0	0	0	0	0	
Saltwater shoreline							
Veldez Arm and Road System		0	0	6	0	0	
Passage Canal (Whittier)		0	0	0	0	0	
Orca Inlet		0	0	0	0	0	
Shoreline - Other	. 0	0	0	O	0	0	
Seltweter Total	0	0	0	0	0	0	
Freshwater							
Eshany Creek and Lagoon	0	0	0	0	0	0	
Coghill River	0	0	0	0	0	0	
Robe River	8	0	0	0	0	0	
Other Streams	0	0	0	0	0	19	1
Freshwater Total	0	0	0	0	0	19	1
Subarea Total	0	0	0	0	0	19	10
ensi Peninsula subarea							
Saltwater boat							
Homer Spit - Private Boat			0	0	0	0	
Halibut Cove - Charter Boat			0	0	0	0	
Halibut Cove - Private Boat			0	0	0	0	
Tutka Bay - Charter Boat				0	0	0	
Tutka Bay - Private Boat				0	0	0	
Other Kachemak Bay - Charter Boat			0	0	C	0	
Other Kachemak Bay - Private Boat			0	0	0	0	
Kachemak Bay Subtotal	0	0	0	۵	0	0	1

Table 39. (Page 2 of 4).

			Estimate	by Year			SE
	1984	1985	1986	1987	1988	1989	198
enai Paninsula subarea (continued)							
Saltwater boat (continued)							
Anchor River Area - Charter Boat	<b></b>		a	Ó	0	0	
Anchor River Area - Private Boat			à	o o	0	ā	
Anchor River Subtotal	٥	0	٥	o	Ó	o	
Cook Inlet - Charter Boat		MA 44-	0	0	0	0	
Cook Inlet - Private Boat		****	0	0	0	0	
Cook Inlet Subtotal	0	0	0	0	0	0	
Boat - Other Charter	-444 Miles	-M -M	0	0	0	0	
Boat - Other Private	**		0	0	0	0	
Boat - Other Subtotal	0	0	O	0	0	0	
Saltwater shoreline			•				
Tutka Bay	A. A.		w w.	0	0	Ó	
Bomer Spit			0	Q	Ů	Q	
Seldovia Bay		0	0	0	0	0	
Shoreline ~ Other	0	O	O	0	0	0	
Saltwater Total	0	O	0	0	0	0	
Freshwater							
Amchor River	224	52	138	181	36	95	5
Other Streams	0	0	0	72	0	Û	
Freshwater Total	224	52	138	253	36	95	5
Subarea Total	224	52	138	253	36	95	5

Table 39. (Page 3 of 4).

			Estimate	by Year <sup>a</sup>			SE <sup>b</sup>
	1984	1985	1986	1987	1988	1989	1989
Hest Cook Inlet suberes							
Saltwater boat	0	0	0	0	0	0	0
Saltwater shoreline	0	0	0	0	0	0	0
Saltwater Total	0	0	0	0	0	0	0
Freshweter streams	0	0	0	0	0	0	0
Presimeter Total	0	0	0	0	0	0	0
Subarea Total	0	0	0	0	0	0	0
Kodiak subarea							
Saltwater boat							
Chiniak Bay Area		0	<b>O</b>	0	0	0	0
Afognak Island Area			Û	Û	0	0	0
Barren Islands				0	0	0	0
Boat - Other	0	0	0	0	0	0	0
Saltwater shoreline							
Chiniak Bay Area		0	0	0	0	0	0
Afognak Island Area			0	0	0	0	0
Homen's Bay		C	0	0	0	0	0
Shoreline - Other	0	0	0	0	0	0	0
Saltwater Total	0	0	0	0	0	0	0
Preshwater							
Buskin River	0	Ö	61	G	0	0	0
Pasagshak River	0	0	0	0	O	0	0
Karluk River and Lagoon	150	137	0	0	91	10	10
Américan River	0	0	0	0	0	0	0
Olds River	0	0	0	0	0	0	0
Saltery Creek	25	0	0	0	55	20	14
Other Streams	535	90	92	18	110	329	222
Freshwater Total	710	227	153	18	256	359	223
Suberee Total	710	227	153	18	256	359	223

CE 10917380

 $SE^{\mathbf{b}}$ Estimate by Year 1984 1985 1986 1987 1988 1989 1989 Alaska Peninsula subarea Saltwater boat Saltwater shoreline Saltwater Total 0 Preshwater streams 21

Ö

291

21

21

292

0

292

473

226

279

934

Preshwater Total

Subarea Total

Grand Total

Table 39. (Page 4 of 4).

<sup>\* --</sup> Indicates that data were not disaggregated for a specific fishery for a given year. Harvest and participation information were collected and estimates are reported in a more aggregated fishery or in one of several "Other" categories.

b SE - standard error.

Table 40. Cutthroat trout sport harvest by subarea and fishery in the Exxon Valdez oil spill area, 1984-1989.

			Estimate	by Year <sup>a</sup>			SE <sup>l</sup>
	1984	1985	1986	1987	1988	1989	198
Prince William Sound subarea							
Saltwater boat							
Valder Bay	0	Ó	61	0	0	0	(
Passage Canal (Whittier)	Ó	0	0	O	0	Ó	
Oros Inlet	C	0	15	0	0	0	- (
Boat - Other	0	Ô	Ó	0	Ó	0	1
Saltwater shoreline							
Valdez Arm and Road System		0	0	0	0	0	(
Passage Canal (Whittier)		0	0	0	0	0	(
Orca Inlet		0	0	127	Ó	Đ	(
Shoreline - Other	G	0	61	0	0	0	C
Saltwater Total	0	a	137	127	0	0	
Freshwater							
Eshemy Creek and Lagoon	12	277	0	163	73	0	0
Coghill River	Û	0	٥	0	0	0	•
Robe River	25	Ó	Ò	0	0	0	0
Other Streams	536	0	0	0	0	494	453
Freshwater Total	573	277	0	163	73	494	453
Subarea Total	573	277	137	290	73	494	453
Kenni Peninaula subarea							
Saltwater boat							
Homer Spit - Private Boat	<b></b>	***	0	0	0	0	0
Halibut Cove - Charter Boat			O,	0	0	0	0
Halibut Cove - Private Boat			0	Ô	0	Q	0
Tutka Bay - Chartar Boat			***	û	0	G G	0
Tutka Bay - Private Boat				0	Ö	0	0
Other Kachemak Bay ~ Charter Boat	****	MA. No.	0 ·	0	0	0	0
Other Kachemak Bay ~ Private Boat		white state	0	a	0	0	0
Kachamak Bay Subtotal	Ö	0	0	Ó	Û	0	0

Table 40. (Page 2 of 4).

			Estimate	by Year <sup>a</sup>			SE
	1984	1965	1986	1987	1988	1989	198
enai Peninsula subarea (continued)							
Saltwater boat (continued)							
Anchor River Area - Charter Boat		***	a	0	۵	a	
Anchor River Area - Private Boat	••		ů	õ	ŏ	ă	
Anchor River Subtotel	0	0	0	o	Ö	0	į
Cook Inlet - Charter Boat			G	0	0	a	(
Cook Inlet - Private Boat	<b></b>	April 1000	G	0	0	0	
Cook Inlet Subtotel	0	0	O	Ů	0	0	•
Boet - Other Charter	AND 1889	****	0	0	0	0	(
Boat - Other Private			0	0	0	0	
Boat - Other Subtotal	0	0	0	0	0	0	ſ
Saltwater shoreline							
Tutka Bay	₩.**	<del></del>		0	0	0	(
Homer Spit	~~	•••	Û	0	0	0	(
Seldovia Bay		0	0	0	0	0	(
Shoreline - Other	0	0	O	0	G	0	C
Saltwater Total	0	0	0	0	0	O	C
Freshwater							
Anchor River	0	0	0	0	0	a	a
Other Streams	0	Q	0	0	0	a	0
Preshwater Total	0	a	0	0	0	0	0
Subarea Total	0	0	٥	0	Ó	0	q

Table 40. (Page 3 of 4).

			Estimate	by Year <sup>d</sup>			SE
	1984	1985	1986	1987	1988	1989	198
West Cook Inlet subares							
Saltwater boat	Ġ	0	0	٥	0	0	(
Saltwater shoreline	. 0	0	0	0	0	0	(
Saltwater Total	0	0	0	Ů	0	O	•
Frashwater streams	ů	0	O	0	0	0	•
Freshwater Total	0	0	0	0	0	0	(
Subarea Total	ů	o	0	0	G	0	t
Kodiak subarea							
Saltwater bost							
Chiniak Bay Area	<b></b>	0	0	0	0	Đ	(
Afognak Island Area	w <del></del>		0	0	0	0	(
Berren Islands	and and			0	8	a	
Boat - Other	0	0	a	0	٥	0	0
Saltwater shoreline							
Chiniak Bay Area		0	Q	0	0	0	(
Afognak Island Area	w w		۵	a	0	0	(
Homen's Bay	w. <del></del>	0	Q	0	0	0	C
Shoreline - Other	0	0	0	0	0	0	0
Saltwater Total	0	Ů	0	0	ō	0	O
Proalmator							
Buskin River	0	0	0	0	0	0	0
Pasagahak River	0	0	0	Q	0	0	a
Karluk River and Lagoon	0	0	0	0	0	0	0
American River	0	0	0	0	0	0	0
Olds River	0	0	٥	۵	Q	0	0
Saltery Creek	Ü	0	0	0	0	0	0
Other Streems	Û	Ö	0	ø	0	0	0
Freshwater Total	0	0	Ō	0	0	0	0
Subarea Total	ð	0	٥	0	0	o	٥

Table 40. (Page 4 of 4).

			Estimate	by Year <sup>a</sup>		_	SE <sup>b</sup>
	1984	1985	1986	1987	1988	1989	1989
Alaska Peninsula subarea							
Saltwater boat	0	Ů	0	Ó	0	0	O
Saltwater shoreline	0	0	o	0	0	0	0
Seltweter Total	0	Q	0	0	0	a	O
Preshwater streems	o	0	0	ø	o	ā	C
Freshwater Total	0	O	0	0	٥	0	a
Subarea Total	0	o	0	0	0	0	C
Frand Total	573	277	137	290	73	494	453

<sup>\* --</sup> Indicates that data were not disaggregated for a specific fishery for a given year. Harvest and participation information were collected and estimates are reported in a more aggregated fishery or in one of several "Other" categories.

b SE - standard error.

Table 41. Dolly-Varden/Arctic char sport harvest by subarea and fishery in the Exxon Valdez oil spill area, 1984-1989.

			Estimate	by Year <sup>a</sup>			SE <sup>1</sup>
	1984	1985	1986	1987	1988	1989	198
Prince William Sound subares							
Saltwater boat							
Valdez Bay	811	1,266	31	235	55	416	143
Pessege Canal (Whittier)	0	0	291	978	55	87	5
Orca Inlet	75	0	46	0	0	145	10
Bost - Other	8	173	245	. 0	0	185	12
Saltwater shoreline							
Valdez Arm and Road System		17	0	199	291	319	12
Passage Canal (Whittier)		0	0	18	0	0	
Orca Inlet		35	92	525	O	223	22
Shoreline - Other	0	17	31	181	364	0	
Saltwater Total	886	1,508	736	2,136	765	1,375	397
Freshwater							
Eshamy Creek and Lagoon	25	17	61	0	18	0	
Coghill River	137	69	61	235	16	29	2
Robe River	5,499	3,104	4,449	525	364	290	21
Other Streams	2,031	191	428	525	0	794	54
Freshwater Total	7,692	3,381	4,999	1,285	400	1,113	57
Subarea Total	8,578	4,869	5,735	3,421	1,165	2,488	686
ensi Peninsula subarea							
Saltwater boat							
Homer Spit - Private Boat			291	72	455	236	180
Halibut Cove - Charter Boat			229	0	127	206	187
Halibut Cove - Private Boat			0	18	400	100	6:
Tutke Bay - Charter Boat				91	55	9	
Tutka Bay - Private Boat				163	0	27	26
Other Kachemak Bay - Charter Boet			O	0	0	141	136
Other Kachemak Bay - Private Boat		,	199	344	182	73	4:
Kachemak Bay Subtotal	1,559	1,283	719	688	1,219	792	305

ACE 10917386

Table 41. (Page 2 of 4).

			Estimet	e by Year <sup>a</sup>			SE <sup>l</sup>
W	1984	1985	1986	1987	1988	1989	198
(ensi Peninsula subsrea (continued)						•	
Saltwater boat (continued)							
Anchor River Area - Charter Boat			15	18	0	0	
Anchor River Area - Private Boat	<b></b>		0	54	182	100	6
Anchor River Subtotal	0	0	15	72	182	100	6
Cook Inlat - Charter Boat	, state with	10-10-	0	0	0	O	•
Cook Inlet - Private Boat			0	0	109	0	
Cook Inlet Subtotal	0	0	0	Đ	109	0	(
Boat - Other Charter		age an	0	0	o	28	2
Boat - Other Private			0	D	0	0	
Boat - Other Subtotal	0	35	0	0	۵	28	2
Saltwater shoreline							
Tutka Bay			ge em	0	0	127	7:
Homer Spit			1,208	580	746	682	210
Saldovia Bay	uu she	0	245	36	291	155	111
Shoreline - Other	0	885	a	163	418	773	559
Saltwater Total	1,559	2,203	2,187	1,539	2,965	2,657	689
Freshwater							
Anchor River	5,599	7,716	3,914	2,735	2,746	1,476	555
Other Streams	312	0	306	199	218	286	239
Freshwater Total	5,911	7,716	4,220	2,934	2,964	1,762	604
Subares Total	7,470	9,919	6,407	4,473	5,929	4.419	919

Table 41. (Page 3 of 4).

			Estimate	by Year <sup>a</sup>			SE <sup>l</sup>
	1984	1985	1986	1987	1988	1989	198
West Cook Inlet subarea						<del></del>	
Saltwater boat	0	0	11	0	O.	0	(
Saltwater shoreline	0	0	0	0	0	0	(
Saltwater Total	0	0	11	0	0	0	(
Preshwater streams	o	52	0	0	0	0	C
Freshwater Total	0	52	0	0	0	0	C
Subarea Total	0	52	11	0	0	0	(
Kodiak subarea							
Saltwater boat							
Chiniak Bay Area		0	719	434	1,055	269	146
Afognak Island Area			15	145	2,092	439	186
Berron Islands			<b>→</b> ←	0	0	0	0
Boat - Other	1,534	334	993	217	0	189	154
Saltwater shoreline							
Chiniak Bay Area		91	2,171	960	2,237	1,006	450
Afognak Island Area			963	0	1,019	0	O
Homen's Bay		228	G	145	0	319	219
Shoreline - Other	3,280	1,638	1,514	398	1,601	549	338
Saltwater Total	4,814	2,291	6,375	2,299	8,004	2,771	663
Freshwater							
Buskin River	9,265	10,109	10,214	3,948	5,293	7,092	1,651
Pasagshak River	1,072	152	933	688	1,055	588	239
Karluk River and Lagoon	274	850	153	72	491	418	183
American River	848	46	107	417	800	448	225
Olds River	249	91	321	290	200	259	92
Saltery Creek	998	91	688	36	746	129	101
Other Streams	3,453	2,687	550	362	1,146	1,146	609
Preshwater Total	16,159	14,026	12,966	5,813	9,731	10,080	1,791
Subarea Total	20,973	16,317	19,341	8,112	17,735	12,851	1,881

Table 41. (Page 4 of 4).

			Estimat	e by Year <sup>a</sup>			SEP
	1984	1985	1986	1987	1988	1989	1989
Aleska Peninsula subarea				+			
Saltwater boat	0	0	115	0	0	31	32
Saltwater shoreline	0	0	344	0	0	63	47
Seltwater Total	0	0	459	0	0	94	56
Preshwater streams	150	0	0	21	18	10	10
Freshwater Total	150	Õ	0	21	18	10	10
Subarea Total	150	0	459	21	18	104	57
Grand Total	37,171	31,177	31,953	16,027	24,847	19,862	2,206

Indicates that data were not disaggregated for a specific fishery for a given year. Harvest and participation information were collected and estimates are reported in a more aggregated fishery or in one of several "Other" categories.

b SE - standard error.

Table 42. Halibut sport harvest by subarea and fishery in the Exxon Valdez oil spill area, 1984-1989.

•			Estimat	e by Year <sup>a</sup>			Si
	1984	1985	1986	1987	1988	1989	19
rince William Sound subarea							
Saltwater boat							
Valdez Bay	1.322	2.632	3,241	1.961	4,467	4.086	8
Passage Canal (Whittier)	387	575	1.040	456	1,023	684	2
Orca Inlat	162	33	520	233	879	747	3
Boat - Other	75	620	2,628	1,553	3,092	2,590	
Saltwater shoreline			_•				
Valdez Arm and Road System		315	153	107	132	145	
Passage Canal (Whittier)	<b></b>	0	0	39	12	٥	
Orca Inlat	***	0	76	10	12	21	
Shoreline - Other	0	0	168	0	132	166	
Saltwater Total	1,946	4,375	8,026	4,359	9,749	8,439	1,3
Frankwater							
Eshamy Creek and Lagoon	0	Ò	0	0	0	0	
Coghill River	0	۵	0	0	0	Q	
Robe River	Ö	0	Ò	0	0	0	
Other Streams	0	0	0	0	0	0	
Freshwater Total	0	O	0	a	0	0	
Subarea Total	1,946	4,375	8,026	4,359	9,749	8,439	1,:
nnai Peninaula subarea							
Saltwater boat							
Homer Spit - Private Boat			3,196	5,288	8,076	5,429	1,0
Halibut Cove - Charter Boat	W		13,180	11,934	26,412	25,873	2,6
Halibut Cove - Privata Boat	**	# m	3,960	4,165	6,748	8,319	1,5
Tutka Bay - Charter Bost				1,811	3,365	3,323	9
Tutka Bay - Private Boat	**	***	104 400	1,322	1,983	1,051	3
Other Kachemak Bay - Charter Boat			8,012	6,574	16,407	13,484	2,4
Other Kachemak Bay - Private Boat			12,110	10,594	25,630	12,814	2,4
Kachemak Bay Subtotal	36,113	40,716	40,458	41,688	88,621	70,293	4,7

Table 42. (Page 2 of 4).

			Estimat	e by Year <sup>a</sup>			SE <sup>)</sup>
	1984	1985	1986	1987	1988	1989	198
enai Peningula subarea (continued)							
Saltwater boat (continued)							
Anchor River Area - Charter Bost			398	308	218	542	27
Anchor River Area - Private Bost			8,394	8.294	11,860	10,109	1,78
Anchor River Subtotal	1,995	2,575	8,792	6,602	12,078	10,651	1,80
Cook Inlet - Charter Boat		w	505	996	1,801	1,837	591
Cook Inlet - Private Boat	₩	<b></b>	1,712	163	1,309	574	434
Cook Inlet Subtotal	175	162	2,217	1,159	3,110	2,411	721
Boat - Other Charter	W w	**	198	580	383	813	35
Boat - Other Private			1,194	<i>177</i>	201	1,479	540
Bost - Other Subtotal	274	708	1,392	1,357	584	2,292	64
Saltwater shoreline							
Tutke Bay		***	~~	181	291	10	10
Homer Spit	<b>~-</b>		398	435	618	642	160
Saldovia Bay	··· ·	0	76	0	73	0	(
Shoreline - Other	698	175	46	18	54	204	107
Saltwater Total	39,255	44,336	53,379	53,440	105,429	86,503	5,130
Freshwater							
Anchor River	0	0	0	0	0	0	0
Other Streams	0	0	0	0	0	0	٥
Freshwater Total	٥	0	0	0	0	0	q
Subarea Total	39,255	44,336	53,379	53,440	105,429	86,503	5,130

Table 42. (Page 3 of 4).

			Estimat	by Year <sup>a</sup>			SE <sup>l</sup>
	1984	1985	1986	1987	1988	1989	198
West Cook Inlet subarea		_					
Saltwater boat	0	0	123	289	434	316	278
Saltwater shoreline	0	0	89	36	0	0	C
Saltwater Total	0	0	212	325	434	316	276
Freshwater streams	0	0	0	0	0	0	o
Freshwater Total	o	0	0	0	0	0	o
Subarea Total	0	0	212	325	434	316	276
Kodiak subarea							
Saltwater boat							
Chiniak Bay Area		865	5,352	4,654	3,346	4,130	903
Afognak Island Area			3,211	3,170	2,365	2,464	746
Barren Islands				362	928	1,846	561
Boat - Other	8,117	5,891	1,848	815	655	1,376	433
Saltwater shoreline							
Chiniak Bay Area		243	183	18	0	160	99
Afognak Island Area			229	543	146	203	92
Homen's Bay		0	0	0	0	0	0
Shoreline - Other	62	304	137	307	309	256	111
Saltwater Total	8,179	7,303	10,960	9,869	7,749	10,435	1,338
Preshwater							
Buskin River	0	0	0	0	0	0	0
Pesagshak River	0	0	0	0	0	0	0
Karluk River and Lagoon	0	0	0	0	0	0	0
American River	0	0	0	0	0	0	0
Olds River	0	0	0	0	0	0	0
Saltery Creek	0	0	0	0	0	0	0
Other Streams	0	0	0	0	0	0	0
Preshwater Total	0	0	0	0	0	0	0
Subarea Total	8,179	7,303	10,960	9,869	7,749	10,435	1,338

Table 42. (Page 4 of 4).

			Estimat	e by Year <sup>a</sup>			SEb
	1984	1985	1986	1987	1988	1989	1989
Alaska Peninsula subarea							
Saltwater boat	75	62	107	116	255	100	60
Saltwater shoreline	0	0	168	93	0	0	0
Saltwater Total	75	62	275	209	255	100	60
Frankwater atreams	0	G	0	0	Q	0	0
Freshwater Total	0	O	0	0	0	0	0
Suberea Total	75	62	275	209	255	100	60
Grand Total	49,455	56,076	72,852	68,202	123,616	105,793	5,586

Indicates that data were not disaggregated for a specific fishery for a given year. Harvest and participation information were collected and estimates are reported in a more aggregated fishery or in one of several "Other" categories.

b SE = standard error.

Table 43. Rockfish sport harvest by subarea and fishery in the Exxon Valdez oil spill area, 1984-1989.

			Estimat	e by Year <sup>a</sup>			SE
	1984	1985	1986	1987	1988	1989	198
Prince William Sound subarea							
Saltwater boat							
Valdez Bay	4.340	5,740	5,864	2.670	6,718	6.668	1,61
Passage Canal (Whittier)	711	1.703	1,620	1.437	1.866	1,898	66
Orca Inlat	25	380	134	0	169	239	13
Boet - Other	199	846	1,832	1,893	3,453	2,580	50
Saltwater shoreline			•	·	·	-•	
Valdes Arm and Road System	₩	141	67	262	265	404	25
Passage Canel (Whittier)		Ó	22	29	0	0	
Orca Inlet	***	0	11	0	0	31	2:
Shoreline - Other	12	O	156	243	120	155	11
Saltwater Total	5,287	8,610	9,706	6,534	12,591	11,975	1,98
Freshwater							
Eshamy Creek and Lagoon	0	٥	0	0	0	0	
Coghill River	Ò	0	û	0	Ó	0	
Robe River	0	Q	0	0	0	0	
Other Streams	a	a	Q	0	0	0	
Freshwater Total	0	0	0	0	0	0	•
Subares Total	5,287	8,810	9,706	6,534	12,591	11,975	1,98
ensi Peninsula subarea							
Saltwater boat							
Homer Spit - Private Boat	ngan ribm		260	91	1,619	136	10:
Balibut Cove - Charter Boat	***	ww 14A	1,224	362	1,091	733	17.
Halibut Cove - Private Boat			521	326	1,255	350	12
Tutka Bay - Charter Boat	part 10th		**	145	400	141	9:
Tutke Bay - Private Bost				36	127	175	111
Other Kechemak Bay - Charter Boat			244	91	418	291	100
Other Kachemak Bay - Private Boat		****	2,324	797	1,401	1,061	530
Kachemak Bay Subtotal	2,407	2,463	4,573	1,848	6,311	2,887	618

Table 43. (Page 2 of 4).

			Estimat	e by Year <sup>a</sup>			SE
d	1984	1985	1986	1987	1988	1989	198
enai Paninsula suberea (continued)							
Seliwater boat (continued)							
Anchor River Area - Charter Boat			0	0	18	0	
Anchor River Area - Private Boat	***	ne es	137	54	236	156	11
Anchor River Subtotel	62	0	137	54	254	156	11
Cook Inlet - Charter Boat			ø	54	491	20	2
Cook Inlet - Private Boat			0	0	582	68	7
Cook Inlat Subtotal	0	25	a	54	1,073	88	7:
Bost - Other Charter			154	199	91	161	16
Boat - Other Private			994	181	164	554	25
Bost - Other Subtotal	12	12	1,148	380	255	715	29
Saltwater shoreline							
Tutke Bay				0	73	0	
Homer Spit		77	275	271	55	311	15
Saldovia Bay	AH 18	0	31	0	146	0	
Shoreline - Other	o	Û	14	0	345	185	10
Saltwater Total	2,481	2,500	6,178	2,607	8,512	4,342	75
Freahwater							
Anchor River	0	0	0	0	Ð	0	(
Other Streams	0	0	0	0	D	0	•
Freshwater Total	0	0	0	a	0	0	(
Subarea Total	2,481	2,500	6,178	2,607	8,512	4,342	750

Table 43. (Page -3 of 4).

			Estimat	e by Year <sup>a</sup>			SE
	1964	1985	1986	1987	1988	1989	198
West Cook Inlet subarea		-					
Saltwater boat	0	0	0	0	0	0	1
Saltwater shoreline	0	0	0	0	0	0	(
Saltwater Total	0	٥	0	0	0	0	•
Freshwater streams	0	0	0	0	0	0	•
Preshwater Total	0	0	0	0	0	0	•
Subarea Total	0	0	0	0	0	0	•
Kodiak subarea							
Saltwater boat							
Chiniak Bay Area		0	2,309	1,956	5,530	1,932	740
Afognak Island Area	~-		550	2,916	4,220	1,398	64
Barren Islands				0	0	0	+
Boat - Other	5,537	1,760	626	91	1,128	331	160
Saltwater shoreline							
Chiniak Bay Area		213	642	887	0	555	40
Afognak Island Area			352	362	0	107	10
Homen's Bay		C	0	72	0	0	
Shoreline - Other	2,694	2,718	0	217	491	747	750
Saltwater Total	8,231	4,691	4,479	6,501	11,369	5,070	1,436
Preshwater							
Buskin River	0	0	0	0	0	0	0
Pasagshak River	0	0	0	0	0	0	C
Karluk River and Lagoon	0	0	0	0	0	0	C
American River	0	0	0	0	0	0	0
Olds River	0	0	0	0	0	0	0
Saltery Creek	0	0	0	0	0	0	O
Other Streams	0	0	0	0	0	0	0
Freshwater Total	0	0	0	0	0	0	0
Subarea Total	8,231	4,691	4,479	6,501	11,369	5,070	1,436

Table 43. (Page 4 of 4).

			Estimat	e by Year			SE <sup>b</sup>
	1984	1985	1986	1987	1988	1989	1989
Alaska Peninaula subarea							
Saltwater boat	o	0	ø	81	Q	44	28
Saltwater shoreline	Q	0	31	162	a	0	0
Saltwater Total	0	0	31	243	Q	44	28
Freshwater atreams	0	0	0	0	0	0	o
Preshwater Total	0	o	0	0	Q	a	0
Subarea Total	o	0	31	243	û	44	28
Grand Total	15,999	16,001	20,394	15,885	32,472	21,431	2,617

<sup>• --</sup> Indicates that data were not disaggregated for a specific fishery for a given year. Harvest and participation information were collected and estimates are reported in a more aggregated fishery or in one of several "Other" categories.

b SE - standard error.

Table 44. Razor clam sport harvest by subarea and fishery in the Exxon Valdez oil spill area, 1984-1989.

			Estimat	by Year <sup>a</sup>			SE <sup>b</sup>
	1984	1985	1986	1987	1988	1989	1989
Prince William Sound subares							
Saltwater boat							
Valdez Bay	0	ð	0	û	0	0	C
Passage Canal (Whittier)	ō	Õ	Ö	ō	ŏ	Õ	à
Orca Inlet	۵	Ō	0	Ó	0	Ô	Ċ
Boat - Other	Õ	Ŏ	ō	ō	ō	ō	Č
Saltwater shoreline	_	-		-	•	_	
Valdez Arm and Road System		0	306	154	27	64	64
Passage Canal (Whittier)		Ď	0	0	0	Ô	0
Orca Inlet		1,680	489	ō	Õ	ō	ō
Shoreline - Other	0	0	673	9,234	ō	Ō	ō
Seltwater Total	0	1,680	1,468	9,388	27	64	64
Preshwater							
Eshamy Creek and Lagoon	0	0	0	0	0	0	0
Coghill River	0	0	0	0	0	0	0
Robe River	0	0	0	0	0	0	0
Other Streams	0	0	0	0	0	0	0
Preshwater Total	0	0	0	0	0	0	o
Subarea Total	0	1,680	1,468	9,388	27	64	64
Kenai Peninsula subarea							
Saltwater boat							
Homer Spit - Private Boat			0	0	0	0	0
Halibut Cove - Charter Boat			0	0	0	0	0
Halibut Cove - Private Boat			0	0	0	0	0
Tutka Bay - Charter Boat				0	0	0	0
Tutka Bay - Private Boat				O	0	0	0
Other Kachemak Bay - Charter Boat			0	0	0	0	0
Other Kachemak Bay - Private Boat			0	0	0	0	0
Kachemak Bay Subtotal	0	0	0	0	0	0	0

ACE 10917398

Table 44. (Page 2 of 4).

			Estimate	by Year <sup>a</sup>			SE
	1984	1985	1986	1987	1988	1989	198
enai Paninsula subarea (continued)							
Saltwater boat (continued)							
Anchor River Area - Charter Boat			0	0	0	0	
Anchor River Ares - Private Boat			0	0	0	0	
Anchor River Subtotel	O	0	0	0	O	0	
Cook Inlet - Charter Boat	***	<del></del>	0	0	0	0	
Cook Inlat - Frivate Boat	which help	46, 144	0	ø	0	0	
Cook Inlet Subtotal	0	0	0	0	0	0	
Boat - Other Charter	***		0	0	0	o	
Boat - Other Private		<del>= -</del>	0	0	0	0	1
Boat - Other Subtotal	0	0	0	0	Ò	o	•
Saltweter shoreline							
Tutka Bay	que pos.		₩.₩	0	0	0	1
Homer Spit			O	0	0	G	1
Seldovia Bay		0	0	0	0	Q	1
Shoreline - Other	0	0	0	0	0	0	•
Saltwater Total	0	0	0	0	0	0	(
Preshwater							
Anchor River	0	0	0	D	0	0	Ç
Other Streems	0	0	0	0	0	0	C
Frankwater Total	0	0	0	ů	0	o	(
Subarea Total	0	0	0	0	o	0	(

Table 44. (Page 3 of 4).

			Estimat	e by Yeer <sup>a</sup>			SEE
	1984	1985	1986	1987	1988	1989	1985
Nest Cook Inlet subares							
Saltwater boat	Q	Q	Q	Q	0	0	C
Saltwater shoreline	٥	o	o	0	O	0	0
Saltwater Total	Q	0	0	O	0	۵	0
Preshwater streams	o	0	Q	0	0	0	0
Freshwater Total	0	0	Q	0	0	0	0
Subaraa Total	9	0	0	0	0	Q	o
Kodiak subarea							
Saltwater boat							
Chiniak Bay Area		0	Q	0	0	0	0
Afognak Island Area	www.edu		Q	0	0	0	0
Barren Islands	**			Ů	Ů	Ó	0
Boat - Other	0	0	0	0	0	0	0
Saltwater shoreline							
Chiniak Bay Area		1,190	917	616	1,981	821	847
Afognak Island Area	<b>~~</b>		0	0	0	0	0
Homen's Bay	was also	0	612	0	0	164	166
Shoreline - Other	7,360	3,780	5,535	1,539	2,633	492	368
Saltwater Total	7,360	4,970	7,064	2,155	4,614	1,477	938
Freshwater							
Buskin River	0	Ö	0	0	0	a	0
Pasagahak River	0	0	0	0	0	0	0
Karluk River and Lagoon	<b>q</b>	0	0	0	Ů	0	0
American River	0	0	0	0	Ö	0	0
Olds River	û	0	0	0	0	0	0
Saltery Creek	Ġ	0	0	0	0	0	0
Other Streams	Û	0	0	0	0	0	0
Freshwater Total	9	0	0	0	0 -	0	0
Subares Total	7,360	4,970	7.064	2,155	4,614	1,477	938

Table 44. (Page 4 of 4).

			Estimat	e by Year <sup>a</sup>			SE <sup>1</sup>
	1984	1985	1986	1987	1988	1989	1989
Alaska Peninsula subarea							
Saltwater boat	0	0	0	0	0	G	0
Saltwater shoreline	0	0	0	٥	o	0	C
Saltwater Total	0	0	0	0	0	0	a
Presheater streems	û	0	0	O	0	Ç.	o
Freshwater Total	0	0	a	a	0	0	a
Suberea Total	0	0	0	0	0	0	a
Grand Total	7,360	6,650	8,532	11,543	4,641	1,541	938

<sup>\* --</sup> Indicates that data were not disaggregated for a specific fishery for a given year. Harvest and participation information were collected and estimates are reported in a more aggregated fishery or in one of several "Other" categories.

b SE - standard error.

Table 45. Other fish sport harvest by subarea and fishery in the Exxon Valdez oil spill area, 1984-1989.

			Estimat	• by Year			SE <sup>b</sup>
	1984	1985	1986	1987	1988	1989	1989
Prince William Sound subsrea							
Saltwater boat							
Valdez Bay	2,033	3,867	934	3,170	4,517	2.313	1,134
Passage Canal (Whittier)	549	1,474	2,278	154	. 0	80	67
Orca Inlet	62	Ö	. 0	0	186	351	311
Boat - Other	412	8,687	321	123	1,114	16,110	14,905
Saltwater shoreline		•			•	•	•
Valdez Arm and Road System	~-	2,202	16,221	13,882	8,199	894	541
Passage Canal (Whittier)		0	58	1.908	0	0	0
Orce Inlet		Ó	876	0	Ō	0	ō
Shoreline - Other	0	1,855	613	0	0	686	666
Saltwater Total	3,056	18,085	21,301	19,237	14,016	20,434	14,957
Freshwater							
Eshamy Creek and Lagoon	25	6	0	0	0	0	0
Coghill River	0	0	0	0	0	0	0
Robe River	0	0	0	0	0	0	0
Other Streams	0	0	0	0	0	258	211
Freshwater Total	25	0	0	0	0	258	211
Subarea Total	3,081	18,085	21,301	19,237	14,016	20,692	14,962
Kenai Peninsula subarea							
Saltwater boat							
Homer Spit - Private Boat			4,497	31	1,145	360	159
Halibut Cove - Charter Boat			1,986	369	2,031	2,078	407
Halibut Cove - Private Boat			934	739	433	2,716	1,610
Tutka Bay - Charter Boat		<b></b> .		123	185	316	163
Tutka Bay - Private Boat				6,956	186	566	322
Other Kachemak Bay - Charter Boat			964	154	2,155	1,312	619
Other Kachemak Bay - Private Boat			3,562	92	5,043	748	411
Kachemak Bay Subtotal	1,297	2,688	11,943	8,464	11,178	8,096	1,869

Table 45. (Page 2 of 4).

			Estimat	e by Year <sup>a</sup>			SE
	1984	1985	1986	1987	1988	1989	198
nei Peninsula suberea (continued)							
Saltwater boat (continued)							
Anchor River Area - Charter Boat	**		0	154	0	50	;
Anchor River Area - Private Boat			321	62	3,032	821	33
Anchor River Subtotal	0	17	321	216	3,032	871	33
Cook Inlat - Charter Boat	Japo edin	****	292	62	308	151	15
Cook Inlet - Private Boat			117	31	619	918	95
Cook Inlet Subtotal	0	0	409	93	927	1,069	96
Boat - Other Charter			29	0	0	123	9
Boat - Other Private	<b></b>		321	93	31	166	7
Boat - Other Subtotal	0	Û	350	93	31	289	12
Saltwater shoraline							
Tutke Bay		·		31	0	181	12
Homer Spit			672	62	681	648	25
Seldovia Bay		0	Û	O	0	0	
Shoreline - Other	o	87	117	0	0	251	14
Saltwater Total	1,297	2,792	13,812	8,959	15,849	11,405	2,20
Freshwater							
Anchor River	25	0	0	31	0	16	1
Other Streams	<b>G</b>	0	0	31	0	0	
Preshwater Total	25	0	o	62	0	16	19
Subares Total	1,322	2,792	13,812	9,021	15,849	11,421	2,20

Table 45. (Page 3 of 4).

			Estimat	• by Year <sup>a</sup>			SE
	1984	1985	1986	1987	1988	1989	198
Nest Cook Inlet subarea							
Saltwater boat	O.	0	29	0	0	0	1
Saltwater shoreline	0	a	o	0	0	Ó	1
Seltwater Total	0	0	29	· 0	0	٥	(
Freshwater streams	0	0	0	۵	0	0	ı
Freshwater Total	0	0	o	Q	Q	0	(
Subares Total	0	6	29	a	0	0	•
Kodiak subaras							
Saltwater boat			•				
Chiniak Bay Area	aper sites	0	876	1,539	1,485	706	351
Afognak Imland Area	**		380	308	31	443	321
Berren Islands				0	8	66	44
Bost - Other	1,271	941	1,665	154	93	213	171
Saltwater shoreline							
Chiniak Bay Area		0	0	0	309	66	64
Afognak Island Area	***	***	1,577	6,156	0	0	
Homen's Bay		30	Ů	Ú	Û	0	(
Shoreline - Other	910	940	88	831	6,652	99	73
Saltwater Total	2,181	1,911	4,586	8,988	8,570	1,593	511
Frashwater							
Buskin River	0	0	204	92	0	164	159
Pasagahak River	0	35	3,212	462	62	0	C
Karluk River and Lagoon	0	O	0	0	0	O	0
American River	0	0	2,920	0	0	0	0
Olds River	0	0	a	0	0	G	0
Saltery Greek	0	0	0	0	0	0	0
Other Streams	ű	0	Ģ	0	0	0	0
Freshwater Total	0	35	6,336	554	62	164	159
Subarea Total	2,181	1,946	10,922	9,542	8,632	1.757	529

Table 45. (Page 4 of 4).

			Estimat	e by Year <sup>a</sup>			se <sup>b</sup>
	1984	1985	1986	1987	1988	1989	1989
Alaska Peninsula aubarea							
Saltwater boat	٥	0	0	924	0	0	(
Saltwater shoraline	0	O	0	Û	0	0	0
Saltwater Total	0	0	0	924	0	0	C
Preshwater streams	0	0	0	0	0	145	144
Freshwater Total	0	0	0	a	0	145	144
Suberes Total	Q	o	0	924	O	145	144
irend Total	6,584	22,823	46,064	38,724	38,497	34,015	15,236

Indicates that data were not disaggregated for a specific fishery for a given year. Harvest and participation information were collected and estimates are reported in a more aggregated fishery or in one of several "Other" categories.

b SE - standard error.

#### ACKNOWLEDGEMENTS

Several computer programmers contributed to the development of the information in this publication. Gary Fidler produced the summary tables, Gail Heineman produced the standard errors, and Cynthia Olnes produced the detailed tables. The Alaska Department of Law funded this investigation as part of the Exxon Valdez oil spill budget.

#### LITERATURE CITED

- Efron, B. 1982. The jackknife, the bootstrap, and other resampling plans. Society for Industrial and Applied Mathematics, Monograph 38, CBMS-NSF Regional Conference Series in Applied Mathematics, Philadelphia, Pennsylvania.
- Mills, M. J. 1979. Alaska statewide sport fish harvest studies. Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Performance Report, 1978-1979, Project F-9-11, 20 (SW-I-A), Juneau.
- \_\_\_\_\_\_\_. 1980. Alaska statewide sport fish harvest studies. Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Performance Report, 1979-1980, Project F-9-12, 21 (SW-I-A), Juneau.
- . 1981a. Alaska statewide sport fish harvest studies (1979). Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Performance Report, 1980-1981, Project F-9-13, 22 (SW-I-A), Juneau.
- . 1981b. Alaska statewide sport fish harvest studies (1980). Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Performance Report, 1980-1981, Project F-9-13, 22 (SW-I-A), Juneau.
  - \_\_\_\_. 1982. Alaska statewide sport fish harvest studies (1981). Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Performance Report, 1981-1982, Project F-9-14, 23 (SW-I-A), Juneau.
- . 1983. Alaska statewide sport fish harvest studies (1982). Alaska
  Department of Fish and Game. Federal Aid in Fish Restoration, Annual
  Performance Report, 1982-1983, Project F-9-15, 24 (SW-I-A), Juneau.
- . 1984. Alaska statewide sport fish harvest studies (1983). Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Performance Report, 1983-1984, Project F-9-16, 25 (SW-I-A), Juneau.
- . 1985. Alaska statewide sport fish harvest studies (1984). Alaska
  Department of Fish and Game. Federal Aid in Fish Restoration, Annual
  Performance Report, 1984-1985, Project F-9-17, 26 (SW-I-A), Juneau.
- . 1986. Alaska statewide sport fish harvest studies (1985). Alaska Department of Fish and Game. Federal Aid in Fish Restoration, Annual Performance Report, 1985-1986, Project F-10-1, 27 (RT-2), Juneau.
- . 1987. Alaska statewide sport fisheries harvest report (1986). Alaska Department of Fish and Game, Fishery Data Series No. 2, Juneau.

## LITERATURE CITED (Continued)

	1988. Alaska statewide sport fisheries Department of Fish and Game, Fishery Data	 •
<del></del> -	. 1989. Alaska statewide sport fisheries Department of Fish and Game, Fishery Data	
	. 1990. Harvest and participation in 1989. Alaska Department of Fish and 90-44. Anchorage.	

APPENDIX A QUESTIONNAIRE AND REMINDERS

# 1989 SPORT FISH SURVEY



Dear Alaska Sport Angler:

Alaska's sport fishery resources are attracting an ever-growing number of anglers. To help the Division of Sport Fisheries obtain the best possible information necessary to maintain and improve the quality of sport fishing in Alaska, the department conducts an annual survey of a representative sample of anglers who purchased a sport fishing license.

I would appreciate your taking a few minutes to answer the questions attached to this letter. Even if you did not fish in Alaska during 1989, your responses to the General Questions on page 3 are important. Please complete the enclosed questionnaire and return it in the postage-paid envelope that is provided for your use. Although there are quite a number of pages, the questions are straightforward and you need only respond to those pertaining to the areas of Alaska where you sport fished during the 1989 season. Be assured that your responses will be considered confidential.

This survey is a means by which you can participate in decisions concerning this state's fishery resources.

Sincerely,

One Velinsworth

Don W. Collinsworth Commissioner

**A**C

## **INSTRUCTIONS:**

- Questions apply to the January 1 to December 31, 1969 period. (Note: include ice fishing trips for 1969 completed to date.)
- Questions apply only to yourself and those people living in your home. Do NOT include visiting relatives or friends.
- If more than one member of your household received a survey, complete only one, but to avoid being sent additional forms, please return all copies.
- 4. If members of your household did not sport fish during 1989, answer the questions on the following page and return the survey in the postage-paid envelope so we may avoid mailing you additional surveys this year.

- 5. If members of your household did sport fish during 1989, answer the questions on the following page and then complete the pages which cover the areas sport fished. If you cannot remember the exact number of fish caught, please estimate as closely as you can.
- Do not include commercially-caught or subsistence-caught fish. Do include personal-use dipnet-caught fish.
- Please return your completed survey in the postage-paid envelope. Thanks for helping us help you.

Use the map below to locate the booklet pages that apply to your household's 1989 sport fishing.

#### SPORT ANGLERS LIVING OUTSIDE OF THE UNITED STATES:

The postage permit that we have for return mail is good only in the United States. However, it is very important that anglers who do not live in the United States return their surveys to us. Therefore, we must ask that you supply your own postage in order to return the survey questionnaire. We hope you will consider this postage as an additional contribution towards sound management of Alaska's sport lisheries. Thank you for your cooperation and support.




#### **GENERAL QUESTIONS:**


The questions below apply to members of your household and the 1989 sport fishing season.

#### NO LICENSE REQUIRED


## LICENSE REQUIRED

- 2B. Number of persons recorded in 2A who DID sport fish . . . .
- 3A. Did anyone in your household work on the clean-up of the Exxon Valdez oil spill? . . . . . . . . . YES \_\_\_\_NO
  - 3B. If YES, how many household members worked on the clean-up of the Exxon Valdez oil spill?.....
- Please provide comments on sport fishing in Alaska during 1989 and your suggestions on how to improve it in the future.






## Please do not write in grid.



-120-



FISHING SITES: Situk River and others

A. KETCHIKAN AREA

SOUTHEASTERN ALASKA SPORT FISH SURVEY AREAS

DESCRIPTION

All Alaska waters and drainages of the Unuk River and East Behm Canal south to the Proposed International Boundary line and east of a line bisecting Clarence Strait to the Canadian border. This area includes Duke,

PAGE

6

8

9

10

11

12

13



- A. KETCHIKAN AREA (see map page 4 for area definition). Please include only information for members of your household.
- 1. For each site sport fished in 1989 write: the number of household anglers who fished, the number of fishing trips, and the number of days fished on all trips. Consider any part day fished as one whole day. EXAMPLE: A woman took 2 trips to a site. On her first trip she fished June 1 (her husband stayed home). On the second trip she fished July 3 and 4; on the same trip her husband fished July 4 and 5. Number of days fished is 5 (3 for the woman, 2 for the man), number of anglers is 2, and number of trips is 2 (1 by the woman alone, 1 by the man and woman together).
- 2. For each type of fish and site fished, write the total number kept by your household. EXAMPLE: If 4 silver salmon were caught, but only 2 were kept, the number 2 would be written. NOTE: "Boat" or "Boat Site" refers to fishing from a boat; "Shoreline" or "Shoreline Site" refers to fishing from shore.

	Number of Anglers	Humber of Tops		King Under 28°	King 26" and Over	Silver Salman	Red Salmen	Kakanee Salmon	Plak Salmon	Chum Salmon	Celly Varden	Sieel- head Trout	Relators Travit	Cut- threat Trout	Brook Trout	Arctic Grayling	Smell	Halibut	Rock- fish	Other (Specify)
EXAMPLE	2	2	5		11-10	2														
SALTWATER	***	***	***	***	***	***	***	***	***	***	***	***	****	***	***	***	***	***	***	*****
1. Boal-East, West, Behm Canals					्र १ <del>५५</del> उर्देशका															
2. Boat-Clarence Strail	, t. v				14.												,			
3. Boat-Revillagigede ("Revilla") Channel			;		14 L															
4. Boal-Tongass Harrows			٠.		. per															1
5. Boat-Yes Bay					Ç.															
6. Bost-Bell Island					ar/ski															
7. Other Boal Siles (Specify):																				
8. Other Shoreline Sites (Specify):					1 12											-				
FRESHWATER	***	****	****	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	*******
10. Ward Cove Creek					unia.															
S. Naha River			;		455		ij.		•											
214. Ketchikan Greek					4 4															
111. Other Streams (Specify):					49.675		•													
					100		1 14 1 (*)		• * .							[				
112. Lakes (Specify):					4		<b>₹</b> 60%										]			
					7 M	[	• ,													

- 8. PRINCE OF WALES AREA (see map page 4 for area definition). Please include only information for members of your household
- 1. For each site sport fished in 1989 write; the number of household anglers who fished, the number of fishing trips, and the number of days fished on all trips. Consider any part day fished as one whole day EXAMPLE: A woman took 2 trips to a site. On her first trip she lished June 1 (her husband stayed home). On the second trip she fished July 3 and 4, on the same trip her husband fished July 4 and 5. Number of days fished is 5 (3 for the woman, 2 for the man), number of anglers is 2, and number of trips is 2 (1 by the woman alone, 1 by the man and woman together).
- 2. For each type of fish and site lished, write the total number kept by your household. EXAMPLE: If 4 silver salmon were caught, but only 2 were kept, the number 2 would be written NOTE: "Boat" or "Boat Sile" refers to fishing from a heat; "Shoreline" or "Shoreline Site" refers to fishing from shore.

	fluoring of of language	Museling of Trips	Market of Baye 7 Mark	King Hader 28"	ISing 26" and 5 Char	Silver Salmon	r Rud Salman i get 1 sk	Kekaner Salmon	Plat Salman	Chum Salmes	(helly Varden	Sinel- head Traul	Minbour Troot	Cut- throat Trout	Arctic Occupting	Smett	Haliber	Rock- tish	***	Other (Specify)	`gren.
EXAMPLE	24	2	5			2	P ***			1		1						1			:
SALTWATER	***	***	***	***		****	***	***	***	***	***	***	****	***	***	***	***	***	***	****	****
1. Bost Sites (Specify):	10						Application of														
	i cr		X I	1			<u> </u>		34								}				
2. Shoreline Sites (Specify):	10.00		装线				Signal S		- 1,		-								***************************************	***************************************	
	434	·	713				yr de		;'												
FRESHWIJTER STOCK	***	***	***	***	****	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***
3, Karta Hiver	14.3								*				,								-,
4. Sweetwater-Thornu System (Stream, Lake)	10																				
5. Klawack River	1.4		243						1												
7. Shahoon Creek	1		100	***************************************		*****		<del>,</del>	 -4-4Ĕ		,	****	,		<del></del>			***************************************			
120, Engle Creek		4					3.3	,,,,,,	4				Ťú	***************************************			4.			,	
124, Harris River	4		4																		
158, Staney Creek	***		Fig w						3.1		•										**
186. Other Streams (Specify):			as me				<b>!</b> \$ ;	ŀ	14				j.								
	對路																				
	Leck.						e Bara Si														
109. Other Lakes (Specify):	33		燇				M. T		)s     			***************************************	·							•	
	, <b>v</b> .,	0.44	4.440		10 (1) 24 (4)													,		***************************************	
			p. 24 - 44.		W. O. W.			[				[		[		[					

C

- C. KAKE, PETERSBURG, WRANGELL, STIKINE AREA (see map page 4 for area definition). Please include only information for members of your household.
- 1 For each site sport fished in 1989 write: the number of household anglers who fished, the number of fishing trips, and the number of days fished on all trips. Consider any part day fished as one whole day. EXAMPLE: A woman took 2 trips to a site. On her first trip she fished June 1 (her husband stayed home). On the second trip she fished July 3 and 4; on the same trip her husband fished July 4 and 5. Number of days fished is 5 (3 for the woman, 2 for the man), number of anglers is 2, and number of trips is 2 (1 by the woman alone, 1 by the man and woman together).
- 2. For each type of lish and site fished, write the total number kept by your household. EXAMPLE: If 4 silver salmon were caught, but only 2 were kept, the number 2 would be written.

  NOTE: "Beat" or "Beat Site" refers to fishing from a beat; "Shereline" or "Shoreline Site" refers to fishing from shore.

			Number of Mgs		King Under 26°	Dag 22" and Our	Silver Salmen	Red Salman	Kehance Salmen	Plate Salaman	Chum Salmon	Belly Vardes	Sieni head Trout	Reinbier Treet	Cul- threal free!	Breek Trout	Arctic Grayling	White-	Smell	Hallbut	Rock	Other (Specify)
	EXAMPLE	2	2	100 Y		1 3	2	107.2														1 1/4/45
	SALTWITTER WELL THE	***	***	WKA +	***	CF1.7294	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	****
1.	Bast-Blind Slaugh (in Witeagell Mattews)	CART OF T		on Where		***		<b>1</b>		٠ <b>١</b> ټو											***************************************	
	Seat-Remainder of Wrangell Narrawa	5		Po le	_					2				ŧ.								ů.
	Boat-Duneau Salt- chuck, Duncan Canal			A COLUMN				数块		, ,												
3.	Just-Grayx Paus	AMPERS A		± 400		24.		\$ 18 \$ 18 \$ 18		年に								A				
		1				CTI ANT		X.V.						1,14								1.4
	Shareline-Riind Sleugh (in Wrangeli Harrunts)	4.		4		****						1		3		•		ā				48/3
	Shereline-Remainder of Wrangell Harrows	7		Comment of he		e se regig		Ø,				ţ.		Į,				<u> </u>				•
(	Shareling-Duncan Sall- chuck, Duncan Canal			NI W				d P						40				i A				
1	Zimuria Strail	1-3-103					ſ			為作								24). (구)			-	., •
(	Other Boat Sites (Specify):	and the		EVE Editor								/1 1		, ,								
	(Shor Shoretine Sites (Specify):	pacts amazor				EZHYDEYE NA	,,	in lands						1 (8) 3 (1)				¥				
		***	***		***	-	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	*****
	Castle River	AL AL		an to		A CONTRACTOR		MA)		<b>V</b>		î.					·					3
		egarto.		e meget a	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			Light,		1.00		ļ.:						2.1				
	Peteraburg Creek			3.00								<u>.</u>						4.7 12				100
	Stikine Aiver			19.00	- 1			ANI.	c manual materials	198 <b>4)</b> 21985			·	1.84								
(	~,nnnnnnnnnnnnnnnnnnnnnnnnnnnnnnnnnnnn					il est		(A)		K1 45		, ·							· · · · · · · · · · · · · · · · · · ·			
113. (	akes (Specify):	<b>*****</b>		7.5				رييل وتوسو		£ 438												

<sup>\*</sup>Cape Strait to Pt. Frederick.

- D. SITKA AREA (see map page 4 for area definition). Please include only information for members of your transchold
- 1. For each site sport lished in 1969 write: the number of household anglers who lished, the number of Itshing trips, and the number of days tished on all trips. Consider any part day lished as one whole day. EXAMPLE: A woman took 2 trips to a site. On her first trip she lished June 1 (her husband stayed home). On the second trip she lished July 3 and 4; on the same trip her husband lished July 4 and 5. Number of days lished is 5 (3 for the woman, 2 for the man), number of anglers is 2, and number of trips is 2 (1 by the woman alone, 1 by the man and woman together)
- 2. For each type of fish and site fished, write the total number kept by your household. EXAMPLE: If 4 silver salmon were caught, but only 2 were kept, the number 2 would be written.

NOTE; "Boat" or "Boat Sile" refers to liabing from a boat; "Shoreline" or "Shoreline Sile" refers to fishing from shore.

		Herrier of he Angles	Special of Julyan		iling Under 26"	illing 20° mel Dag	Silver Salmon	Flad Salmon	ikanee Salmon	Pink Spinnen	Chum Salmon	Sully Varies	Strei- bead Vout	Rainbour Trail	Cul- Ihroat Iroul	Brook Tract	Arctic Grayling	Smell	#falibut	Rock- fish	Razer Clams	Other (Specify)
	EXAMPLE	.2	2	5		4	2	. ,,														
	SALIWATER	***	***	***	***	***	***	***	***	***	***	****	***	***	***	***	***	***	***	***	***	****
	Beat-Crascant Bay  Sheldon Jackson  Kalchery Area)										•						····					
11.	Boot-Starrigueza Buy	社像		144		<b>*</b>				;,												-
13.1	Soal-Silver Bay	1/2/						(4) (1) (4) (1) (1) (1) (1) (1) (1) (1) (1) (1) (1									y					
	Baal-Other Sitta Sound Including Vitskari Is.	230						2 ; 14 ; 1											<b>-</b>			
766.	Book-Sallshury Sound					0.7 N		+ (1+		1.18.						,		1				
787.	Shorelian-Crescent Bay (Sheldon Jackson Halchery Aten)	San Salar	_							ć.				3					***************************************		7.4.2.4	
1	Shorešino-Starrigavan Bay	Má						417				, ,		,				, ·				
731.1	Shoreling-Silver Kay	2						Tyr.			•											ι '
	Shereling-Other Sitks Sound			7 , 4 1 1-4						<b>1914</b>								?				· · · · · · · · · · · · · · · · · · ·
	)ther Beat Sites Specify):			100				3		型 ·		74										4. 4
	lthar Shereline Siles Specify):			大流				A														
5,7	RESIMULTER	***		***	***	***	***	***	***	***	***	***	***	***	****	***	***	***	***	***	* * * A	****
3. [	Plataikat and Rezamet System (Lake, Stream)	144		雅						. i								•				·
!	va Lake Laho, Streamj	74						ijo Rojeja										. ]				
1	iikob Syslem Lake, Stream)	1.					[	Mary 7		ંહ્યું	[		[									
***********	almos Laks	1		A.				allers.						•						}		
	almon Creek	14.6		*		**				2.				١,,								
(1	aranoi System Lake, Siream)	1000 Å				<b>W</b>	ľ	P.44 (		,		î,										
(	ther Streams Specify):	أريد			Į.	(r)) (den		= <del>3</del> 1														
110. D	ther Lukes (Specify):	4, 14			•	M.		į														


q

# E

- E. JUNEAU AREA (see map page 4 for area definition). Please include entry information for members of your household.
- 1. For each site sport fished in 1989 write: the number of household anglers who fished, the number of lishing trips, and the number of days fished on all trips. Consider any part day fished as one whole day. EXAMPLE: A woman took 2 trips to a site. On her first trip she fished June 1 (her husband stayed home). On the second trip she fished July 3 and 4; on the same trip her husband fished July 4 and 5. Number of days fished is 5 (3 for the woman, 2 for the man), number of anglers is 2, and number of trips is 2 (1 by the woman alone, 1 by the man and woman together).
- 2. For each type of fish and site fished, write the total number kept by your household. EXAMPLE: If 4 silver salmon were caught, but only 2 were kept, the number 2 would be written NOTE: "Beat" or "Beat Site" refers to fishing from shore.

		Number of August	Stumber of Tops		King Under 28"	Hing 26" and Door	Silver Salmen	Land- lacted Kings, Silvers	fled Salmon	Kakanna Salama	Pink Salmon	Chum Saimen	Dolly Varden	Steel- head Treet	Rainhow Treut	Cut- threat Treat	Brook Trout	Arctic Grayling	Smelt	Halibut	Rock- lish	Other (Specify)
	EXAMPLE	2	2,	5			2	* 1		1												* 36.0
	SALTWATER SE	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	*****
1.	Seat-Dety Cove to Serners Say and west to Point Retreat																					46 (1)
744.	Bool-Sheep Creek Area	<b>显数</b>		**				2000		*, r.c.								is :				¥ %;
	Boat-Mitchell Bay Salt Lagoon (Admirally Island)					1												i i				
	Shereline-Juneau Read System (includes Dupont)	7 M			·			¥1.		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		,						1				
	Shoreline-Shoop Creek Area	7			ĺ					4, 1								<i>;</i> **,				
	Other Boal Sites (Specify):	华教						01										Ž.				Ė
		V/A								.1 32												
	Other Shereline Siles (Specify):	1				le al		di.				d.						áj)				,
	FRESHMATER #4. 174	***	***	***	***		***	***	**	***	***	***	***	***	***	***	***	***	***	***	***	*****
8.	Juneau Read System (Includes Dupont)	1		14		2		***				167		•								(A. 14/)
	Salmon Creek Reserveir (Lake anly)	7		李響										Ç								
9.	Hasselberg Lake																					· :
16.	Lake Florence	* *.				4		,		- A												
11.	Turner Lake	1						น้ำ		٠.				-								
12.	Peterson Lake			430				Ą		- J <sub>X</sub>		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,									<u> </u>	<del></del>
211.	Twin Lakes			and profit		1	3	. 17.59		4.00		·										
	Other Streams (Specify):	1.		7.1 g		- Aller																
113.	Other Lakes (Specify):			1,000g.																		

F. HAINES-SKAGWAY AREA (see man page 4 for area definition). Please include only information for members of your household





2. For each type of fish and site lished, write the total number kept by your household. EXAMPLE: If 4 silver salmon were caught, but only 2 were kept, the number 2 would be written SKABWAY SUB-AREA: That portion of the Haines-Skagway Area north of a line from Taiya Point east to the Canadian border and north and east of the Ferebee River drainage (excludes Ferebee River).

SKAGWAY SUB-AREA F,	Newster of Angles	Humber of Trips	Tables of Boys Plaked		Eing 28" and Gree	Silver Salmon	Pod Saltons	Kokanee Salmon	Plak Salmon	Chum Salmen	Dully Yarden	Steel- head Tout	fiziabiny Traci	Cut- threat Trout	Read Trust	Aretic Grayling	White- tick	Smelt	Hallbul	Rock- lish	Other (Specify)
EXAMPLE	2	2	5			2													_		
SALTYMTER	***	***	***		***		***	***	***	***	***	***	***	***	***	***	***	******	***	***	****
1. Boat Sites (Specify):	<b>李</b> 维		क्र-क्र				ST. Com		14/4								,				
2. Shoreline Sites (Specify):			م ودر سنده. د د افتاحدوات		DOT NO				41 miles										_		,
FRESHMUTER MEAN	***	***	****	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	****
108. Sireams (Specify):		· · · · · · · · · · · · · · · · · · ·	in t					•	A	(*************************************	,							t, agenceanside an	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		<b>≨</b> -1 .
101. Lakes (Specify):			7 (1) (1)			-															· **20.

HAINES SUB-AREA: Remainder of Haines-Skagway Area.

HAINES SUB-AREA F,	Number of A August	Number ei Trips	H	King Under 26"		Silver Salmen		Kohanen Salman	Plat Extens	Chum Salmen	Dolly Varden	Sieci- bead Traul	Rutabou Treat	Cut- threat Trout	Break Youl	Arclic Grayling	White- field	Smelt	Hallbul	Rock- IIsh	Other (Specify)
EXAMPLE	2	2	5			2											·				٠.٨.
BALTWITER TAXABLE	***	***	***	***	***	***	***	***	***	***	***	***	***	****	***	***	***	***	***	***	*****
1. Bani Siles (Specify):	熟維						P . 1						9 44 j		Ť						ī
	Marie Co				1977 A				1		e e										
2. Sharelina Sites (Specify):			in an	_	العداد المحد		W.								,						
PRESHMETER	****	***	44.44	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	*****
5. Chilkopi Lake			#2.74.2 <b>4</b> 2.0 		***				NA.		4,		MγĘ				 				
3. Chilisant River					gue Artig								15. 25代 門(				1 1 1				
130. Chilkat Lake			Principle of		ing so you		動		- 14				· (4)		4 .		,				*
167. Chilkat River									*		2		" NZ.								
104. Other Streams (Specify):							gen ac may		Paris Co.		i, i		4 ). 1,8								, 4
109. Other Lakes (Specify):			7 P. 12				ige. The													į	





- G. GLACIER BAY AREA (see map page 4 for area definition). Please include only information for members of your household.
- 1. For each site sport fished in 1989 write: the number of household anglers who fished, the number of fishing trips, and the number of days fished on all trips. Consider any part day fished as one whole day. EXAMPLE: A woman took 2 trips to a site. On her first trip she fished June 1 (her husband stayed home). On the second trip she fished July 3 and 4; on the same trip her husband fished July 4 and 5. Number of days fished is 5 (3 for the woman, 2 for the man), number of anglers is 2, and number of trips is 2 (1 by the woman alone, 1 by the man and woman together).
- 2. For each type of fish and site lished, write the total number kept by your household. EXAMPLE: If 4 silver salmon were caught, but only 2 were kept, the number 2 would be written MOTE: "Beat" or "Beat Site" refers to fishing from a heat; "Shoreline" or "Shoreline Site" refers to fishing from shore.

		Humbur Vi Dips	mosadot Imparyo Alasar idirep	King Under 28°		Silver Salmon	Red Submon	Kohanco Salmon	Plant Salaman	Chum Salmon	Melly Yurdus	Sinal- tead Trout	Minimban Trind	Cut- threat Traut	White- Stak	Smell	Hallbut	Hock fish	Other (Specify)
EXAMPLE	H	2	5		M. W. W.	2			المراجعة الم										
SALTWATER	4	***	4 - 1	***	****	***	***	***	***	***	***	***	****	***	***	***	***	***	*****
1. Best Siles (Specify):	) )		Section Section 1				<b>A</b>				i,		1 1						Ş
	1		~		**************************************		1		李				33				i di		
	Periody Con t tion		· See										(°)				, j		
2. Shereline Siles (Specify):	<b>李</b> 克·哈拉 6		e popular sur de la		į N				100		۲.		+ <b>,</b> .* }						24
							*				***		(A.)						
	ν.		365 1 11		OWER S		A. Walter				Et jare				,		1.00		
FREEHMATER AND A	1	***	244	***	-	***	***	***	***	***	***	***	***	***	***	***	***	***	****
183. Streams (Specify):	North C		THE PARTY		4		100			· · · · · · · · · · · · · · · · · · ·	*								:
	Saily all with the				10 m		i i i		1		• /		, 100						
	A service 41		, syer.				7.7				Ř		eng gi politika				<b>3</b>		i de
184. Lukus (Specify):	in the										<b>,*</b>				;				7.6
	POTEN DESC		. Links		un er Sil di				**		181 G		X				72.		- High
			Carlotte Carlotte						議影		**		X				1 to 1		च <b>ा ह</b> ै है 22 <b>4 6</b>

- H. YAKUTAT AREA (see map page 4 for area definition). Please include only information for members of your household
- 1 For each site sport fished in 1989 write; the number of household anglers who lished, the number of fishing trips: and the number of days lished on all trips. Consider any part day fished as one whole day. EXAMPLE: A woman took 2 trips to a site. On her first trip she lished June 1 (her husband stayed frome). On the second trip she lished July 3 and 4, on the same trip her husband fished July 4 and 5. Number of days fished is 5 (3 for the woman, 2 for the man), number of anglers is 2, and number of trips is 2 (1 by the woman alone, 1 by the man and woman together).
- July 4 and 5. Number of days hished is 5 (3 for the woman, 2 for the man), number of anglers is 2, and number of linps is 2 (1 by the woman alone, 1 by the man and woman together).

  2. For each type of fish and site fished, write the total number kept by your household. EXAMPLE. If 4 silver salmon were caught, but only 2 were kept, the number 2 would be written





# SOUTHCENTRAL ALASKA SPORT FISH SURVEY AREAS DESCRIPTION

PAGE

			( ) Charles
l.	GLENNALLEN AREA	All waters and tributaries of the Copper River upstream from a line between the south bank of Haley Creek and the south bank of Canyon Creek in Wood Canyon; also includes the upper Susitna River drainage from its confluence with the Oshetna River. Does not include the Oshetna River. FISHING SITES: Crosswind, Tyone, Van, Paxson, Summit, Strelna, Sculpin, Hudson, and Susitna lakes; Lake Louise; Gulkana River; and others. (Does not include Tangle Lakes, see page 35, FAIRBANKS AREA.)	16
J.	PRINCE WILLIAM SOUND AREA	All saltwater and freshwater drainages from Cape Suckling on the east through Prince William Sound to Cape Puget (including Cape Suckling, as well as waters emptying into Port Bainbridge). Also included is that portion of the Copper River drainage downstream of a line between the south bank of Haley Creek and the south bank of Canyon Creek in Wood Canyon. FISHING SITES: Valdez Bay, Passage Canal (Whittier); Eshamy and Shrode creeks; Eyak, Coghill, and Pignot rivers; Eshamy and Shrode takes; and others.	17
K.	KNIK ARM DRAINAGE AREA	All watersheds of the Matanuska River, Knik River, and Little Susitna River, as well as east-side drainages of the Susitna River from Cook Inlet north to, but not including, the Willow Creek drainage. Also Knik Arm west of the Anchorage municipal boundary and its drainages, including the Nancy Lake Recreation Area. Includes fish caught from the east bank of this portion of the Susitna River, FtSHING SITES: Little Susitna River; Fish Creek area; Wasilla, Cottonwood, and Jim creeks; Wasilla, Finger, Lucille, Nancy and Big lakes; Kepter Lake complex; Eklutna power plant raceway; and others	18-19
L.	ANCHORAGE AREA	All marine and fresh waters bounded by the Ekiutna River drainage on the north, Knik Arm on the west, Turnagain Arm to and including the Portage Creek drainage on the south, and the Chugach Mountains on the east. Included in this area are boundary streams, that part of Knik Arm east of the Anchorage municipal boundary, and that part of Turnagain Arm north of the Anchorage municipal boundary. FISHING SITES: Ship, Bird, and Campbell creeks; Twentymile and Eagle rivers; Jewel, Campbell Point, Sand, Lower Fire, Mirror, Otter, Clunie, Gwen, Sixmile, Green, Hillberg, Triangle, C Street, Beach, Fish, and Cheny lakes; and others.	20-21
M.	EAST-SIDE SUSITNA DRAINAGE AREA	All drainages of the Susitna River from its confluence with the Oshetna River downstream to its confluence with the Chulitna River near Talkeetna and including the Oshetna River drainage; all east-side drainages of the Susitna River from Talkeetna to, and including, Willow and Deception creeks on the south; and all east-side drainages of the Middle Fork of the Chulitna River, from near Summit to near Talkeetna. This includes all fish caught while fishing from the east bank of the Susitna and Chulitna rivers from Willow Creek north to near Summit. FISHING SITES: Summit Lake, Broad Pass Lakes, and other small lakes in the Summit area; and Willow, Deception, Caswell, Montana, Sunstine, Clear (Chunitna), Sheep, and Little Willow creeks. (Does not include Little Susitna River, see pages 18-19, KNIK ARM DRAINAGE AREA.)	22
N.	WEST-SIDE COOK INLET-WEST-SIDE SUSITNA DRAINAGE AREA	All west-side drainages of the Susitna River, from its confluence with the Chulitna River near Talkeetna to Cook Inlet; all west-side drainages of the Chulitna River from Summit to its confluence with the Susitna, near Talkeetna; and all drainages emptying into Cook Inlet from the Susitna River to Cape Douglas and including Kamishak Bay and other associated sall water. This includes all lish caught while lishing from the west bank of the above river reaches. FISHING SITES: Deshka, Talachulitna, Chultna, Theodore, and Lewis rivers; Alexander, Polty, and Lake creeks; Shell and Judd lakes; and others.	23
P.	KENAI PENINSULA AREA	All fresh water and associated salt water of the Kenai Peninsula bounded on the north by Turnagain Arm and including the Placer River drainage; on the west by Cook Inlet and including Kalgin Island, and on the east by the Placer River drainage, Kenai Lake watershed, and waters flowing into the Gulf of Alaska west of Port Bainbridge (includes Resurrection Bay). FISHING SITES: Kenai, Anchor, Ninilchik, Russian, and Kasillof rivers; Deep and Stariski creeks. Hidden Lake, Swanson River and Swan Lake Canoe systems; and others.	24-27

1. GLENMALLEN AREA (see map page 14 for area delimition). Please include only information for members of your household.

1. For each site spert fished in 1989 write: the number of household anglers who fished, the number of fishing trips, and the number of days fished on all trips. Consider any part day fished as one whole day. EXAMPLE: A woman took 2 trips to a site. On her first trip she fished June 1 (her husband stayed home). On the second trip she fished July 3 and 4; on the same trip her husband fished 1. July 4 and 5. Number of days fished is 5 (3 for the woman, 2 for the man), number of anglers is 2, and number of trips is 2 (1 by the woman atone, 1 by the man and woman together).

2. For each type of fish and site fished, write the total number kept by your household. EXAMPLE: 11 4 silver salmon were caught, but only 2 were kept, the number 2 would be written

			Montbor ed Thips		King Under 26"	Chap	Sea-rua Sibupr Salmas	Land- Inched Shape, Stheen	Red Salmen	Kalanga Salanga	Laka Keul	Methy V. Aretic Char	Steel- head Troud	Malabau Frank	Arctic Grayling	White- fish	Aurbet	· Other (Specif	
E)	(AMPLE	2	Z	1.9			<b>Z</b> .			g <b>ngith</b> Swazgsto									A Paris
· FI	ESHNINTER BALLAND	. N. X	***		***		***	***	***	***	***	***	***	***	***	***	***	******	****
	dkana River Float anson to Sourdough)			i tra															N.
(S	dkana River Float Aurdough to Hwy.)	1.4			-g-w-u			ر به باز ی					***********						
	sikana Fliver her Fishing							id)		ر در الور وريخ									
192. Ki	ulina River sat Fishing							1. 1 M.A											
						16		1) 3) (4 <sub>0</sub> )											
9. HA	idsen Lake			<b>V</b> .				MAN MAN		30.5									
398. Tol	isona Lake									(4)(4)(4)( (2)(4)(4)(4)(4)(4)(4)(4)(4)(4)(4)(4)(4)(4)								₽ <sup>y</sup>	
397. M	ose Lake			<b>H</b> 18				400		Aprilog 12 Com a									
10. La				in W															
11. Su	isitaa Lake	连窜								ja jadi j		-						San A	
	one Lake	F. S.		4		er en	_			40 J.		₹.		. '				ूर और .	
4. Va	n (Silver) Lake							este l		and .									
13. Pa	xson Lake		J					ra as s						na es					1,4
(AI	mmil Lake sar Paxson)	<b>*</b>				40 万				-				3 . (*		i		•	
	osswind Lako			i i								18 <sup>1</sup>		1			_		
(\$)	har Stranens pacify):	2042	1			da dien	ļ	数		in the		. <b>?(</b> • /		(		`		w).	Ŷ.
	her Lakes (Specify):	1000				A								3. Y					
		***		444	***	1.0	***	***	***	***	* * * *	***	***	***	***	***	***	*****	*****
(ma	pper River Dipnet per Childen	×				ee. 75												· · · · · · · · · · · · · · · · · · ·	
\$11. Car	pper filver Fish- eel (sear Chilles)																	4.4	

"Mile 160 Glenn Highway at end of Lake Louise Road

J. PRINCE WILLIAM SOUND AREA (see map page 14 for area definition). Please include only information for members of your household

1. For each site sport lished in 1989 write: the number of household anglers who lished, the number of lishing trips, and the number of days fished on all trips. Consider any part day hished as one whole day EXAMPLE: A woman took 2 trips to a site. On her first trip she tished June 1 (her husband stayed home). On the second trip site hished July 3 and 4, on the same trip her husband lished July 4 and 5. Number of days lished is 5 (3 for the woman, 2 for the man), number of anglers is 2, and number of trips is 2 (1 by the woman alone, 1 by the man and woman together).

2. For each type of fish and site fished, write the total number kept by your household. EXAMPLE. If 4 silver salmon were caught, but only 2 were kept, the number 2 would be written.

NOTE: "Beat" or "Beat Site" rather to fishing from a boot; "Shoreline" or "Shoreline Site" raters to lishing from shore,

	Marshan d (d largent	Humber el Trips		King Under 16"	Mag 16" and Oter	Silver Salmen	Red Saluma	Pink Salmon	Chos Salmes	i.ake Trout	Cody V. Arche Char	Steel- kead Frout	Rainbow	Cut- throat Trout	Artic Graping	While- fish	\$mell	Halibul	Rock- Nsh	Razor Clams	Other (Specify)
EXAMPLE	2	2	15			2															
SALPMATER (	***	***	***	***	***	***	***	***	****	****	***	***	***	***	***	* * * *	***	* # * *	***	* * * *	*****
1. Besi-Yaldez Arm/Bay (Including Pert Valdez					2.0																
2. Basi-Passage Canal (Whittier)	25.31		*				3 iL		r .												
727. Sharvilae-Valdez Raad System							Ì., ;													2.5	
747. Shoreline-Remainder of Valdez Arm	10		111				<b>. e</b> g.													` -	
3. Other Beat Sites (Specify):	3.00 m		1				4					***************************************			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		,				
	277	3		)·····			7.7°		7												-
4. Other Shoreline Sites (Specify):	4.		1				\$* j <sub>e</sub>									-					
FREMINITER #1	***	***	***	* * * *	****	****	***	***	***	* * * *	***	***	***	***	***	* * * *	***	***	***	***	*****
5. Eyak River				······································					127.41					ANGELERAN THREE TO				1			Company of the Compan
6. Eshagny Craek and Lagonn	Etast				DA AL		\$ 60		**						1		-	1			
7. Coghill River	於極			***************************************			<u>۽ آ</u> ڏ														
8. Shrode Craek	1		1				<u>.</u>					···········									
3. Pigot River Drainage	4.4		11		io k		14.									7					
11. Eshamy Lake	1		14 W		K. M.		5										,				
12. Shrøde Lake	2 % 2 0 1 1 1 1		"旗					<b>)</b>						,							,*************************************
110. Other Streams (Specify):	, , ::i						. : ;													· · [	
	· .		31. /3		· 18/4		- 4														
113, Other Lakes (Specify):			45. Fresh		9.2%	ſ															



- K. KNIK ARM DRAINAGE AREA PAGE 1 OF 2 (see map page 14 for area definition). Please include only information for members of your household.
- 1. For each site sport fished in 1989 write: the number of household anglers who fished, the number of fishing trips, and the number of days fished on all trips. Consider any part day hished as one whole day. EXAMPLE: A woman look 2 trips to a site. On her first trip she fished June 1 (her husband stayed home). On the second trip she fished July 3 and 4, on the same trip her husband fished July 4 and 5. Number of days fished is 5 (3 for the woman, 2 for the man), number of anglers is 2, and number of trips is 2 (1 by the woman alone, 1 by the man and woman together).
- 2. For each type of fish and site fished, write the total number kept by your household. EXAMPLE: If 4 silver salmon were caught, but only 2 were kept, the number 2 would be written.

  MOTE: "Best" or "Best Site" refers to fishing from a host; "Shoreline" or "Shoreline Site" refers to fishing from shore.

		Herendari Maria Napa		45"	San-run , Khua 16" and 16" and	Sea-ron Silver Salmon	Land- lected Hings, Silvers	Red Salmon	Kekneeu Salman	Pink Salmon	Chem Salmen	l.ake Trout	Dolly V. Arctic Char	Rainbow Trout	Arctic Grayling	White- lish	Northern Pike	Burbal	Smelt	Other (Specify)
EXAMPLE	2	2	5			2	7													
- SALTWATER	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	****
1. Boal-Fish Creek Area																				
2. Other Best Sites (Specify):	è		H 174				4		£.											
3. Shareling Siles (Specify);	1937 2002		Parindra de		, y		* 1		, ,,											
FREMANITER	2.4		201		,,,,,		Spelige a													
NANCY LAKE MEC. AREA	-	****	***		<b>5</b>	***	111111	***	***	***	***	***		H # H #		用金金金	***	***	***	
13. Hancy Lake			ACHEMIA Sec. 14						ξ. 4χ.								14			
241. South Rolly Lake			Balas				*				!									
242. Little Holyck Lake			Edition 1						70											
243. Big Holisch Lake			ज्ञातः । े भू						*				i			-			<b>V</b>	
244. Other Fishing Sites (within Rec. Area)			YAMMin A						1				,			***************************************		*******	7.4.4.	
REMAINDER OF AREA K	***	***	Y.	***	777	***	in nin nir v	***	****	***	***	***	***	***	***	***	***	***	***	****
4. Little Susitan Miver									15 15 <del>(44)</del> 15 15											
5. Knik River and Tribularies, including Jim Creek									) 						·					
6. Wasilin Creek (Rabbit Slough)	14		5	***************************************		***************************************	San			***********						~~~~				www.reserver.we.grands.we.mak
7. Cattanward Creek	1131		<b>37</b>				gli vilj Sj. in		R. B.									tannousanu anai		
14. Eklutna Power Plant Raceway	X.84.7		217		1		Y.													01 01 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
159. Muadow Greek (Big Lake Oraleage)	7.		20	***************************************	*	***************************************	1	er ann ion a				^ ' '				`				W. V. W. I. A. V. CONTROLLON, NO.
234, Fish Greek (Big Lake Drainage)	-		18.07 18.07 18.4		Š													~~~~		

Please note: "K" is continued on the next page.

- K. KNIK ARM DRAINAGE AREA PAGE 2 OF 2 (see map page 14 for area definition). Please include only information for members of your household
- For each site sport fished in 1989 write: the number of household anglers who fished, the number of fishing trips, and the number of days lished on all trips. Consider any part day fished as one whole day. EXAMPLE: A woman took 2 trips to a site. On her first trip she fished June 1 (her husband stayed home). On the second trip she fished July 3 and 4, on the same trip her husband fished July 4 and 5. Number of days fished is 5 (3 for the woman, 2 for the man), number of anglers is 2, and number of trips is 2 (1 by the woman alone, 1 by the man and woman together).



2. For each type of fish and site fished, write the total number kept by your household. EXAMPLE: If 4 silver salmon were caught, but only 2 were kept, the number 2 would be written

	Humber 1: U 1: Ariginal	Hamber of Trips		Sea-run King Under 16"	Ben-run Eing 19" and Grar	Sea-tun Silvet Salaton	Land- inched Elega, Shors	Red Salmon	Keksaas Salmaa	Pigk Salmon	Chum Salman	Lake Trout	Datty V. Arctic Char	Rainbow Fout	Arctic Grayling	While- tish	Merimern Pike	Burbol	Smell		Kher Jecity)
EXAMPLE	2	2	15			2												,			
FRESHWATER (cont.)	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	****	***
10. Kepler Lake Complex*	形刻						. 11														
9. Wasilla Lake												-mars									
9. Finger Lake					. id		i.														
11. Lucitio Lako	*		1				*														<b></b> .
12. Big Lake	44.04		Y.		78 .																
114. Other Streams (Specify);	.4																	**************************************			
	1 2 7	***************************************	43.		**					,		·	·~······	-a Ma.w				w			**
	計畫		<b>3</b> 1				Marian		(4.4)												
115. Other Lakes (Specify):	- 14°		3.5				<b>,,</b>														
			<b>A</b>		4																
			<b>兴趣</b>						,												
PERSONAL USE FISHEMES	***	***	****	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	****	***
900. Fish Creek (Big Lake Orainage)	<b>拉</b>																				

<sup>\*</sup>Kepler Complex = Bradley, Canoe, Echo, Harriet, Irene, Kepler, Klaire, Long, Matanuska, Silver, and Victor Lakes.

## L

- L. ANCHORAGE AREA PAGE 1 OF 2 (see map page 14 for area delimition) Please include only information for members of your household
- 1. For each site sport fished in 1989 write: the number of household anglers who lished, the number of fishing trips, and the number of days lished on all trips. Consider any part day fished as one whole day. EXAMPLE: A woman took 2 trips to a site. On her first trip she lished June 1 (her husband stayed home). On the second trip she lished July 3 and 4, on the same trip her husband fished July 4 and 5. Number of days fished is 5 (3 for the woman, 2 for the man), number of anglers is 2, and number of trips is 2 (1 by the woman alone, 1 by the man and woman together).
- 2. For each type of lish and site fished, write the total number kept by your household. **EXAMPLE**: If 4 silver salmon were caught, but only 2 were kept, the number 2 would be written. **NOTE: "Beat" or "Beat Site" refers to lishing from a boat; "Shoreline" or "Shoreline Site" refers to lishing from shore.**

	Humber of , August	Humber of Trips		Sea-res King Under	Sec-rea (they 15" and Dear	Sea-run Silver Salmen	Land- locked Kings, Silvers	Red Salmen	Kekance Salaten	Pink Salmon	Chum Salmon	Dolly V. Arctic Char	Rainbou Trout	Arctic Grayling	White- lish	Smell	Other (Specify)
EXAMPLE	Z	Z	5		4	2	;										
SALTWATER & PAY	***	***	***	***	***	***	***	***	***	***	***	* * * *	***	***	***	***	*****
1. Boat Sites (Specify):							Sept. Sec. 1		·t.								
	1							i	\.\	l ,			]				
2. Shoreline Sites (Specify):			Ċ7	l	4 64								·			-	
			4 V.						 .: 1								
FRESHMATER	14.4		· Carrier														
ANCHORAGE AREA LAKES	11/20	***		****					***								
3. Jewel Lake	4										ł						
4. Campbell Point Lake			10.18				€ Šedi										
5. Sand Lake			AND PARTY OF														
29. C Street Lake (Taku-Campbell Lake)			April 1		der der ein		<b>1</b>										:
23. Cheny Lake	4 4 4		Alchina		ap ipelak		1		4			-					.?
138. Dalong Lake	(A)		<del>9)</del>		रूप जरामा इ.स.		4		$u_{c}$							,	·
ELMENDORF BASE LAKES 🐰	****	***	***	***	1.4	***	***	***	***	***	***	***	***	***	***	***	******
22. Fish Lake	Ha		C SA						n in				74				
11. Sixmile Lake			4   2				16.9		20								
12. Green Lake	24		A.D										,				
13. Hillberg Lake	*			•			<b>18</b>		* .					Ì			
19. Triangle Lake					100		(III)		ų				:				

Please note: "L" is continued on the next page

- L. ANCHORAGE AREA -- PAGE 2 OF 2 (see map page 14 for area definition). Please include only information for members of your household.
- 1. For each site sport fished in 1989 write: the number of household anglers who tished, the number of lishing trips, and the number of days fished on all trips. Consider any part day lished as one whole day. EXAMPLE: A woman took 2 trips to a site. On her first trip she lished June 1 (her husband stayed home). On the second trip she lished July 3 and 4; on the same trip her husband ished July 4 and 5. Number of days fished is 5 (3 for the woman, 2 for the man), number of anglers is 2, and number of trips is 2 (1 by the woman alone, 1 by the man and woman together).
- 2. For each type of fish and site lished, write the total number kept by your household. EXAMPLE: If 4 silver salmon were caught, but only 2 were kept, the number 2 would be written

	Humber el Anglers	Humbur ol Trips	Restair of Reps Pated	San-run King Under 16"	See-rou ; King 16" and Over	Sna-run Säver Salmon	Land- tucked Kings, Silvers	Red Salmon	Kokanon Salaman	Pink Salmon	Chum Salman	Dolly V Arctic Char	Rainbow Travi	Arctic Grayting	White-	Smelt	(Specify)
EXAMPLE	2	Z	5		gr <sup>†</sup> st (s	Z						]					
FRESHWATER (cont.)	<del>                                     </del>	<del>                                     </del>					<del>-</del>					i			···-		· · · · · · · · · · · · · · · · · · ·
FORT RICHARDSON LAKES	****	***	***	***	***	***	***	***	***	***	***	***	****	***	***	***	<b>*******************</b>
8. Olier Lake	1 g		.7. <b>6</b> /		N. W.					—							
9. Clunie Lake					100							•					
16. Gwen Lake			,i <sub>2</sub> )' <u>l</u> a		40												**
OTHER AREA L LAKES	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	*****
5. Lower Fire Lake	ş. 1		180 B				,		,							0	**35
7. Mieror Laku	jan e d		***		APP SUP												
21. Beach Lake	ia -				<b>含为</b>							,					
124. Other Lakes (Specify):			11		25			~ <u>.</u>									
	17	·	-E-1.		1.												
AREA L CREEKS/RIVERS	***	***	***	***	****	***	***	***	***	***	***	***	***	***	***	***	******
14. Ship Creek	<u>:</u>		والمراجعة المراجعة		為	[											
15. A)rd Creek	N. 3				1												
16. Campbell Creek	F.		24.						,						!		
17. Twentymile River	* * * *				**************************************									1			
18. Eagle River					\$150°												
125. Other Streams (Specify):	,				r i												
						[	]	[									



- M. EAST SIDE SUSITNA DRAINAGE AREA (see map page 14 for area definition). Please include only information for members of your household
- 1 For each site sport lished in 1989 write: the number of household anglers who fished, the number of lishing trips, and the number of days lished on all trips. Consider any part day fished as one whole day. EXAMPLE: A woman took 2 trips to a site. On her first trip site fished June 1 (her husband stayed home). On the second trip she fished July 3 and 4; on the same trip her husband tished July 4 and 5. Number of days fished is 5 (3 for the woman, 2 for the man), number of anglers is 2, and number of trips is 2 (1 by the woman alone, 1 by the man and woman together).
- 2. For each type of fish and site fished, write the total number kept by your household. EXAMPLE: If 4 silver salmon were caught, but only 2 were kept, the number 2 would be written

	Number - et; Anglers	Number of Trips	Humber of Supe Pageod	King Under 16*	ling 16" and Over	Sea-run Silver Salmon	Land- Inched Sings, Silvers	Red Salmen	Pink Interes	Chum Salmon	Lake	Dolly V. Arctic Char	Stainhour Traud	Arctic Grayling	White- lists	Burbol	Other (Spacify)
EXAMPLE	2	Z	300			2			i,								1.0
FRESHWATER (53	***	***1	3242.10	***	***	***	***	***	***	***	***	****	***	***	***	***	******
143. Kachwitsa River							١٠,٠										
4. Willow Creek																	
5. Caswell Creek	1				<b>全市</b>		•		,								
6, Montana Craek	14.4		11.1		A C												
7. Sunshine Crook	44		11														
169. Talkaetna River & Tribs., including Clear Crack		1														*************	
9. Sheep Greek												*					. •
19. Little Willow Crask	**				M.C. W. SHE	**************************************	N.	,p		, and		······································				······	
138. Goese Cresk	17.4				***		12					Arrest Management v					**************************************
117. Blrch Creek	10				rantery Lut				). 	, , , ,							[* 5
112. Other Streams (Specify);			program of the		4.77		微软		J. Wings								
			geres voe		**************************************	***************************************	14		1. <sub>2.</sub> .								
	Y.		A CONTRACTOR		100 mg												
	130						1										
111. Other Lakes (Specify):									/概念								11
				Ì	*****		*		1:504. Vil				1.	[			And the second s
	*						de la		, ,								
	, 1		1		a A	[				[							

- N. WEST SIDE COOK INLET -- WEST SIDE SUSITNA DRAINAGE AREA (see map page 14 for area definition). Please include only information for members of your household
- 1. For each site sport fished in 1989 write: the number of household anglers who fished, the number of fishing trips, and the number of days fished on all trips. Considerany part day fished as one whole day. EXAMPLE: A woman took 2 trips to a site. On her first trip she fished June 1 (her husband stayed home). On the second trip she fished July 3 and 4; on the same trip her husband ished July 4 and 5. Number of days fished is 5 (3 for the woman, 2 for the man), number of anglers is 2, and number of trips is 2 (1 by the woman alone, 1 by the man and woman together)
- 2. For each type of fish and site lished, write the total number kupt by your household. EXAMPLE: If 4 silver salmon were caught, but only 2 were kept, the number 2 would be written.

NOTE: "Boat" or "Boat She" refers to lighting from a boat; "Shereline" or "Shoreline Site" refers to tishing from shore.

	Humber 4 cj Jugars	Homber el Trips		King Under 16"		King 28" and Over	Silver Esimon	Red Salmon	Plat Salama	Chum Salmon	Lain Traut	Doily V. Arctic Char	Rainbow Traul	Arctic Grayling	White- lish	Northern Pike	Berbot	Smelt	Halibut	Razor Clams	(States (Specify)
EXAMPLE	2	Z	5				Z									]					
SALTWATER	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	* * * *	***	***	***	***	****
1. Bool Sites (Specify):	43		4.00																		
2. Shoraline Sites (Specify):	** * *		1		地			, A.A. A. A		**************************************	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Vaa 2. <b>94</b> ************************************		***********							innin terifys <u>se</u> intinansyugensy
16. Razer Clams: Polly Creek Beach/Crescent River Ba	1		(a)																		.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
FRESHWATER	***	***	***	***	***	***	***	***	***	***	***	***	***1	***	***	****	***	***	***	***	*****
3. Deshka River (Krale Creek)			100		*																
4. Lake Creek	1. Sep		44.7					<del>-</del>													
171. Fish Lake Creek & Fish Lakes (Yentha Drainage)			7.30		*																
5. Alexander Creek	1		11		3		i e														
6. Polity Creek			- 18		A N		1,														
7. Yalachulitna River	, A.		. 1		<b>.</b>															·	, 7i
8. Chultaa River	r-logar.		×145		峻。												.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			· · · · · · · · · · · · · · · · · · ·	
9. Theodore River	- 4		-76	***************************************	4			<u>ш</u>		·											
10. Lewis River			7		3													·			
186. Kustalan River	7		7.3	******	***					·							•		-		
12. Shell Lake	1 12							, b		.,,											
15. Judd Lake			Car Isa		. 3.,.					·····										·······	
237. Silver Salmon Creek					•			h			······································									***************************************	***************************************
111. Other Streams (Specify):												*******							-	·······	
116. Other Lakes (Specify);				,	-						-		***************************************								

23

## P

- P. KENAI PENINSULA AREA PAGE 1 OF 4 (see map page 14 for area definition). Please include only information for members of your household.

  NOTE: Please write your responses to lastructions 1 and 2 below in the appropriate section, depending on whether your trip was non-guided or guided. Include only those trips under "guided" for which your household paid money to persons specifically in the business of guiding flahermen on the Kenai River.
- 1. For each site aport fished in 1989 write: the number of household anglers who fished, the number of fishing trips, and the number of days fished on all trips. Consider any part day fished as one whole day. EXAMPLE: A woman took 2 trips to a site. On her first trip she fished June 1 (her husband stayed home). On the second trip she fished July 3 and 4; on the same trip her husband fished July 4 and 5. Number of days fished is 5 (3 for the woman, 2 for the man), number of anglers is 2, and number of trips is 2 (1 by the woman alone, 1 by the man and woman together).
- 2. For each type of fish and site fished, write the total number caught and the number kept by your household. EXAMPLE: If 4 silver salmon were caught, but only 2 were kept, the numbers 4/2 would be written.

KENAI RIVER Non-Guided P.		Humber of Hips		Sea-run King Under 16°	Stee-ran IStee 16" and Door	Saz-rufi Silver Suimes	Red Sulmen	Pink Salmen	Cheen Salamen	Lake Travi	Delly V. Arctic Char	Rainbow Trout	Arette Grayting	White- fish	Northern Pike	Smelt	Other (Specify)
EXAMPLE	Z	2	5			<b>%</b> z	**		07%.								
FRESHMATER	****	***	***	***	****	***	***	***	***	***	***	***	***	***	***	***	***************
1. Kenal filver- Cosk Islet to Soldetsta Bridge																	
2. Kanai River- Seidetna Bridge to Meese River																	
3. Kanal filter- Measa filter to Skilak Dutlet		i															
4. Kenal River- Skilak Inlet Io Kenal Lake												- 20000					•

KENAI RIVER GUIDED P,	thumbur d Anglesi	Number el Trips	bundar of Rain Patriol	Sea-run King Under 16"		Sea-run Sibrer Salmen	Hed Belman	Plak Salmes	Chart Salmen	Lake Yesyt	Bully Y. Actic Char	Rainbow Rout	Arette Grayting	White Nsh	Merthern Pike	Small	Other (Specify)
EXAMPLE	Z	2	<b>5</b>			1/2	\$ \( \)	*****	4			·				,	
1. Kenai River- Cook felet to		***		***				****	***	***	***	***	***	***	***	***	<b>東京市市北京市市市市市市市市市市市市市市市市市市市</b> (1.4.4.5.5.6.6.6.6.6.6.6.6.6.6.6.6.6.6.6.6
Soldotna Bridge  2. Kenai River- Saldetna Bridge to			Market and		inger ig Sj		Aug.			<u></u>				<del></del> -			
Meese River  3. Kenai River- Moese River to Skilak Outlet			X														- *** - ***
4. Kenai River- Skilak Iniel In Kenal Lake																	


Please note: "P" is continued on the next page.

be written.

147. Crescent Lake 261, Plesurrection Creek

226 Sixmile Creek Drainage" 175 Ingram Crass 111 Other Streams (Specify) 114. Other Lakes (Specify)

P. KENAI PENINSULA AREA — PAGE 2 OF 4 (see map page 14 for area deliminal). Please include only information for members of your household.





Other

Arctic

Rainbaw

Morthern

Burbot

Smell

OTHER FRESHWATER White-Dolly V. Steel Piek Lake King Under 16" (Specify) kant Areas Azzd Post Pike **GUIDED AND** Char Toul NON-GUIDED P. EXAMPLE FRESHWITER \*\* 5. Anchor River 8. Stariski Creek × 7. Deep Creek & Mislichik River 18. Kasliel River 244. Yusiumana Lake 334. Swanson River 14. Swanson River Casca Florite Lakes والإيزاء 15. Swan Lake £ 4. Canon System 228. Skilak Lake 12. Hiddes Lake A Guy 1. Russinn River 218. Quartz Crook

يم بر

<sup>\*</sup>Including Sixmile, Granite, East Fork and Canyon Creeks Please note: "P" is continued on the next page

### P


- P. KENAI PENINSULA AREA PAGE 3 OF 4 (see map page 14 for area definition). Please include only information for members of your household.

  MOTE: Include under "CHARTER BOAT" only those trips for which you hired the boat and crew to take you lishing, not merely to terry you to a destination. Trips for which you used your away agat or a boat was rented and operated by a member of the fishing party should be included under "PRIVATE BOAT."
- 1. For each site sport fished in 1989 write: the number of household anglers who hished, the number of fishing trips, and the number of days fished on all trips. Consider any part day fished as one whole day. EXAMPLE: A woman took 2 trips to a site. On her first trip she hished June 1 (her husband stayed home). On the second trip she fished July 3 and 4; on the same trip her husband lished July 4 and 5. Number of days fished is 5 (3 for the woman, 2 for the man), number of anglers is 2, and number of trips is 2 (1 by the woman alone, 1 by the man and woman logether).

SALTWATER		Number	Mandar of Baps Falsa	King Under	King 16" and	Silver Salmon	Red Salmon	Piek Salmon	Chum Salman	Dally V. Arctic	Steel- head	Smelt	Hallbut	Lingcod	Reck- fish	Other Finit (Specify	
FINFISH		Tips		16"	Over		ļ		<u> </u>	Char	Treat		<u> </u>				
EXAMPLE	Z	2	5					}	ļ		<b> </b>	[			ļ.		
SALTWATER CHARTER BOAT	***	***	****	***	***	***	***	***	***	***	***	***	***	***	***	*****	****
734. Halibut Cove (Kachemak Bay, Homer Area)					ŽV.												
738. Tutka Bay (Kachemak Bay, Homer Area)					1		,										
003. Remainder of Kachamak Bay			1												41		
002. Reserrection Bay (Seward)							1 1 X										
884. Other CHARTER Fishing Sites (Specity):															,		
SALTWATER PRIVATE BOAT	444		***	***	***	***	***	***	***	***	***	***	***	***	***	*****	****
734. Halibut Cave (Kachemak Bay, Hemer Arsa)					3		•										
738. Tutks Bay (Kachemak Bay, Hemer Area)			. Ka														
622. Homer Spit (Kachemak Bay)	4		***		( <sub>1</sub> )** :									Ever Management		***	
603. Remainder of Kachemak Bay				***************************************	7									****			
732. Anchor River Area					Ď												
738. Whiskey Guich Area					176.13												
061. Deep Creek Area																	
882. Resurrection Bay (Seward)					d ye												
(Specify):	10.0	ľ													·		
SALTWATER SHORELINE		***	***	***	***	***	***	***	***	***	***	***	***	***	***	*****	*****
	彩赏		No.	[	*** # ± 1						]		]		]		
	李		<b>遂</b> .						,						]		
793 Resurrection Kay (Seward)																	
805. Other SHORELINE Fishing Siles (Specify):	य १००ई)		, A 4														

Please note: "P" is continued on the next page.

P. KENAI PENINSULA AREA - PAGE 4 OF 4 (see map page 14 for area definition). Please include only information for members of your household.






2. For each variety of fish and site visited, write the total number taken by your household

RSONAL USE SHWATER IFISH P3	thember of Anglers	House of Trips	Breaker of Beye Fished	Saa-run Silver Salmon	Red   Salmen	Piak Salmos	Chum Salmon	Qiper (Specify)
EXAMPLE	2	2	5	<u></u>	,			
SONAL USE DIPMET	***	***	***	***	***	****	***	************
China Pool								
Kenai River			΄.					
(asilof River	<b>—</b> —	···-·						

2. For each variety of shellfish and site visited, write the total number (unless gallons is indicated) taken by your household.

SALTWATER SHELLFISH P.	Manahar et Anglers	Number el Vigs	Hermher of Doys Flahed	King Crab	Dunge- Meds Crab	Tanner Crab	Shrimp (gallens)	Hd. Shell Clams (gallous)	Razar Clama	Other Shellfish (Specily)
EXAMPLE	2	2	5		7					
SALTWATER	***	***	***	***	****	***	***	***	***	************
Resurrection Bay     (Seward)										
2. Kachemak Bay (Hemer)	:,:				n.					
5. Clams: Kaşiləl tö Anchor Point, İncluding Clam Gulch								<u></u>		
4. Other Sites (Specify):			,		13.00			w		
			: '							



#### SOUTHWESTERN ALASKA SPORT FISH SURVEY AREAS

		DESCRIPTION	PAGE
Q.	KODIAK AREA	All marine and fresh waters within the Kodiak Island Borough boundary. This includes Alognak Island and the Barren Islands in the north and the Trinity Islands in the south. FISHING SITES: Buskin and Pasagshak rivers; Karluk River, Lake, and Lagoon; and others.	30
R.	NAKNEK DRAINAGES— ALASKA PENINSULA AREA	All freshwater drainages of the Alaska Peninsula and the Aleutian Chain south of Cape Douglas and the Naknek River watershed. Boundary waters are included as well as adjacent salt water and islands. FISHING SITES: Russel Creek (Cold Bay Area), Adak Island Area, Naknek River and Lake, Brooks River and Lake, Ugashik system, Becharof system, and others.	31
S.	KVICHAK RIVER DRAINAGE AREA	All waters and tributaries of the Kvichak River watershed, including Nonvianuk Lake, Kukaklek Lake, Kulik Lake, Lake Iliamna, and Lake Clark. Also includes Kvichak Bay north of Naknek. FISHING SITES: Lower Talarik Creek; Copper, Newhalen, and Alagnak rivers; Gibralter system; and others.	32
T.	NUSHAGAK AREA	All waters and tributaries of the Nushagak River watershed, including the Mulchatna River drainage, the Wood River and Tikchik Lakes systems and waters westward to Cape Newenham. Includes adjacent salt water. FISHING SITES: Togiak River system, Chilikadrotna River, and others.	33




- C. KODIAK AREA (see map page 28 for area definition). Please include anly information for members of your household
- 1. For each site sport lished in 1989 write: the number of household anglers who fished, the number of lishing trips, and the number of days fished on all trips. Consider any part day fished as one whole day. EXAMPLE: A woman took 2 trips to a site. On her first trip she fished June 1 (her husband stayed home). On the second trip she fished July 3 and 4, on the same trip her husband fished July 4 and 5. Number of days fished is 5 (3 for the woman, 2 for the man), number of anglers is 2, and number of trips is 2 (1 by the woman alone, 1 by the man and woman together).
- 2. For each type of fish and site fished, write the total number kept by your household. EXAMPLE: If 4 silver salmon were caught, but only 2 were kept, the number 2 would be written.

  NOTE: "Beat" or "Beat Sile" refers to fishing from a boat; "Shoreline" or "Shoreline" to fishing from shore.

	Humber of Anglers	Hember of Tipe		King Under 28"	(Cing 28" and Over	Sea-run Silver Salman	Land- inched Klops, Sibutes	Red Salones	Pink Salawan	Chum Salman	Dolly V. Artile Char	Steel- head Youl	Rainbow Trout	Arctic Grayling	Capalin (Small)	Halibul	Heck- Hull	Razor Clams	Other (Spacify)
EXAMPLE	2	<u>z.</u>	5		1	2_				]									
. SALTWATER	**	***	***	***	***	***	***	***	***	***	***	***	***	***	***	* * * *	***	***	****
736. Boat-Chiniak Bay Area*	% <b>- ,</b> #				W.														
814, Beal-Alognak Island Area	v1 ,		, A		.5	************					**************	yamzaa	ļ Ļ						
800. Boat-Shuyak Area	11 3		50%																
737. Shoreline-Chiniak Bay Area"	1.5		- 6								,						٠.		
815. Shereline-Afognak Island Area	(3		43																
801. Shereline-Shuyak Area	Here		3		*														
1. Other Bool Siles (Specify):	• • • • • • • • • • • • • • • • • • • •											•							
2. Other Shareline Sites (Specify):	. 1														,				
FRESHWITER (1)	***	***	***	***	***	****	***	***	***	***	***	***	***	***	***	****	***	***	*****
3. Buskia River	14 A	I		***************************************		***************************************	rates of the			· · · · · · · · · · · · · · · · · · ·									
4. Pasagshak River	· <b>纳</b> 乔达						15 714 x		i gan										
5. Kariuk River and Laguen	9.44		* 1				A PARTY		,								,		
114. American River	P.		3				. (\$2.0° *)												
163. Olds River (or Creek)			**				Prij.												
7. Kariuk Lako	Y						on to		15-18-july										
106. Other Streams (Specify):	15		5 10 1 10 10				4.9		وية واستا. د ا										
198. Readside Lakes (Specify):			. 6.3				4.0				. `								
109. Other Lakes (Specify):			37:134		1		N.												

<sup>\*</sup>Cape Chiniak to Monashka Bay.

#### R. NAKNEK DRAINAGE - ALASKA PENINSULA AREA (see map page 28 for area definition). Please include only information for members of your household



2 For each type of fish and site fished, write the total number caught and the number kept by your household. EXAMPLE: If 4 sever salmon were caught, but only 2 were kept, the numbers 4/2 would be written.

NOTE: "Boat" or "Boat Site" raters to fishing from a boat; "Shereline" or "Shoreline Site" refers to lishing from shore.

	Humber of Angless	Number el Trips	Number of Sups Plubod	ting 28" and Under	Ling Bow 28" 1		Red Salmen	Kokanen Salmon	Pint Salaya	Chum Salmon	Lake Yearl	Dolly V. Arglic Char	Rainbow	Arctic Grayling	White- ligh	Northern Pike	Berbst	Smelt	Halibul	Rock- tish	Other (Specify)
EXAMPLE	Z	Z	51		**	1/2	1.5					10000									
SALTWATER	***1	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	****
1. Boat-Celd Bay Area	. 90		松沙		13.7																
2. Boat-Adak Island Area	1		1		**************************************															,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
3. Other Boat Sites (Specify):	. 5 3				100										<b>—————————————————————————————————————</b>						
4. Other Sheroline Siles (Specify):	正海				2		Mary .														
FRESHWATER	***	***	***	***	***	***	***	***	***	***	***	* * * *	***	***	***	***	***	***	****	***	***
5. Cold Bay Area, Includ- ing Russel Creek	180	,	**				. {μ <sup>1</sup> ν ψ.		i	•		Pr 100					,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				**************************************
6. Adak Island Area								.,,		*										,	
182. American Creek	4		<b>"</b>																		
7. Naksek River & Tributaries	4		1		Ì																
8. Haknek Lake— Bay of Islands	1		1	•	- B	/ #///			:	Manager 1 0			***************************************	,	.,,	·•				V <sub>1</sub> , · · · · · · · · · · · ·	~
9. Nakauk Laku-Other			1		) (j.		, ,										·			, — · •	
10. Brooks River	្នាធ															T					
13. Brooks Lake					4		4														
11. Ugashik Syşlem"	. U.		3.3%		100								***************************************								
12. Secharol System"*	1					Ī	317							.,,							
113. Other Streams (Specify):	j <b>¥</b>		tranari		\$																
	U Aug	<u> </u>			140			}		_	ļ		]							.	
114. Other Lakes (Specify):			1 ep 5.		*													,			

<sup>&</sup>quot;Including Upper and Lower Ugashik Lakes.

<sup>\*</sup> Including Becharof Lake, Kejulik and Egegik Rivers and Shosky Creek

S

- S. KVICHAK RIVER DRAINAGE AREA (see map page 28 for area definition). Please include party information for members of your household
- For each site sport fished in 1989 write: the number of household anglers who fished, the number of fishing trips, and the number of days fished on all trips. Consider any part day fished as one whole day. EXAMPLE: A woman took 2 trips to a site. On her first trip she fished June 1 (her husband stayed home). On the second trip she fished July 3 and 4; on the same trip her husband fished July 4 and 5. Number of days fished is 5 (3 for the woman, 2 for the man), number of anglers is 2, and number of trips is 2 (1 by the woman alone, 1 by the man and woman together).
- 2. For each type of fish and site fished, write the total number caught and the number kept by your household. EXAMPLE: If 4 silver salmon were caught, but only 2 were kept, the numbers 4/2 would be written.


MOTE: "Beat" or "Beat Site" refers to fishing from a hoal; "Shoreline" or "Shoreline Site" refers to fishing from shore.

		-		King 26" and Under	Ban (	Silver Salmon	Red (4) Salmes	Piak Salmen	Chum Salman	Lake Trout	Daily V. Arctic Char	Rainbow Trout	Arctic Grayling	White- fish	Mortheru Pike	Burbol	Smelt	Other (Specify)
EXAMPLE	Ź,	2	5			4/2	$[A_{ij}]_{j,j}$											
SALTWATER	***	***	444	***	***	***	***	***	***	* * * *	***	***	***	***	***	* * * *	***	******
1. Boat Shex (Specify):	-77				4				***************************************							· v		
			201 - m				*		. (a.	,								
2. Shersline Sites (Specify):							(d) () (d)		,									
	Marie II		A Prince		A P		14		1				<b>.</b> .					
FRESHAVE LA		***	***	***	4	***	**	***	***	***	***	***	***	***	****	***	***	****
3. Kvichak River	eren eren eren eren eren eren eren eren		· · · · · · · · · · · · · · · · · · ·		15 11 <b>19 49</b> 3 13 3				N.								j	
4. Lower Talarik Creek	gager charges (1) Single A		CANAL TON		- 1		外村		*								ą.	
5. Copper River (Trib. el Niemax Luke)			Action and								3.7		1				<b>1</b> 0	7,44
6. Gibraiter Lake	Maria.		paneren eri		,		A		制作		, v							
7. Newhalen River			Bedere bet		Am LANGE												, .	
B. Alagnak (Branch) River			<b>A</b> ction						£,65				4.				,	MA AL
9. Lake Clark	1		AM: TP		V-18-9/ <b>2</b> 5		10.4					***************************************	, . , .					· · · · · · · · · · · · · · · · · · ·
125. Iliamas Laka	gynn s		De .		99.40						j.						1:	
111. Other Streams (Specify):	A Pri				ges edegei am						₹% · ·		7.0					
	Same Array	1	Sheeper a.		A A No.		3.5				·							
110. Other Lakes (Specify):	Ĭ.					· •	e 177		ń			,						
	1																	Timb. Administration of various of stables, the season of

T. NUSHAGAK AREA (see map page 28 for area definition). Please include only information for members of your household

- For each site sport fished in 1989 write: the number of household anglers who fished, the number of fishing trips, and the number of days fished on all trips. Consider any part day lished as one whole day EXAMPLE: A woman took 2 trips to a site. On her first trip she lished June 1 (her husband stayed home). On the second trip she lished July 3 and 4, on the same trip her husband fished July 4 and 5. Number of days fished is 5 (3 for the woman, 2 for the man), number of anglers is 2, and number of trips is 2 (1 by the woman alone, 1 by the man and woman together).
- 2 For each type of fish and site fished, write the total number caught and the number kept by your household. EXAMPLE: If 4 silver salmon were caught, but only 2 were kept, the numbers 4/2 would be written.

NOTE: "Boat" or "Boat Site" refers to Making from a boat: "Shoreline" or "Shoreline Site" refers to lishing from shore.



<sup>\*</sup>Excluding Mulchatna, Noyukok and Chilikadrotna Rivers

<sup>\*\*</sup>Including Lakes Aleknagik, Nerka, Beverley and Kulik.

<sup>&</sup>quot;"Including Nuyakuk, Tikchik, Chickuminuk, Nishlik and Upnuk Lakes and Lake Chauvekuktuli

<sup>&</sup>quot;"" Including Togiak River-Lake drainage area





### ARCTIC-YUKON-KUSKOKWIM SPORT FISH SURVEY AREAS

		DESCRIPTION	LA(C)E
Ų.	FAIRBANKS AREA	The Tanana River watershed. This area also includes the Alaskan portion (Wrangell Mts.) of the White River drainage. This area excludes all portions of the Yukon and Kuskokwim River watersheds. FISHING SITES: Chena, Chatanika, Salcha, Delta Clearwater, Richardson Clearwater, Goodpaster, and Delta rivers; Shaw Creek; Badger Slough; Birch, Quartz, George, Volkmar, Fielding, Tangle, and Chena lakes; Minto Flats; and others.	36-37
V.	KUSKOKWIM RIVER DRAINAGE AREA	The Kuskokwim River watershed. All waters flowing into Kuskokwim Bay; adjacent salt water from Cape Newenham north to the Naskonat Peninsula (north of Nelson Island), and Nunivak Island. This area does not include the Pastolik River, nor any portion of the Tanana River watershed or Yukon River watershed. FISHING SITES: Anektok, Goodnews, Aniak, and Holitha rivers, and others.	38
W.	SEWARD PENINSULA- NORTON SOUND AREA	All waters north of the Yukon River drainage, south of the Selawik River-Kotzebue Sound area, and west of the Yukon-Koyukuk river drainages. This area includes Pastol Bay and all salt water north and west of it in Norton Sound as well as salt water adjacent to the Seward Peninsula, including Spafarief Bay in Kotzebue Sound and the southern half of Eschscholtz Bay. FISHING SITES: Unalakteet, Pilgrim, and Nome rivers; Fish-Niukluk river system; and others.	39
Χ.	NORTHWEST ALASKA AREA	All waters and drainages of the Kotzebue area including drainages of the Selawik, Kobuk, Noatak, Wulik, and Kivalins rivers. All salt water in the northern half of Eschschottz Bay, including Chamisso Island area, and the northern half of Kotzebue Sound to and including Point Hope.	40
Y.	YUKON RIVER DRAINAGE AREA	The Yukon River watershed. All drainages of the Yukon River from the south side of the Brooks Range to the Bering Sea, from Naskonat Peninsula north to Pastol Bay; from the Canadian border, including the Alaskan portion of the Fortymile and Sixtymile river drainages, west to Kaltag. This area excludes all portions of the Tanana and Kuskokwim river watersheds. FISHING SITES: Hauf Road/Dalton Highway takes and streams.	41
Z.	NORTH SLOPE BROOKS RANGE AREA	All drainages north of the Brooks Range flowing into the Beaufort and Chukchi Seas, east of Point Hope and west of the Canadian border, including adjacent sattwater areas.	42



- U. FAIRBANKS AREA PAGE 1 OF 2 (see map page 34 for area definition). Please include only information for members of your household.
- 1. For each site sport fished in 1999 write: the number of household anglers who fished, the number of fishing trips, and the number of days fished on all trips. Consider any part day fished as one whole day, EXAMPLE. A woman took 2 trips to a site. On her first trip she fished June 1 (her husband stayed home). On the second trip she tished July 3 and 4, on the same Imp her husband tished July 4 and 5. Number of days fished is 5 (3 for the woman, 2 for the man), number of anglers is 2, and number of trips is 2 (1 by the woman alone, 1 by the man and woman together).
- 2. For each type of fish and site fished, write the total number kept by your household. EXAMPLE: If 4 silver salmon were caught, but only 2 were kept, the number 2 would be written.

			Hember Tight		King Vador 16"	San ( 10° and 10° and	Søa-run Sälvar Sølmon	Land- Jacksof Elispa, Stituera	Chum Sairpen	Labo , Trout	Dolly V. Arctic Char	Rainbour Triul	Arctic Grayling	White-	Sheelish	Marthern Pliky	Burbal	Other (Spacity)	70 A P
	EXAMPLE	1/2	2	**************************************		A 10 (10 )	Z			11(3)				Ų.					
	FRESHMATER & CASA		****	لبأعلسانيا	***	**	***	***	***	****	***	***	***	***	***	***	***	****	*****
	Upper Chena River"			•		i.				3.0g					i				
	Charle Circles Leads	13				* *************************************		27.5											
319.	Piledriver Slengh	135		#300 C		y year				M							ı	į. v	4/19
	Monana Filver Drainage	Rapide :						3				,		Î.					
3.	Badger Stough""	RCS A G		emel ero				And on San				34						1000 111	4 - 4 13
4.	Chatasika River	e de la compania del compania del compania de la compania del compa		ge w. s				Control (Sp.)		Agra Lik				が				e gradina de la composição de la composi	1
5.	Salcha River	grade systems See Sec. Sec. Sec.		19:3%								· 建5						<b>建</b>	19 <b>4</b>
6.	Delta Cleanwater Alver			nd office of								1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1 14 14C			*	A CONTRACTOR	7
7.	Richardson Clearwater River	14. 展了				الأوداكية. الصحب						(a)					i	40 × 10 × 10 × 10 × 10 × 10 × 10 × 10 ×	
8.	Goodpaster River	i salai ili salai na Hagas Estitud Arii Salai Hagas Aliinist		ests sits		< (a)		1				Q.		300				English Committee	. 4.
16.	Skaw Creek							*				3) 19 <b>8</b> (1)		r iv <b>a</b>					in the second
17.	Deita filver (hølew Tangle Lakes)			1.		ile ilgi minima					······································	2.00			j				
	Brushkana Creek	HT MAN						100			· · · · · · · · · · · · · · · · · · ·								
	Lower Tanana River† (mainclem nely)	100		****		er vengesi		******		: E		re <b>s</b>				y. pr. 1.61		r)	
<b>515</b> .	Middle Tanana River†† (mainstess ealy)	**************************************		13.	.,	Me Mige					***************************************	4.7		4.0				4 ;	
	Upper Tanana Alver††† (malestom only)			edirose es es							***************************************			14		86 . J			2
	Other Streams (Specify):	7 <b>3</b> SF - 11		in or we		٠,٠				ត្ត។ ( ) រ		4.16				· .			2 1

<sup>\*</sup>The Chena River and tributaries accessed from the Chena Hot Springs Road beyond 25 mile on the road.

†The mainstern Tanana River downstream from Nenana.

<sup>\*\*\*</sup>The Chena River and tributaries from the mouth upstream to 25 mile Chena Hot Springs Road.
\*\*\*All parts of Badger Slough (sometimes called Chena Slough).

Please note: "U" is continued on the next page.

<sup>††</sup>The mainstern Tanana River between Delta Junction and Negana.

<sup>†††</sup>The mainstern Tanana River upstream from Delta Junction.

- U. FAIRBANKS AREA -- PAGE 2 OF 2 (see map page 34 for area definition). Please include only information for members of your household
- 1. For each site sport fished in 1969 write: the number of household anglers who lished, the number of tishing trips, and the number of days fished on all trips. Consider any part day fished as one whole day. EXAMPLE: A woman took 2 trips to a site. On her first trip she fished June 1 (her husband stayed home). On the second trip she fished July 3 and 4; on the same trip her husband fished July 4 and 5. Number of days fished is 5 (3 for the woman, 2 for the man), number of anglers is 2, and number of trips is 2 (1 by the woman alone, 1 by the man and woman together).
- 2 For each type of fish and site fished, write the total number kept by your household. EXAMPLE: If 4 silver salmon were caught, but only 2 were kept, the number 2 would be written.

	Humber of Anglers	Mumber of Trips	Humber of Hupt Flubor	King Qualer 16"	King 16" and Over	Saa-sun Silver Salmon	Land- locked Kings, Silvers	Chum Salman	Lake Treet	Dolly V. Arctic Char	Rainbow Trout	Arctic Grayling	White- tich	Sheelish	Morthern Pike	Burbat	Other (Specify)
EXAMPLE	Z	Z	5			Z				1							
FRESHWATER (cont.)	***	***	***	***	***	***	***	***	***	* * * *	***	 1 # # # :	***	***	***	***	***
9. Birch Lake			: Si		1	**************************************			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		VI					**************************************	######################################
10. Quartz Lake	nof.		* * 3		11		,							, <u>-</u>		*************	,
11. George Lake	V 30		<b>(B)</b>		14								****				
201. Koole Lake		*********	, - }			·····									***************************************		7994,
12. Volkmar Lake			1 5 de		HÀ.										-		
13. Fielding Lake			: 7													********** **	
292. Lake Minchumina		-	ं द्व		龙藤												
163. East Twin Lake																· · · · · · · · · · · · · · · · · · ·	
296. Wien Lake	1 1		, 43g		(Aug		· 1		,							٠	,
14. Minto Flats	1.15		n je oc		**												
15. Tangle Lakes				<u> </u>	70			t	· · · ·		***************************************					A	
18. Chena Lake (Lake uniy)	1: 1	•			1 7							·		······································		·	
406. Dune Lake					ೇಡಿ			f	······································								
189. Harding Lake				F													
117. Other Lakes (Specify):										//		-		· · · · ·			
			······································	-,	* .							***************************************		***********			
										}						· · · · ·	



V. KUSKOKWIM RIVER DRAINAGE AREA (see map page 34 for area definition). Please include only information for members of your household

1. For each site sport fished in 1989 write: the number of household anglers who lished, the number of fishing trips, and the number of days lished on all trips. Consider any part day fished as one whole day. EXAMPLE: A woman took 2 trips to a site. On her first trip she lished June 1 (her husband stayed home). On the second trip she lished July 3 and 4, on the same trip her husband fished July 4 and 5. Number of days lished is 5 (3 for the woman, 2 for the man), number of anglers is 2, and number of trips is 2 (1 by the woman alone, 1 by the man and woman together).

2. For each type of fish and site fished, write the total number kept by your household. EXAMPLE: If 4 silver salmon were caught, but only 2 were kept, the number 2 would be written.

NOTE: "Beat" or "Beat Site" refers to fishing from a boat; "Shoreline" or "Shoreline Sile" refers to fishing from shore.

	Heater of Anglers	Humber of Trips	di dep	King 28" and Under	King Over 20°	Sea-run Silver Saknan	Land- lected Kings, Silvers	Red Salmen	Pink Salmon	Chum Salmon	Lake Trout	Dally V. Arctic Char	Reinbew Yout	Arctic Grayling	White- fish	Sheefish	Morthern Pike	Burbol	Smelt	Halibut	Other (Specify)
EXAMPLE	Z	2	5,		4 ) dj	Z.															ig nyêr.
SALTWATER	***	***	***	***	***	****	***	***	***	***	***	***	***	***	***	***	***	***	***	***	****
1. Beat Sites (Specify):	, 1		1		<b>S</b>																
			133				; 		<b>\$</b> .												
2. Shoreline Sites (Specify):	, N.						\$ 13 \$ 14														
							党		7. 7. 8. 2.		,						Ġ.				7.
FRESHWATER	***	***	***	****	***	****	***	***	***	***	***	***	***	***	***	***	***	***	***	***	*****
5. Anlak River	<b>技术</b>		A A		A. 15				2.00								N. Com				٠,
6. Holitas River	***										:						1				
3. Kaneklok River			が過				4						,		•		1 11/2				
4. Goodnaws River	多人		li d		100		1		4								X <sub>ie</sub>				. v 뽯
7. Other Streams (Specify):	244		聯										1				مرّاد				:
	73.46								<b>\$</b>		: : 1						5.4				:
	P 14		7.3		*				14-4												
8. Other Lakes (Specify):	, , ,																				
							J.		134				٠,								
	-	L					+9			. ,. ,. ,									ļ		

#### W. SEWARD PENINSULA-NORTON SOUND AREA (see map page 34 for area definition). Please include only information for members of your household

1. For each site sport fished in 1989 write: the number of household anglers who lished, the number of lishing trips, and the number of days lished on all trips. Consider any part day fished as one whole day. EXAMPLE: A woman took 2 trips to a site. On her first trip she fished June 1 (her husband stayed home). On the second trip she fished July 3 and 4, on the same trip her husband fished July 4 and 5. Number of days fished is 5 (3 for the woman, 2 for the man), number of anglers is 2, and number of trips is 2 (1 by the woman alone, 1 by the man and woman together)



2. For each type of fish and site fished, write the total number kept by your household. **EXAMPLE**. If 4 silver salmon were caught, but only 2 were kept, the number 2 would be written.

NOTE: "Boat" or "Boat Site" refers to fishing from a boat; "Shoreline" or "Shoreline Site" refers to fishing from shore.

	linmber of Anglers	Humber el Trips	Homber of Bays Flutted	King 28" and Under	Klog Over 23."	Sea-run Silver Salmon	Red Salenes	Pink Salmon	Chuan Salman	Dolly V. Arctic Char	Rainbow Traut	Arctic Grayling	White- fish	Sheelish	Northern Pika	Burbat	Smell	Other (Specify)
EXAMPLE	Z	<b>Z</b>	5			Z												
SALTWATER	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***********
1. Boat Sites (Specify):			1		M.S.													
			in a		2													
2. Sharalina Siles (Specify):			(j <u> </u>															
					e **		<u></u>											
FRESHWATER	***	***	****	***	***	***	***	***	***	***	***	***	***	***	**	***	***	******
6. Pilgrim River			i de la composition della comp		机线	~*·····					W	/ *** #* .				- *	··········	
4. Home filver					,											***************************************	****	, 44.
5. Fish-Niukluk River System*			e Personal	-	100													· · · · · · · · · · · · · · · · · · ·
3. Ustalakinet River			· · ·		a it is a series												_	
7. Other Streams (Specify):		***************************************	,		} &									***************************************		· · · · · · · · · · · · · · · · · · ·		
			4.9															
			4											,				
8. Other Lakes (Specify):			•		4													
					÷ Ĉ													
					1.4													

<sup>\*</sup>Including Pargon, Rathlatukk, Casadepaga, Niukluk and Fish Rivers and Boston Creek



- X. NORTHWEST ALASKA AREA (see map page 34 for area definition). Please include only information for members of your household.
- 1. For each site sport fished in 1989 write: the number of household anglers who lished, the number of fishing trips, and the number of days fished on all trips. Consider any part day fished as one whole day. EXAMPLE: A woman took 2 trips to a site. On her first trip she fished June 1 (her husband stayed home). On the second trip she fished July 3 and 4, on the same trip her husband lished July 4 and 5. Number of days fished is 5 (3 for the woman, 2 for the man), number of anglers is 2, and number of trips is 2 (1 by the woman alone, 1 by the man and woman together).
- 2. For each type of fish and site fished, write the total number kept by your household. EXAMPLE: If 4 silver salmon were caught, but only 2 were kept, the number 2 would be written.

  NOTE: "Beat" or "Beat Site" refers to fishing from a boat; "Shoreline" or "Shoreline Site" refers to fishing from shore.

	Humber of Anglest	Number 1 Ngs		King 20" and Under	Eleg Over	Sea-rue Silver Salmen	Red Salanen	Pink Salmon	Chum Saimea	Lake Trout	Dolly V. Arctic Cher	Rainbow Trout	Arctic Grayling	White- lish	Sheefish	Northern Pike	Burbal	Smell		Other (Specify)	
EXAMPLE	Z	2	5		12.	2	. 45														
SALTWATER	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	****	*****	**
1. Boat Sites (Specify):	14.						5 j. (+ 305 km														
	300				縫		1	1	ļ												
2. Shereline Sites (Specify):																					
	A. 4				oste de		14 c														
FRESHMATER &	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	***	****	*****	**
3. Hoatak River							in particular for the second										1.				
4. Kebuk River							**************************************		ju-								\$ c ·		]		
5. Wulik River			a sparal		礊				, i												
<ol><li>Other Streams (Specify):</li></ol>	ina. Sin Ağı		100		4		16 44 44 7				·			· 			*				
	99 Mg		3,	<u> </u>			14		1.0								1				
			宝量				3.														
8. Other Lakes (Specify):	1, 3 y.,		1						,												
	1		沙型				3 17		. ,												
	187		4															[			

- Y. YUKON RIVER DRAINAGE AREA (see map page 34 for area definition). Please include only information for members of your household.
- 1. For each site sport tished in 1999 write: the number of household anglers who lished, the number of lishing trips, and the number of days lished on all trips. Consider any part day fished as one whole day. EXAMPLE: A woman took 2 trips to a site. On her first trip she lished June 1 (her husband stayed home). On the second trip she lished July 3 and 4, on the same trip her husband tished July 4 and 5. Number of days lished is 5 (3 for the woman, 2 for the man), number of anglers is 2, and number of trips is 2 (1 by the woman alone, 1 by the inan and woman together).



2. For each type of fish and site fished, write the total number kept by your household. EXAMPLE: If 4 silver satmon were caught, but only 2 were kept, the number 2 would be written.

	244	thumber of Trips		King 26" and Under	, a.	Sea-run Silver Salmon	Chust Schoon	Lake Trout	Dailly V. Arctic Char	Rainbow Trout	Archie Grayling	White- lish	Shortish	Northern Pike	Burbet	Other (Specily)
EXAMPLE	2	Ŋ	5			2										
FRESHMITER	***	***	4.00	***	1.00	***	***	***	***	***	****	***	***	***	***	****
Lakes accessed via     Haul Rend/Dalton	150EF		All Control		100 A											
Highway (Specify):	7 tak 5		**********	Ī			A Se					_				
	28															
2. Streams accessed via Haul Road/Dalten						70.10	2 .		i,							
Highway (Specify):										of Processing						
					营											
3. Other Lake Siles (Specify):							+ it (B)		7							
							T inj									
	4		11				estabil.			i						
4. Other Stream Sites (Specify):	2.4		疆													
			**		<b>,</b> 2											
	·/		43				Ligitar,									\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \

### Z

- Z. NORTH SLOPE BROOKS RANGE AREA (see map page 34 for area definition). Please include only information for members of your household.
- 1. For each site sport lished in 1989 write: the number of household anglers who lished, the number of lishing trips, and the number of days lished on all trips. Consider any part day fished as one whole day. EXAMPLE: A woman took 2 trips to a site. On her first trip she fished June 1 (her husband stayed home). On the second trip she fished July 3 and 4; on the same trip her husband fished July 4 and 5. Number of days fished is 5 (3 for the woman, 2 for the man), number of anglers is 2, and number of trips is 2 (1 by the woman alone, 1 by the man and woman together).
- 2. For each type of fish and site fished, write the total number kept by your household. EXAMPLE: If 4 pink salmon were caught, but only 2 were kept, the number 2 would be written.

NOTE: "Beat" or "Beat Site" refers to fishing from a boat; "Shoreline" or "Shoreline Site" refers to fishing from shore.

	Humber of Angless	Humber of Trips		Pink Salmes	Chum Salmon	Lake Trout	Delly V. Arctic Char	Rainhow Trout	Arctic Grayling	White- fish	Shoofish	Northern Pike	Surbol	Smell	Other (Specify)
EXAMPLE	Z	2	5	2	مؤ										
SALTWATER	***	***	***	***	***	***	***	***	***	***	***	***	***	***	*********
1. Boat Sites (Specify):	193		涂理												
				•					,		1				
2. Sheretine Sites (Specify):	77		都線				Kiroli Girli								
	A 製						第1 学								
FRESHWATER	***	***	***	***	***	***	***	***	****	***	***	* * * *	***	***	************
3. Lakes accessed via Haul Road/Dallen	1						6 <b>4</b> 29								
Highway (Specify):	4		T T		*		<u> 1</u>								
	$x \in \mathcal{C}_{k}^{1}(\mathbb{R}^{n})$		- 1												
4. Streams accessed via Haul Road/Dallon	雅		43		Mark to		,								
Highway (Specify):	1		马峰												
	MA		7.N							i					
5. Other Lake Sites (Specify):	- 1														
	, j		*		*										
	• :*滚						,		, ,						
6. Other Stream Sites (Specify);			1				7 . 7 .								
	<b>.</b>		N. S.				7.7								
	** (		est the		<b>W</b>		die .								


PAGE FOR YOUR USE

ZH.


ALONG LINE TO KEEP

2


#### Distinguishing Characteristics of Several Varieties of Fish




General Characteristics Fish: Cut away of operculum (gill-cover) showing one gill arch, filaments, and gill rakers




King (Chinook) Salmon: small black spots on back and on both lobes of caudatinn, gurn line of lower jaw black; scales large, gill rakers less than 25, anal lin rays 15-17.




Silver (Coho) Salmon; small black spots usually occur only on upper labe of caudal lin and on back, gum line on lower jaw not black, scales targe, gill rakers less than 25, anal lin rays 13:15



Pink (Humpback) Salmon: large oval black spots on back and on both topes of caudal fin, scales very small, usually over 12 anal fin rays, males develop a profounced hump during spawning.



Sockeye (Red) Salmon and Kokenee (landlocked form): no distinct black spots on back or lati, 30-40 long, fine, and sertated, closely spaced gill rakers, usually over 12 anal lin rays. NOTE: Kokanee should be recorded separately in the booklet.



Chum (Dog) Salmon; no distinct black spots on back or tail; 18-26 smooth, short, stout, and widely spaced gill rakers; usually over 12 anal for rays.



Dolly Varden/Arctic Char; round, red, pink or yellow spots on sides, caudal fin slightly torked, 8-12 anal fin rays; no dark green wavy marks on back or dorsal lin.



Lake Trout: body dark green to grayish with oval or irregular white to yellowish spois on sides and back, caudal fin deeply torked. 8-12 anal fin lays, no dark green wavy marks on back or dorsal fin.



Brook Trout: spots on body pale or red with blue halos, but never brown or black, dark green wavy marks on back and dorsal fin; 8-12 anal fin rays



Cutthroat Trout: spots on body dark brown or black; anal in (ays 8-12; no red band on sides; red to orange stash on underside of lower jaw, upper jaw extends well behind eye in adults.



Rainbow Trout: spots on body dark brown or black; anal in rays 8-12; reddish band on sides, no red stash under taw, upper taw issually down not extend behind eye in adults. NOTE: Steethead are sea-run rainbows, and should be recorded separately in the booklet.



Northern Pike: dorsal and arral his positioned rearward, no adopose lin as in the trouts, salmon, graying and whitelish, long flattened paws with large mouth and many large, sharp teeth, sides are yellowish gray.



Arctic Grayling: dorsal fin typically with dark purple edge and much longer (18 or more rays) than in whitelish and fan like, rows of reddish to orange and/or purple to green spots on dorsal fin, sides of lish are black spotted, scales larger than in fouls



"Whitefish": distinguished from the troot and salmon by the small, weak, or absent teeth and the presence of targe scales; distinguished from the arctic grayling by the much smaller dorsal in (15 or lawer rays). A round whitefish is shown NOTE: Shedish are a species of whitefish, but should be recorded separately in the booklet.



Burbot: two dorsat hins and one anal hin present, no adipose fin as in the frouts, salmon, grayling and whitefish; pelvic fins very far loward and just under head; body long and tapering, barbel on chin



"Rockfish": soveral species of marine lish also referred to as black bass, see bass, and red snapper. Hockfish may be distinguished from sculpins (firsh Eords) by the dorsal lin, which has spiries on the front half and soft rays on the rear half in the rockfish. NOTE: Handle with care because of somes.



# 1989 SPORT FISH SURVEY



Dear Alaska Sport Angler:

We have not yet received your completed 1989 Alaska Sport Fishing questionnaire. Even if you did not fish in Alaska during 1989, your responses to the General Questions on page 3 are important. Please complete the enclosed questionnaire and return it in the postage-paid envelope that is provided for your use. Your response will be considered confidential.

Please do not underestimate the importance of your fishing activities. As part of a representative sample of Alaska sport anglers chosen to participate in this study, the information you provide is vital to the success of this study, and may have significant impact on the future management of Alaska's sport fish resources.


If you have already returned your questionnaire, please disregard this letter and accept our sincere thanks.

Sincerely,

Norval Netsch, Director Division of Sport Fisheries

Appendix A2. First reminder, 1989.

# 1989 SPORT FISH SURVEY



Dear Alaska Sport Angler:

Some time has passed since we first requested information about your fishing activities in Alaska in 1989. We still have not received your reply.

Even if you did not fish in Alaska during 1989, your responses to the General Questions on page 3 are important. Please answer the questions that pertain to your 1989 Alaska sport fishing and return the survey questionnaire in the enclosed postage-paid envelope.

You were selected as part of a representative sample of Alaska anglers and, as such, we urgently need your reply at the earliest possible date. Won't you give a few minutes of time now to help insure future fishing enjoyment in Alaska for yourself and others? Your response will be considered confidential.

If you have already returned your questionnaire, please disregard this letter and accept our sincere thanks.

Sincerely.

Norval Netsch, Director Division of Sport Fisheries

Appendix A3. Second reminder, 1989.

APPENDIX B
COMMENTS BY ANGLERS ON THE EXXON VALDEZ OIL SPILL

Appendix B1. Comments by anglers on the Exxon Valdez oil spill.

One hundred thirty two households provided 160 oil spill related comments in response to survey question 4 ("Please provide comments on sport fishing in Alaska during 1989 and your suggestions on how to improve it in the future"). All oil spill related comments are presented below.

Only minor changes have been made to the comments to improve grammar and to make them understandable. Editorial comments are included in parentheses.

#### General comments on the oil spill (14.4%)

Make Sure that another Valdez (oil spill) doesn't happen again.

I'm sure this year will show some effects of the spill as well as the years to come.

Too much crude oil from the Exxon Valdez spill in Nuka Bay where I live.

Let's hope it (Exxon Valdez spill) doesn't happen again for everyone and everthings sake.

Keep oil spills from becoming a problem.

Don't spill oil.

Prevent any more oil spills.

Do everything to stop further oil spills.

Keep the oil out.

Keep the oil out of the ocean.

I am a retired employee of ARCO and I hope that was the last oil spill in Alaska.

Kodiak Island problem with oil, rooms, and boats due to oil.

We were most upset on what happened in Valdez.

Nobody could have helped in this situation, except no more oil spill.

The oil did a lot of damage.

Have fewer oil spills.

Don't spill Alaskan waterways or land with human waste such as an Exxon oil spill.

Prevent oil spills.

No more oil spills.

Appendix B1. (Page 2 of 9).

Keep the stream free from oil.

Keep the oil spills out of the water.

Do best to prevent further contamination of coastline and rivers.

Hopefully the Exxon disaster will save the great Northwest Territory from future oil expenditures.

#### Effect of the oil spill on sport fishing participation and success (30.6%)

Because of thievery by clean-up employees I had to watch my camp, did not sport fish.

Did not have time to fish this year due to oil spill work.

Unable to fish (early runs) due to the oil spill (worried about eating the fish). Waited for the silvers to run.

I did not sport fish due to the presence of oil on the Kodiak area beaches.

Didn't go fishing because of closures and effects of oil spill.

Due to the Valdez oil spill fishing in the Kenai River was terrible for us.

I had the worst fishing experience of the 5 years I've been vacationing in Alaska. I think it had everything to do with the oil spill in the sound where I do most of my fishing.

Sport fishing damaged by oil spill.

We went to Homer to try and get a halibut boat to fish and had to wait three days for an opening. We read in the paper fishing boats were idle due to the oil spill.

I was really disappointed in the number of fish. I'm positive the oil spill greatly degraded your quality fishing.

We feel the next few years of salmon will be affected. We also feel that the shellfish industry was hurt (presumably by the oil spill?).

I think the oil spill still had an effect on halibut fishing.

I ran into Exxon oil in Resurrection Bay, Seward, and caught no fish when it happened. The oil fouled the fiberglass on my new boat.

The fishing was bad. The oil and commercial fishermen did it in (illegible) runs are closed through the week so it is not worth it any more.

Appendix B1. (Page 3 of 9).

Halibut and bottom fish out of Seward was not good. Obvious oil spill remains in area we fish had a detrimental effect on fishing - also greatly reduced evidence of sea birds and seas mammals from past 4 years experience.

We didn't fish after oil hit our usual beaches.

Lots of good fishing, however I think the oil spill hindered many anglers and limited good spots.

What happened to our good fishing? Since the oil spill in PWS our fishing has been totally unproductive. We wasted our time and money for an entire summer.

Fishing for me was quite poor. Many people blamed the lack of fish on the oil spill.

The oil spill ruined the salmon fishing planned for years - found rivers closed.

The oil spill greatly affected the halibut fishing near Valdez. Sue Exxon.

We normally keep our boat in Whittier and fish in Prince William Sound. We did not take the boat over to Whittier this year because of the spill and related activity.

Because of the Exxon Valdez oil spill there wasn't that many people fishing this year.

Please keep an eye of the fish for the next few years because of the oil. I rather not fish in order to preserve the salmon species.

My 1989 sport fishing was disrupted by the Exxon oil spill since we did not get to stay in PWS long enough to get a "home pack".

Because of the spill I didn't fish much.

I was not able to fish as much this year because of the oil spill.

I was planning to spend two weeks in Valdez fishing until the oil spill.

The king salmon run was a week late; oil spill?

Fishing was great, keep the oil tankers away from it.

Sport fishing in 1989 was very successful for our household, but I'm sorry to say it was because of the oil spill that our success was so good.

No sign of oil residue (Barren Island area) fishing good.

I guess it was because of the oil spill, I'll feel a little guilty but this is the best year I've had in my 11 years in Alaska.

Appendix B1. (Page 4 of 9).

Because of the oil spill I personally caught more fish than I've ever caught in the past.

Fishing was excellent because of Exxon.

Generally fishing results were not as good for us as compared to 1988 season. May be due to the spill and that record rainfall near the end of August and early September.

If not for the oil spill it would have been great.

I feel the fishing was excellent, considering the damage of the oil spill.

Oil spill had no apparent adverse effect on sport fishing evidenced by record runs of salmon.

The fishing was great, but it won't stay that way if Exxon gets away with their negligence.

The oil spill had little or no detrimental effect on the fishing.

Took the ferry from Seward to Valdez late April and saw little evidence of the oil spill.

Excellent despite oil spill.

The Valdez oil spill seemed to have no effect on the fishing.

We visited Valdez, found it busy but little sign of oil from Homer to Valdez in July.

The children stepped in oil globs at Pillar Creek. The fishing seemed to me as normal.

The oil spill did not affect my fishing.

Was very pleased that the oil did not damage the sport fishing on the Kenai Peninsula.

The fishing wasn't as bad as I thought it would be because of the oil spill.

#### Effect of commercial fishery openings & closures on sport fishing (10.0%)

We were told that the commercial fishermen at Valdez were allowed to fish longer than usual because of the oil spill so there were less fish swimming upstream for us to catch.

I fished much less than in past years, but did much better. This was probably due to the lack of commercial fishing pressure (due to oil spill).

Spill more oil, this shutting down fishing really puts fish in the rivers.

Appendix B1. (Page 5 of 9).

The fishing was great and I think it was because the oil spill stopped the fishermen from getting so many fish at sea.

The reduced commercial fishing due to the Exxon Valdez oil spill provided evidence beyond a doubt, especially sport fishing on Kodiak Island, that commercial fishing as regulated by the state is overfishing the resources of Alaska.

The sport fishing was great this year. I believe the only reason it was is due to the oil spill and reduction in commercial fishing.

I believe there was a greater number of fish in the streams due to commercial fishing closures (as a result of the oil spill).

Best year we ever had since 1975. The shutdown of the Cook Inlet setnet and drift fishery produced a bonanza. Thank you Exxon.

The fishing was good, but that could be because of the oil spill.

The big (commercial) nets couldn't fish Cook Inlet - the sport fishermen benefited from the spill.

The limitations on Cook Inlet drift fishermen caused by the oil spill made a very noticeable difference in the number of fish in the spawning streams of Turnagain arm. The more the commercial fishermen quotas are limited the better the sport fishing.

The fishing on the Kenai River was excellent due to the large escapement because the set net fishermen were restricted or limited because of the oil spill.

Well the 88 (?) sport season was far above excellent because seiners did not fish (due to oil spill).

Sport fishing in Prince William Sound was excellent in 1989 in spite of the oil spill and all the activity.

Seemed like a higher return. I guess because the oil spill less boats.

Caught silvers for the first time in Bird Creek after 14 years of fishing - think that happened because of the oil spill and the cut back on commercial fishing.

#### Comments on the edible quality of fish caught (1.3%)

(Have fewer oil spills) the sport caught fish given to me made me sick.

Leery of eating the early fish run (due to spill).

Appendix B1. (Page 6 of 9).

#### Comments on environmental injury and restoration (5.6%)

Exxon should be held liable for costs associated with any reduction, both present and future, of fisheries assets in the spill region.

Restock salmon and release fry in areas not affected by the oil spill until chemical bioremediation has been completed and water tested along with the bottom samples from sound area.

Halibut and crab may be in serious danger.

Increase stocking of trout and grayling to offset salmon loss.

Stock halibut in areas not affected by spill.

You should double, triple your hatchery output. Between Exxon and drift nets you gotta run like hell to stay in the same place.

Suggest Exxon pay ADFG through state legislature to finally fund your dreams to provide present and future stocks.

Make Exxon seed fish where the largest impact on the fishery has taken place.

Exxon Valdez should pay for the fishing and wildlife programs in Valdez.

#### Comments on the oil spill cleanup (9.4%)

Quit feeding them (fish?) oil. Clean up Valdez terminal or get rid of it.

If there was any delay in the clean up it was the fault of the State of Alaska and not Exxon.

Force Exxon to do complete the cleanup use pressure to bankrupt Exxon if possible.

Clean up Prince William Sound.

Make the state and Exxon clean up the oil.

Finish the oil clean up.

Get an oil spill state owned clean up ship in Valdez and quit arguing about the finances between the state and county and district.

Please clean up the Valdez oil spill the best way possible.

Clean up the oil spill.

Expand rapid response spill containment deployment capabilities.

Begin a fund by charging all tankers a fee to move oil. In the event of future disasters use fund to help pay for the clean up.

Appendix B1. (Page 7 of 9).

Charge the oil companies for the clean up and for the loss of wildlife.

Do not allow Exxon to come back. Throwing money, even theirs, at rocks is stupid.

Make Exxon clean in '90 and '91.

Spend \$ used to mail this survey to me 3 times for clean up of the oil spill.

#### Comments on oil companies and their employees (12.5%)

Elect Hazelwood Governor at least we were employed.

Oil has been good for Alaska, witness buildings in Anchorage and Nome and tax refunds for residents. A little more common sense and fairness would be in order.

Get Exxon back in Alaska so I can fish more.

You guys/gals (Alaska Department of Fish and Game) can figure out fish better than Houston and President Bush.

To protect your pristine environment don't listen to greedy suit and tie SOBs, listen to Mother Earth. Don't worry about quarterly profits for oil companies. Instead plan 50-100 years down the line. Power to the peons.

Hang Exxon we missed fishing for pink salmon at Valdez.

Don't let Exxon or any other oil company get away with murder again.

Sue Exxon for all damages to fisheries and all other pollution damage.

I know people need jobs, but please don't let the oil companies ruin America's last frontier.

Take the president of Exxon and Alyeska and their board of directors up to Valdez and shoot them for their smugness and what they did.

Shoot Exxon, don't change anything else.

The captain of the Exxon Valdez should be put in prison and the Exxon oil company should be fined 100 million minimum.

That captain on the Valdez should have a long prison term. All the animals and fish that died didn't have a chance.

Teach Captain Hazelwood how to steer.

Kick Exxon out of P.W.S. The Exxon Valdez spilled oil but did not pollute the sound as bad as 2000 puker boats and 5000 people. Do an environmental impact statement on that one.

Appendix Bl. (Page 8 of 9).

Kick out Exxon.

Ban Exxon from shipping oil out of Valdez.

Kick Exxon out of Alaska for the carelessness and negligence and it will send a clear message to other oil companies when they try to cut corners when it comes to safety and the environment.

Outlaw Exxon.

Keep Exxon out of your beautiful state forever.

#### Comments of regulation of oil transport and exploration (6.3%)

The above mentioned (Exxon Valdez) oil spill should NOT cause new restrictions on oil tankers or oil shipment.

Stop oil shipment by sea-going tankers, instead ship crude oil, liquified gas...by lighter than air helium filled solar powered air ships.

A disaster like the Valdez can harm the age old ocean habitat almost indefinitely. I would say there must be a better way of transporting that type of product (oil).

The state should not have let the oil companies operate without checking to see that they did in fact have the clean up equipment and techniques they said they would have.

Outlaw tankers.

Keep oil tankers out of Prince William Sound.

Stricter laws for tankers.

Control/ban oil transport.

Eliminate off-shore oil drilling.

Closer checks of barges and crews that are moving oil, stiffer penalties.

#### Comments on media coverage (2.5%)

I'm not an Exxon shareholder, but I observed the media hype, noted salmon run flooding Resurrection Bay at Seward with setnetters idled by state law and lining up for Exxon extortion.

Reports indicated that fishing this year was just as good if not better than before the Exxon incident, which seemed to be "blown" out of proportion.

(We are) just afraid of the long term effects of the Exxon oil spill. Please keep us informed.

Appendix B1. (Page 9 of 9).

I feel Exxon should be made to advertise in every newspaper in the country telling people about the oil spill. So people think from what the media said that the whole state was covered by the spill.

#### Comments on measures to prevent or clean up oil spills (7.5%)

Lets start the clean up immediately and not let the oil companies dictate on how and when it will be cleaned up.

Insist all other companies (coded elsewhere, this person said kick Exxon out of Valdez) have double hulled ships or do not allow them to operate in sensitive areas that have the potential to be devastated like Valdez.

I think measures should be made to prevent spills - continue testing of crews in Valdez with escorts out of closed waters. Better radar coverage in sound.

Be more prepared for the next oil spill, let's hope not. Oil co., Pipe line Co., State, Govt, Greenies - EPA - , Coast Guard, Every John & Sue Doe.

Be prepared for oil spills, have necessary equipment ready. Teach captains to prevent these tragic accidents.

Demand absolute safety features on oil vessels.

To regulate and check all oil tankers to make sure that they are double hulled. Also Alyeska should be updated to help aid possible future accidents.

Require double hulled tankers and oil barges.

Double hull tankers.

Double hulls (for tankers).

Limit liquor sales in Valdez, inspect tankers and other large ships for alcohol.

Get rid of booze and drugs not oil.