

Report of Injury Assessment and Injury Determination: Coeur d'Alene Basin Natural Resource Damage Assessment

September 2000

Prepared for:

United States Department of the Interior, Fish and Wildlife Service
United States Department of Agriculture, Forest Service
Coeur d'Alene Tribe

Prepared by:

Stratus Consulting Inc.
P.O. Box 4059
Boulder, CO 80306-4059



**REPORT OF INJURY ASSESSMENT AND INJURY DETERMINATION:
COEUR D'ALENE BASIN NATURAL RESOURCE DAMAGE ASSESSMENT**

Prepared for:

United States Department of the Interior, Fish and Wildlife Service
United States Department of Agriculture, Forest Service
Coeur d'Alene Tribe

Prepared by:

Stratus Consulting Inc.
P.O. Box 4059
Boulder, CO 80306-4059

Primary Authors:

Kate LeJeune, Tracy Podrabsky, Josh Lipton, Dave Cacula, Ann Maest, Douglas Beltman

Contributing Authors:

Tom Bowden (Ridolfi Engineers Inc.), Mace Barron

CONTENTS

List of Figures	ix
List of Tables	xvii
Acknowledgments	xxiii
Acronyms and Abbreviations	xxv
Executive Summary of Determinations	S-1
Chapter 1 Introduction	
1.1 Injury Assessment	1-1
1.2 Contents of the Report of Injury Assessment	1-3
1.3 Description of the Coeur d'Alene Basin and Natural Resources Assessed	1-4
1.3.1 General Geology and Mineralogy of the Coeur d'Alene District	1-6
1.3.2 Valley Morphology	1-7
1.3.3 Ecological Communities	1-8
1.3.4 Trophic Relationships	1-12
1.4 Data Sources	1-16
1.5 Report Organization and Summary of Principal Findings	1-17
1.6 References	1-31
Chapter 2 Hazardous Substance Sources	
2.1 Introduction	2-1
2.2 Hazardous Substances Released	2-2
2.3 Historical Releases of Hazardous Substances	2-3
2.3.1 Historical Disposal of Waste Rock and Tailings	2-3
2.3.2 Historical Smelter Emissions	2-23
2.4 Ongoing Release Mechanisms	2-27
2.4.1 Tailings and Mixed Tailings, Waste Rock, and Alluvium/Soils/Sediments	2-28
2.4.2 Summary of Tailings and Mixed Tailings, Waste Rock, and Alluvium/Soils/Sediments	2-53
2.4.3 Drainage from Adits and Seeps	2-54
2.5 Summary	2-63
2.6 References	2-65

Chapter 3 Transport and Exposure Pathways

3.1	Introduction	3-1
3.2	Data Sources	3-5
3.3	Surface Water	3-7
	3.3.1 Surface Water Exposure to Hazardous Substance Releases	3-7
	3.3.2 Mobility and Transport of Hazardous Substances in Surface Water ...	3-9
	3.3.3 Surface Water is Exposed to Hazardous Substances	3-11
	3.3.4 Resources Exposed to Surface Water	3-11
3.4	Sediments	3-17
	3.4.1 Sediment Exposure to Hazardous Substance Releases	3-17
	3.4.2 Resources Exposed to Sediments	3-18
3.5	Groundwater	3-20
	3.5.1 Groundwater Exposure to Hazardous Substance Releases	3-21
	3.5.2 Groundwater is Exposed to Hazardous Substances	3-21
	3.5.3 Resources Exposed to Groundwater	3-22
3.6	Soils	3-22
	3.6.1 Soils Exposure to Hazardous Substance Releases	3-23
	3.6.2 Mobility and Transport of Hazardous Substances in Soils	3-23
	3.6.3 Soils are Exposed to Hazardous Substances	3-24
3.7	Biological Pathways	3-24
3.8	Conclusions	3-25
3.9	References	3-27

Chapter 4 Surface Water Resources

4.1	Introduction	4-1
4.2	Surface Water Resources Assessed	4-2
4.3	Injury Definitions	4-5
	4.3.1 Applicable Water Quality Criteria	4-6
	4.3.2 Calculation of ALC	4-7
	4.3.3 Committed Use Determination	4-10
4.4	Compilation and Analysis of Existing Data	4-10
	4.4.1 U.S. EPA Data	4-11
	4.4.2 IDEQ Data	4-11
	4.4.3 USGS Data	4-12
	4.4.4 U.S. BLM Data	4-12
	4.4.5 Silver Valley Natural Resource Trustee Data	4-12
	4.4.6 Data Analysis	4-12
4.5	Injury Determination Evaluation	4-13
	4.5.1 Pathway Determination	4-13
	4.5.2 Exceedences of Applicable Water Quality Criteria	4-19
	4.5.3 Surface Water as a Pathway of Injury to Other Resources	4-47

4.6	Summary	4-48
4.7	References	4-49
Chapter 5	Sediment Resources	
5.1	Introduction	5-1
5.2	Sediment Resources Assessed	5-2
	5.2.1 Definition of Sediment Resources	5-2
	5.2.2 Sediment Resources of the Coeur d'Alene River Basin	5-2
5.3	Data Sources	5-5
5.4	Distribution of Hazardous Substances in Sediments	5-18
	5.4.1 Lower Basin Sediments	5-18
	5.4.2 Coeur d'Alene Lake Sediments	5-18
5.5	Ecological Implications of Sediment Contamination	5-21
5.6	Injury Determination Evaluation	5-24
	5.6.1 Injuries Evaluated in the Assessment Area	5-24
	5.6.2 Confirmation of Exposure in Sufficient Concentrations	5-24
5.7	References	5-25
Chapter 6	Wildlife Resources	
6.1	Description of Wildlife Resources	6-1
6.2	Toxic Effects of Lead on Wildlife	6-5
	6.2.1 Literature Review	6-6
	6.2.2 Data Collected Previously in the Assessment Area	6-15
6.3	Injuries Evaluated in the Assessment Area	6-20
6.4	Injury Determination: Testing and Sampling Approaches	6-23
	6.4.1 Pathway Studies	6-23
	6.4.2 Injury Studies	6-27
	6.4.3 Reference Areas	6-30
6.5	Injury Assessment Studies: Results	6-33
	6.5.1 Pathway Studies	6-33
	6.5.2 Injury Field Studies	6-41
	6.5.3 Injury Laboratory Studies	6-57
	6.5.4 Injury Study Conclusions	6-68
6.6	Injury Determination Evaluation	6-71
	6.6.1 Pathway Determination	6-72
	6.6.2 Injury Determination	6-74
	6.6.3 Summary of the Injury Determination Evaluation	6-77
	6.6.4 Consideration of Lead Artifacts as Cause of Lead Poisoning	6-79
	6.6.5 Causation Evaluation	6-81
6.7	References	6-83

Chapter 7 Fish Resources

7.1	Introduction	7-1
7.2	Description of Fish Resources	7-3
7.3	Accounts of Fish Populations in the Coeur d’Alene Basin by Investigators Outside the NRDA Process	7-6
7.4	Background: Effects of Hazardous Metals on Fish and Relationship to Injury Endpoints	7-10
	7.4.1 Mortality	7-12
	7.4.2 Sublethal Endpoints	7-14
	7.4.3 Exposure Pathways	7-16
7.5	Toxicological Data Collected from the Assessment Area by Investigators outside the NRDA Process	7-17
	7.5.1 <i>In Situ</i> Studies	7-17
	7.5.2 Laboratory Studies	7-22
	7.5.3 Summary of Previously Conducted Toxicity Studies	7-32
7.6	Supplemental Trustee Studies	7-32
	7.6.1 <i>In Situ</i> and Site Water Bioassays	7-34
	7.6.2 Behavioral Avoidance Testing	7-38
	7.6.3 Dietary Effects Studies	7-44
	7.6.4 Summary of Results of Trustee Toxicity Studies	7-56
7.7	Trustee Population Studies	7-57
	7.7.1 Use of Fish Population Data	7-57
	7.7.2 Results of Fish Population Sampling	7-63
	7.7.3 Summary: Fish Population Density Results	7-75
7.8	Injury Determination	7-76
	7.8.1 Injury Definitions	7-76
	7.8.2 Lines of Evidence	7-77
	7.8.3 Causation Evaluation	7-84
	7.8.4 Regulatory Determination	7-88
7.9	Conclusions	7-88
7.10	References	7-90

Chapter 8 Benthic Macroinvertebrates

8.1	Introduction	8-1
8.2	Background: Effects of Hazardous Metals on Benthic Macroinvertebrates ...	8-2
	8.2.1 Exposure Pathways	8-2
	8.2.2 Adverse Effects on Viability	8-3
8.3	Toxicological Data	8-4
8.4	Benthic Macroinvertebrate Community Data	8-9
	8.4.1 Historical Data	8-9
	8.4.2 Supplemental Trustee Study	8-17

	8.4.3 Summary of Community Studies	8-21
8.5	Injury Determination	8-22
	8.5.1 Injury Definitions	8-22
	8.5.2 Lines of Evidence	8-22
	8.5.3 Causation Evaluation	8-26
	8.5.4 Regulatory Determination	8-27
8.6	References	8-28

Chapter 9 Riparian Resources

9.1	Introduction	9-1
9.2	Riparian Resources Assessed	9-2
	9.2.1 Definition of Riparian Resources	9-2
	9.2.2 Riparian Resources of the Coeur d’Alene River Basin	9-3
9.3	Injury Determination: Injury Definition	9-5
	9.3.1 Background: Effects of Metals on Soils, Plants, Riparian Vegetation, and Riparian Habitat	9-5
	9.3.2 Data Collected Previously in the Assessment Area	9-10
	9.3.3 Injuries Evaluated in the Assessment Area	9-15
9.4	Injury Assessment: Testing and Sampling Approaches	9-17
	9.4.1 Field Studies	9-18
	9.4.2 Laboratory Studies	9-25
9.5	Injury Assessment Studies: Results	9-27
	9.5.1 Floodplain Soils	9-27
	9.5.2 Plant Growth Tests	9-31
	9.5.3 Field Vegetation Communities	9-41
	9.5.4 Relationship between Soil Metals and Field Vegetation	9-55
	9.5.5 Evaluation of Causal Factors	9-61
9.6	Injury Determination Evaluation	9-71
	9.6.1 Pathway Determination	9-72
	9.6.2 Injury Determination: Phytotoxic Response	9-73
	9.6.3 Injury Determination: Adverse Changes in Viability	9-75
9.7	References	9-77

Chapter 9 Appendix A: Photographs of Riparian Resource Sample Sites,
August 1994

Chapter 9 Appendix B: Soil, Vegetation, and Phytotoxicity Test Data

Chapter 10 Injury Quantification

10.1	Introduction	10-1
10.2	Baseline Services	10-1
10.3	Soil and Sediment Baseline	10-4

10.3.1	Historical Data	10-4
10.3.2	Reference Areas	10-5
10.3.3	Data Analysis	10-9
10.3.4	Results	10-12
10.3.5	Comparison to Literature and Assessment Values	10-17
10.3.6	Influence of Vein Outcrops and Mining Waste	10-19
10.3.7	Sediment and Soil Baseline Concentrations	10-24
10.4	Surface Water Baseline	10-28
10.4.1	Historical Data	10-29
10.4.2	Reference Area Selection	10-30
10.4.3	Identification of Reference Streams and Reaches	10-42
10.4.4	Extent of Mineralization of Individual Drainages	10-50
10.4.5	Determination of Baseline Surface Water Concentrations	10-51
10.4.6	Comparison of Baseline and Injured Surface Water Concentrations	10-54
10.4.7	Surface Water Baseline Conditions Summary and Conclusions	10-59
10.5	Riparian Vegetation Baseline	10-60
10.5.1	Historical Data	10-60
10.5.2	Reference Areas	10-60
10.5.3	Data Analysis	10-61
10.5.4	Comparison to Assessment and Literature Values	10-62
10.6	Extent of Injury	10-65
10.6.1	Surface Water	10-65
10.6.2	Floodplain Soils and Sediments — Upper Basin	10-66
10.6.3	Floodplain Soils and Sediments — Lower Basin	10-70
10.7	Resource Recoverability	10-73
10.7.1	Recoverability of Surface Water Resources	10-77
10.7.2	Recoverability of Sediment Resources	10-81
10.7.3	Recovery of the Coeur d'Alene River Basin Ecosystem	10-84
10.8	References	10-85
Chapter 10	Appendix A: Geologic, Mineralogic, and Environmental Considerations for South Fork Coeur d'Alene River Basin Drainages	

FIGURES

1-1	Overview of regulatory process and relationship to release of key NRDA determination reports	1-2
1-2	Map of Coeur d'Alene River basin	1-5
1-3	Trophic relationships in upland, riparian, and riverine communities of Coeur d'Alene River basin	1-13
1-4	Trophic relationships of palustrine and lacustrine communities of the Coeur d'Alene River lateral lakes and Coeur d'Alene Lake	1-14
2-1	Geographic areas referred to in descriptions of sources of hazardous substances in the mainstem Coeur d'Alene River and the lateral lakes area	2-4
2-2	Geographic areas used to describe sources of hazardous substances in the South Fork Coeur d'Alene River basin	2-5
2-3	Major mines and mills in the South Fork Coeur d'Alene River basin upstream of Elizabeth Park	2-9
2-4	Major mines and mills in the South Fork Coeur d'Alene River basin downstream of Elizabeth Park	2-13
2-5	Major mines and mills in the Canyon Creek and Ninemile Creek basins	2-17
2-6	Major mines and mills in the Pine Creek basin	2-21
2-7	Ambient air concentrations of lead measured in the populated areas of the Bunker Hill Superfund site	2-26
2-8	Estimated tailings distribution in South Fork Coeur d'Alene River basin	2-29
2-9	Estimated major waste rock distribution in South Fork Coeur d'Alene River basin	2-30
3-1	Overview of transport and exposure pathways	3-2
3-2	Concentrations of the hazardous substances cadmium, lead, and zinc measured in filtered and unfiltered water samples collected from the South Fork Coeur d'Alene River in Fall, 1998	3-13
3-3	Lead concentrations at depth in a sediment core collected near Medimont	3-15
3-4	Surface water and sediment pathways to aquatic biological resources	3-16
3-5	Distribution of lead concentrations in surface bed, bank, and floodplain sediments of the lower Coeur d'Alene River basin	3-19
4-1	South Fork Coeur d'Alene River and tributaries	4-3
4-2	Coeur d'Alene River basin and vicinity, showing the North Fork Coeur d'Alene River, South Fork Coeur d'Alene River, mainstem Coeur d'Alene River, Coeur d'Alene Lake, the upper Spokane River, and the St. Joe River	4-4
4-3	Total zinc loading, South Fork Coeur d'Alene River, 1994 water year	4-20
4-4	Total zinc loading, Canyon Creek, 1994 water year	4-21

4-5	Total zinc loading, Nine Mile Creek, 1994 water year	4-22
4-6a	Locations of one or more acute ALC exceedence from 1991 to 1998, South Fork Coeur d'Alene River basin, eastern section	4-30
4-6b	Locations of one or more acute ALC exceedence from 1991 to 1998, South Fork Coeur d'Alene River basin, western section	4-31
4-7a	Distribution of cadmium concentrations measured between 1991 and 1999 in reaches of the South Fork Coeur d'Alene River, Canyon Creek, Ninemile Creek, Pine Creek, the mainstem Coeur d'Alene River, and Coeur d'Alene Lake	4-32
4-7b	Distribution of lead concentrations measured between 1991 and 1999 in reaches of the South Fork Coeur d'Alene River, Canyon Creek, Ninemile Creek, Pine Creek, the mainstem Coeur d'Alene River, and Coeur d'Alene Lake	4-33
4-7c	Distribution of zinc concentrations measured between 1991 and 1999 in reaches of the South Fork Coeur d'Alene River, Canyon Creek, Ninemile Creek, Pine Creek, the mainstem Coeur d'Alene River, and Coeur d'Alene Lake	4-34
4-8	Dissolved cadmium concentrations and chronic and acute ALC values during low flow 1997 and high flow 1998 synoptic samplings	4-43
4-9	Dissolved lead concentrations and chronic and acute ALC values during low flow 1997 and high flow 1998 synoptic samplings	4-44
4-10	Dissolved zinc concentrations and chronic and acute ALC values during low flow 1997 and high flow 1998 synoptic samplings	4-45
5-1	Geographic areas used to describe sources of hazardous substances in the mainstem Coeur d'Alene River and the lateral lakes area	5-3
5-2	Bed, bank, and floodplain sediment sampling locations in the lower Coeur d'Alene River basin	5-11
5-3	Sediment sampling locations in Coeur d'Alene Lake	5-17
5-4	Distribution of lead concentrations in surface bed, bank, and floodplain sediments of the lower Coeur d'Alene River basin	5-19
5-5	Lead concentrations in Coeur d'Alene Lake surface bed sediments	5-20
6-1	Map of the Coeur d'Alene River basin, St. Joe River basin, and surrounding areas . . .	6-2
6-2	Map of the lower Coeur d'Alene basin showing the wetland and lake system adjacent to the Coeur d'Alene River	6-3
6-3	Examples of bird usage in the Coeur d'Alene River basin	6-4
6-4	Generalized anatomy of birds showing major organs and tissues affected by lead exposure	6-7
6-5	Increasing lead exposure results in an increase in the number and severity of adverse effects in wildlife from biochemical changes to death	6-8
6-6	Biochemical pathway showing lead effects on blood formation	6-10
6-7	Distended esophagus and proventriculus of a lead-poisoned Canada goose from the Coeur d'Alene basin, ID; and normal esophagus and proventriculus of a trumpeter swan from Wisconsin	6-12
6-8	Histological deformations	6-13
6-9	Flow diagram of wildlife injury assessment studies	6-24

6-10	Locations of reference areas used in the Trustees' injury assessment studies	6-30
6-11	Lead concentrations in sediments of Coeur d'Alene lacustrine and palustrine habitats	6-34
6-12	Mean lead concentrations in the excreta of tundra swans, Canada geese, and mallard ducks from the Coeur d'Alene River basin and reference areas	6-36
6-13	Mean lead contaminations in aquatic vegetation consumed by waterfowl from the Coeur d'Alene and reference areas	6-38
6-14	Mean lead concentrations in food web resources of the Coeur d'Alene River basin and the St. Joe River basin reference areas	6-39
6-15	Mean lead concentrations in the tissues of Coeur d'Alene River basin wildlife collected in 1982, 1983, 1985, and 1992	6-40
6-16	Pie charts showing causes of waterfowl deaths in the Coeur d'Alene River basin and St. Joe River basin	6-45
6-17	Species of waterfowl diagnosed as lead poisoned with and without lead artifacts during the 1992-1997 survey period	6-46
6-18	Comparison of causes of tundra swan mortality in the Coeur d'Alene, Pacific flyway, and nationwide	6-47
6-19	Comparison of lead exposure and effects in Coeur d'Alene wood ducks over time . .	6-49
6-20	Comparison of lead exposure and effects in Coeur d'Alene tundra swans over time	6-51
6-21	Comparison of lead exposure and effects in Canada geese goslings and adults from the Coeur d'Alene and reference areas	6-53
6-22	Comparison of lead exposure and effects in hatch year mallards and adults from the Coeur d'Alene and reference areas	6-54
6-23	Blood liver lead residues, blood ALAD activity, blood protoporphyrin levels, and blood hemoglobin levels of subadult mallard ducks ingesting sediment from the Coeur d'Alene River basin or the reference area	6-60
6-24	Comparison of the frequency of renal intranuclear inclusion bodies and survival in subadult mallard ducks ingesting sediment from the Coeur d'Alene River basin or the reference area	6-61
6-25	Blood lead and blood ALAD activity, blood protoporphyrin levels, and blood hemoglobin levels in Canada goslings exposed to sediment from the Coeur d'Alene River basin or the reference area	6-64
6-26	Blood lead residues, blood ALAD activity, blood protoporphyrin levels, and blood hemoglobin levels in mallard ducklings exposed to sediment from the Coeur d'Alene River basin, the reference area, or to reference sediment spiked with lead acetate	6-65
6-27	Renal intranuclear inclusion bodies in mallard ducklings exposed to sediment from the Coeur d'Alene River basin, the reference area, or to reference sediment spiked with lead acetate	6-66
6-28	Blood and liver lead residues, blood ALAD activity, blood protoporphyrin levels, and hemoglobin levels in mute swans exposed to sediment from the Coeur d'Alene River basin or the reference area	6-69

6-29	Renal intranuclear inclusion bodies, blood hematocrit, and body weight in mute swans exposed to sediment from the Coeur d'Alene River basin or the reference area	6-70
7-1	Concentration-response relationship of total fish numbers and measured zinc concentrations in surface water	7-12
7-2	Conceptual diagram of exposure pathways to fish	7-16
7-3	Rainbow trout mortality in livebox tests conducted by the U.S. EPA in September 1986	7-19
7-4	Rainbow trout mortality in livebox tests conducted by Dames & Moore as part of the Bunker Hill RI/FS	7-21
7-5	Cutthroat trout mortality in acute toxicity tests conducted by the U.S. EPA in August 1986 with Bunker Hill central impoundment area seep water	7-24
7-6	Cutthroat trout mortality in acute toxicity tests conducted by the U.S. EPA in September 1986 with South Fork Coeur d'Alene River water collected upstream of Pine Creek	7-24
7-7	Hatchery rainbow trout mortality in acute toxicity tests conducted by EVS with South Fork Coeur d'Alene River water	7-26
7-8	Hatchery rainbow trout mortality in acute toxicity tests conducted by EVS with dilutions of Canyon Creek water	7-27
7-9	Mortality in acute toxicity tests conducted by EVS with Little North Fork of the South Fork Coeur d'Alene River water using field collected sculpin and cutthroat trout and hatchery reared cutthroat and rainbow trout	7-28
7-10	Hatchery rainbow trout mortality in acute toxicity tests conducted by EVS with Little North Fork of the South Fork Coeur d'Alene River water	7-30
7-11	Cutthroat trout mortality in <i>in situ</i> tests conducted at paired locations in the South Fork Coeur d'Alene River and the St. Regis River	7-35
7-12	Relationship between measured concentrations of cadmium and zinc and cutthroat trout mortality in <i>in situ</i> bioassays at locations in the South Fork Coeur d'Alene and St. Regis rivers	7-36
7-13	Cumulative mortality in cutthroat trout exposed to serial dilutions of South Fork Coeur d'Alene River water	7-37
7-14a	Concentrations of zinc in sediments, biofilm, benthic macroinvertebrates, and fish	7-45
7-14b	Concentrations of cadmium in sediments, biofilm, benthic macroinvertebrates, and fish	7-46
7-14c	Concentrations of lead in sediments, biofilm, benthic macroinvertebrates, and fish	7-47
7-15a	Mean concentrations of zinc in the South Fork Coeur d'Alene River food web	7-49
7-15b	Mean concentrations of cadmium in the South Fork Coeur d'Alene River food web	7-50
7-15c	Mean concentrations of lead in the South Fork Coeur d'Alene food web	7-51
7-16	Metallothionein induction in fish tissues	7-52
7-17	Fish population monitoring locations	7-59

7-18a	Estimated trout populations from tributary surveys conducted by MPD between 1994 and 1998	7-65
7-18b	Estimated fish populations from tributary surveys conducted by MPD between 1994 and 1998	7-66
7-19a	Estimated trout populations in the South Fork Coeur d'Alene River from MPD and mark/recapture data	7-70
7-19b	Estimated total fish populations in the South Fork Coeur d'Alene River from MPD and mark/recapture data	7-71
7-20	Trout and all fish combined collected in the South Fork Coeur d'Alene River during 1995 qualitative and first pass MPD	7-72
7-21	Estimated wild trout and all salmonid populations	7-73
7-22a	Comparison of dissolved cadmium and zinc concentrations in surface water and adverse effects concentrations from site-relevant bioassays	7-80
7-22b	Comparison of dissolved cadmium and zinc concentrations in surface water and adverse effects concentrations from site-relevant bioassays	7-81
7-23	Stream reaches referenced in Figures 7-27a and b	7-82
8-1	Pathways of metal exposure for benthic macroinvertebrates in the Coeur d'Alene River basin	8-2
8-2	Invertebrate taxa richness in North Fork Coeur d'Alene, South Fork Coeur d'Alene, and Coeur d'Alene rivers in 1968-1970	8-13
8-3	Invertebrate taxa richness in South Fork Coeur d'Alene River and North Fork Coeur d'Alene River in 1987	8-14
8-4	Total taxa richness and mayfly taxa richness measured in 1996 in the South Fork Coeur d'Alene River	8-18
8-5	Percent mayflies in 1996 in the South Fork Coeur d'Alene River	8-19
8-6	Total taxa richness and mayfly taxa richness measured in 1996 in Canyon and Ninemile creeks and in reference areas	8-20
8-7	Dissolved zinc versus total taxa richness and mayfly taxa richness, all 1996 sampling sites combined	8-21
8-8	Dissolved cadmium and zinc concentrations in the Coeur d'Alene River basin and invertebrate adverse effects concentrations from site-relevant bioassays	8-25
9-1	Coeur d'Alene River basin	9-4
9-2	Injury assessment studies included field sampling to collect soil and vegetation data from assessment and reference sites, and laboratory studies to evaluate the growth of plants in assessment and reference soils under controlled conditions	9-18
9-3	Sample site locations for the riparian resources injury assessment	9-19
9-4	Sample site design	9-24
9-5	Structural habitat layers	9-25
9-6	Distributions of measured soil attributes, summarized by sampling area	9-28
9-7	Growth responses of alfalfa seedlings tested in soils from upper basin reference areas and from upper basin assessment areas compared to total lead in soil	9-37

9-8	Growth responses of lettuce seedlings tested in soils from upper basin reference areas and from upper basin assessment areas compared to total lead in soil	9-38
9-9	Growth responses of wheat seedlings tested in soils from upper basin reference areas and from upper basin assessment areas compared to total lead in soil	9-39
9-10	Growth responses of poplar tested in soils from upper basin reference areas and from upper basin assessment areas compared to total lead in soil	9-40
9-11	Predominantly barren riparian zone and predominantly vegetated riparian zone	9-42
9-12	Most prevalent cover types in assessment and reference areas	9-43
9-13	Cover of bare ground measured along a 10 m line transect at each site	9-45
9-14	Mean tree cover, shrub cover, and herbaceous vegetation cover at assessment and reference areas	9-47
9-15	Cover in the tree, shrub, and herbaceous layers at each of the sample sites	9-48
9-16	Number of species in the tree, shrub, and herbaceous layers at each of the sample sites	9-51
9-17	Percent of sites at which the following habitat layers were present within a 10 m radius of the site center: tree canopy, tree bole, shrub midstory, understory, terrestrial subsurface	9-53
9-18	Number of habitat layers by site	9-54
9-19	Ordination of sample sites based on principal components analysis of metals and arsenic concentrations in soils	9-58
9-20	Dendrogram illustrating clusters of sites based on vegetation complexity measures	9-59
9-21	Herbaceous species composition by site	9-62
9-22	Shrub species composition by site	9-63
9-23	Injury determination “triad” approach	9-70
9-24	Hazardous substance transport and exposure pathways to riparian resources	9-72
10-1	Locations of surface or near surface veins known to contain base metals in the Canyon Creek drainage basin	10-20
10-2	Histogram of lead concentrations in reference soils and sediments	10-25
10-3	Histogram of cadmium concentrations in reference soils and sediments	10-26
10-4	Histogram of zinc concentrations in reference soils and sediments	10-27
10-5a	Hardness values measured in Canyon Creek downstream of O’Neill Gulch	10-33
10-5b	Zinc concentrations in Canyon Creek downstream of O’Neill Gulch, assessment site CC 276	10-33
10-6a	Relationship between flow and hardness in upper South Fork Coeur d’Alene River, assessment site SF 205	10-34
10-6b	Relationship between flow and hardness in upper Canyon Creek, reference site CC 2	10-34
10-7a	Geologic map of Coeur d’Alene area — eastern section	10-36
10-7b	Geologic map of the Coeur d’Alene area — western section	10-37
10-8a	Mineral belts of the Coeur d’Alene River basin — east	10-39
10-8b	Mineral belts of the Coeur d’Alene River basin — west	10-40

10-9	Longitudinal projections of some ore shoots in the Coeur d’Alene Mining District	10-41
10-10a	Location of mine deposits/activity — eastern section	10-44
10-10b	Location of mine deposits/activity — western section	10-45
10-11a	Baseline surface water locations — east	10-48
10-11b	Baseline surface water locations – west	10-49
10-12	Location of surface or near surface veins known to contain base metals in the Canyon Creek, Mill Creek, and Gentle Annie drainage basins	10-52
10-13a	Statistical results for dissolved cadmium for baseline and injured areas in the South Fork Coeur d’Alene River basin	10-56
10-13b	Statistical results for dissolved lead for baseline and injured areas in the South Fork Coeur d’Alene River basin	10-57
10-13c	Statistical results for dissolved zinc for baseline and injured areas in the South Fork Coeur d’Alene River basin	10-58
10-14	Devegetated or sparsely vegetated nonurban portions of the South Fork Coeur d’Alene River basin	10-69
10-15a	Distribution of lead concentrations in surface sediments of the lower Coeur d’Alene River basin — eastern half	10-71
10-15b	Distribution of lead concentrations in surface sediments of the lower Coeur d’Alene River basin — western half	10-72
10-16	Distribution of sediments containing lead at concentrations greater than 175 ppm	10-74
10-17	Distribution of sediments containing lead at concentrations greater than 530 ppm	10-75
10-18	Distribution of sediments containing lead at concentrations greater than 1,800 ppm	10-76
10-19	Dissolved zinc, acute ALC exceedences during low flow in: the South Fork Coeur d’Alene River at Elizabeth Park; the South Fork Coeur d’Alene River at Pinehurst; Canyon Creek near the mouth; and Ninemile Creek near the mouth	10-79
10-20	Dissolved zinc ALC exceedences, South Fork Coeur d’Alene River, Reach SFCDR-4	10-80
10-21	Concentrations of lead, cadmium, and zinc in above- and below-Mount Saint Helen’s ash layer in 0 to 2 inch sediment samples from the lower Coeur d’Alene River basin floodplain	10-82

TABLES

1-1	Typical Dominant Vegetation Species in Coeur d’Alene River Reference Riparian Communities	1-9
1-2	Typical Dominant Upland Vegetation Species in the Coeur d’Alene River Basin . . .	1-10
2-1	Preliminary Estimate of Mill Tailings Produced in the Coeur d’Alene Mining Region	2-8
2-2	South Fork Coeur d’Alene River Mine Production Upstream of Elizabeth Park	2-10
2-3	South Fork Coeur d’Alene River Mine Production Downstream of Elizabeth Park . .	2-14
2-4	Canyon Creek Mine Production	2-15
2-5	Ninemile Creek Mine Production	2-18
2-6	Moon Creek Mine Production	2-20
2-7	Pine Creek Mine Production	2-22
2-8	Chronology of Bunker Hill Smelter Complex Construction and Technological Modifications	2-24
2-9	Mean Concentrations of Metals in South Fork Coeur d’Alene River Basin Tailings, Sediments, and Soils Upstream of Elizabeth Park	2-32
2-10	Mean Concentrations of Metals in South Fork Coeur d’Alene River Basin Tailings, Sediments, and Soils Downstream of Elizabeth Park	2-35
2-11	Mean Metals Concentrations in Tailings, Sediments, and Soils in Lower Coeur d’Alene River Basin	2-38
2-12	Concentrations of Cadmium, Lead, and Zinc in Railroad Right of Way	2-43
2-13	Concentrations of Lead Collected from Railroad Right of Way within the Bunker Hill Superfund Site	2-43
2-14	Mean Concentrations of Metals in Tailings, Sediments, and Soils in the Canyon Creek Basin	2-45
2-15	Mean Concentrations of Metals in Ninemile Creek Basin Tailings, Sediments, and Soils	2-48
2-16	Mean Concentrations of Metals in Moon Creek Basin Tailings, Sediments, and Soils	2-49
2-17	Mean Concentrations of Metals in Pine Creek Basin Tailings, Sediments, and Soils	2-51
2-18	Concentrations of Dissolved Hazardous Substances in Adit and Seep Discharge, South Fork Coeur d’Alene River Basin Upstream of Elizabeth Park	2-55
2-19	Concentrations of Dissolved Hazardous Substances in Adit and Seep Discharge, South Fork Coeur d’Alene River Basin Downstream of Elizabeth Park	2-56

2-20	Concentrations of Dissolved Hazardous Substances in Adit and Seep Discharge, Canyon Creek Drainage	2-57
2-21	Concentrations of Dissolved Hazardous Substances in Adit Discharge, Ninemile Creek	2-59
2-22	Concentrations of Dissolved Hazardous Substances in Moon Creek Basin Seep and Adit Discharge	2-60
2-23	Concentrations of Dissolved Hazardous Substances in Pine Creek Basin Adit, Seep, and Spring Discharge	2-61
3-1	Transport and Exposure Pathway Data Sources	3-6
3-2	Mean Concentrations and Annual Loads of Cadmium, Lead, and Zinc in the North Fork, South Fork, and Mainstem Coeur d'Alene Rivers during Water Years 1993 and 1994	3-9
3-3	Concentrations of Trace Metals and Suspended Sediment in Unfiltered Samples, Coeur d'Alene River Basin, February 8-10, 1996	3-10
3-4	Concentrations of Dissolved Cadmium, Lead, and Zinc in Surface Waters of the Coeur d'Alene River Basin	3-12
3-5	Mean Concentrations of Zinc in Pathway Components of the Coeur d'Alene River Basin	3-16
3-6	Mean Concentrations of Hazardous Substances in Soils of the Coeur d'Alene River Basin	3-24
3-7	Pathway Resources for Which Exposure to Sufficient Concentrations of Hazardous Substances Has Been Confirmed [43 CFR § 11.63 (a)(2)]	3-25
4-1	Variables m and b for Acute and Chronic ALC	4-8
4-2	Equations Used to Convert the Total Acute and Chronic Criteria to Dissolved Criteria	4-8
4-3	Comparison of Current 304(a)(1) ALC, National Toxics Rule ALC, and Coeur d'Alene Tribal Water Quality Standards	4-9
4-4	Surface Waters Assessed for Injury in the Coeur d'Alene Basin	4-14
4-5	Dissolved Metals Concentrations in Groundwater from Osburn Flats, South Fork Coeur d'Alene River	4-17
4-6	Dissolved Zinc Concentrations in Groundwater, Lower Canyon Creek, April 1993 and April 1997	4-18
4-7	Minimum, Maximum, Mean, and Median Hazardous Substance Concentrations in Surface and Subsurface Sediments from Coeur d'Alene Lake Near and Downgradient of the Coeur d'Alene River Delta	4-23
4-8	Acute Criteria for Cadmium — Summary of Exceedences	4-24
4-9	Acute Criteria for Lead — Summary of Exceedences	4-26
4-10	Acute Criteria for Zinc — Summary of Exceedences	4-28
4-11	Chronic Criteria for Cadmium — Summary of Exceedences	4-36
4-12	Chronic Criteria for Lead — Summary of Exceedences	4-38
4-13	Chronic Criteria for Zinc — Summary of Exceedences	4-40

5-1	Mean Metals Concentrations in Tailings, Sediments, and Soils in Lower Coeur d'Alene River Basin	5-7
5-2	Mean Lead Concentration in Sediment from Wetland Units and from Wildlife Feeding Areas within Each Wetland Unit of the Coeur d'Alene River Basin	5-14
5-3	Concentrations of Trace Metals and Suspended Sediment in Unfiltered Samples, Coeur d'Alene River Basin, February 8-10, 1996	5-16
5-4	Sediment Effect Concentrations for Freshwater Sediment	5-22
6-1	Adverse Effects of Lead on Wildlife	6-8
6-2	Lead Concentrations in Bird Tissues Associated with Toxicity	6-14
6-3	Chronology of Documentation of Exposure and Effects of Hazardous Substances in Coeur d'Alene Wildlife	6-15
6-4	Pathway and Injury Studies for Wildlife Resources Performed in the Coeur d'Alene River Basin and Reference Areas	6-25
6-5	Animals Found Dead or Sick in the Coeur d'Alene and St. Joe River Basins, 1992-1997	6-42
6-6	Experimental Design of Laboratory Studies	6-57
6-7	Comparison of Tissue-Residue Toxicity Values for Lead with Lead Residues in Coeur d'Alene River Basin Wildlife	6-82
7-1	Fish Resources of the Coeur d'Alene River Basin	7-4
7-2	Results of 1987-1988 Fish Population Monitoring Studies Conducted as Part of Bunker Hill RI/FS	7-10
7-3	Number of Fish Captured in Pine Creek Basin by USBM in 1993	7-11
7-4	Relative Ranking of Metals Sensitivity of Fish Species Present in the Coeur d'Alene River Basin Based on U.S. EPA Ambient Water Quality Criteria Documents	7-13
7-5	Water Chemistry Measurements during 1987-1988 <i>In Situ</i> Testing Performed by Dames & Moore as Part of the Bunker Hill RI/FS	7-20
7-6	Toxicity Values for Cadmium and Zinc in Acute Testing Conducted with Juvenile Rainbow Trout and Bull Trout	7-31
7-7	Supplemental Fish Injury Studies	7-33
7-8	Concentrations of Metals Measured during the Cutthroat Trout Toxicity Tests with Dilutions of South Fork Coeur d'Alene River Water	7-37
7-9	Mean Concentrations of Metals and Cutthroat Trout Responses in Metal Mixture Avoidance Tests	7-39
7-10	Mean Concentrations of Metals and Cutthroat Trout Responses in Single Metal and Metal Mixture Avoidance Tests	7-41
7-11	Mean Avoidance Response of Cutthroat Trout Following Acclimation to Metal Contaminated Water Representative of the Coeur d'Alene River at Harrison	7-42
7-12	Measured Metals Exposure in Diet and Test Water	7-53
7-13	Tissue Concentrations, Survival, and Growth in Cutthroat Trout at Test Termination	7-54

7-14	Physiological/Histological Measurements in Cutthroat Trout Fed Invertebrate Diets from North Fork Coeur d'Alene River, South Fork Coeur d'Alene River near Pinehurst, or the Mainstem Coeur d'Alene River near Cataldo	7-55
7-15	Watershed Parameters of the St. Regis River, Montana, and the South Fork Coeur d'Alene River, Idaho	7-60
7-16	Paired Comparisons of Channel and Habitat between Five Sites Selected in the South Fork Coeur d'Alene River, Idaho, with Five Reference Sites Selected in the St. Regis River, Montana	7-61
7-17	Paired Comparisons of Minimum, Mean, and Maximum Average Monthly Water Temperatures in 1996 between Five Sites in the South Fork Coeur d'Alene River and Five Reference Sites in the St. Regis River	7-62
7-18	Results of Fish Population Monitoring in Canyon Creek Conducted by R2 Resource Consultants in 1994-1995	7-63
7-19	Results of Fish Population Monitoring in Ninemile Creek Conducted by R2 Resource Consultants in 1994-1995	7-64
7-20	Results of Fish Population Monitoring: South Fork Coeur d'Alene River	7-67
7-21	Connectivity Accumulation of Metals in the Food Web, Exposure of Resident Trout, and Injury to Wild Trout at Five Sites on the South Fork Coeur d'Alene River	7-74
7-22	Toxicity Threshold Values for Trout Species	7-79
8-1	Summary of Invertebrate Toxicity Studies Conducted Using Coeur d'Alene Basin Water or Sediment	8-5
8-2	Results of Site Water Invertebrate Toxicity Tests by Hornig et al.	8-6
8-3	Results of Site Sediment Invertebrate Toxicity Tests by Hornig et al.	8-7
8-4	Results of Site Water Invertebrate Toxicity Tests by Dames & Moore	8-8
8-5	Summary of Historical Invertebrate Community Studies	8-10
9-1	Examples of Individual and Community-Level Phytotoxic Effects of Metals Toxicity from Mine Wastes on Vegetation	9-9
9-2	Ranges of Total Concentrations of Hazardous Substances in Devegetated or Sparsely Vegetated Riparian Tailings	9-10
9-3	Mean Concentrations of Hazardous Substances in Assessment and Reference Soils	9-31
9-4	Summary of Growth Responses of Alfalfa, Wheat, Lettuce, and Poplar in Upper Basin Soils	9-32
9-5	Phytotoxicity Summary Statistics and Comparison of Reference and Assessment Endpoints	9-34
9-6	Significant Correlation Coefficients Relating Growth Endpoints and Hazardous Substance Concentrations and pH for Alfalfa, Lettuce, and Wheat	9-35
9-7	Significant Correlation Coefficients Relating Soil Metals Properties and Growth Endpoints for Hybrid Poplar	9-36
9-8	Vegetated versus Nonvegetated Cover Type Comparisons	9-41

9-9	Mann-Whitney p-Values for Comparisons of Plant Cover by Layer for Assessment and Reference Sites	9-46
9-10	Vascular Plant Species Frequency by Layer, Upper and Lower Coeur d'Alene River Basin	9-50
9-11	Mann-Whitney p-Values for Comparisons of Species Richness by Layer in Upper Basin Assessment and Reference Areas	9-52
9-12	Significant Correlation Coefficients Relating Field Vegetation Measurements and Soil Chemistry	9-56
9-13	Relationship between PCA Soil Categories and Vegetation Structure Clusters for Upper Basin Assessment and Reference Sites	9-60
9-14	Range of Mean Total Concentrations that Inhibited Plant Growth in Bunker Hill Revegetation Plots and Range of Mean Total Concentrations in Canyon Creek, Ninemile Creek, and South Fork Assessment Soils	9-64
10-1	Correlation of Metals Concentration among Soil/Sediment Samples	10-12
10-2	Concentrations of Lead in Reference Soils and Sediments, Mineralized Upland Soils and Rocks, and Mine-Waste Exposed Soils and Sediments	10-13
10-3	Concentrations of Cadmium in Reference Soils and Sediments, Mineralized Upland Soils and Rocks, and Mine-Waste Exposed Soils and Sediments	10-15
10-4	Concentrations of Zinc in Reference Soils and Sediments, Mineralized Upland Soils and Rocks, and Mine-Waste Exposed Soils and Sediments	10-16
10-5	Mean Background Cadmium, Lead, and Zinc Concentrations in Surface Soils of Various Countries	10-18
10-6	Characteristics of Lead-Zinc Veins Studied by Kennedy	10-22
10-7	Summary of Analysis of the Effect of Highly Mineralized Veins on Baseline Soil Lead Concentrations	10-22
10-8	Statistical Distribution of Baseline Concentrations in Soils and Sediments of the Coeur d'Alene River Basin	10-24
10-9	Range of Flows at Selected Injured and Reference Locations in the South Fork Coeur d'Alene River Basin	10-32
10-10	Identification of Reference Streams and Sample Locations Used in Determination of Surface Water Baseline	10-46
10-11	Median and Interquartile Ranges for Baseline Surface Water in the South Fork Coeur d'Alene Basin	10-53
10-12	Summary of Statistical Comparisons of Baseline and Injured Surface Water Locations for Dissolved Metals	10-55
10-13	Baseline Vegetation Conditions	10-62
10-14	Comparison of Baseline Vegetation Conditions Relative to Conditions in the Upper Basin Assessment Area	10-63
10-15	Mean Percent Vegetation Cover by Structural Category in Riparian Habitat of the Lower Clark Fork River, Montana/Idaho	10-64
10-16	Quantification of Injured Surface Water in Rivers and Streams	10-67

10-17	South Fork Coeur d'Alene River, Canyon, Ninemile, Moon, and Pine Creeks: Areal Extent of Floodplain Soils with Reduced Ability to Sustain Vegetation and Habitat for Biota Relative to Baseline	10-69
10-18	Estimated Area of Sediments Containing Greater than 175 ppm Lead in the Lower Coeur d'Alene River Floodplain	10-73

ACKNOWLEDGMENTS

The primary authors thank the Project Managers, Bob Foley (USFWS), Phillip Cernera (Coeur d'Alene Tribe), and Bill Putnam (USDA-FS). In addition, we wish to acknowledge Dan Audet (USFWS), Amy Beaulieu (Stratus Consulting), Nelson Beyer (USGS BRD), Steve Box (USGS), Julie Campbell (USFWS), LeAnne Eno (US BLM), David Fortier (US BLM), Karen Pentelow (Stratus Consulting), Callie Ridolfi (Ridolfi Engineers Inc.), Mark Snyder (USFWS), and Paul Woods (USGS) for their comments, advice, and contributions to this report.

ACRONYMS AND ABBREVIATIONS

AB-DTPA	ammonium-bicarbonate diethylenetriaminepentaacetic acid
ALAD	delta-aminolevulinic acid dehydratase
ALC	aquatic life criteria
ASTM	American Society for Testing and Materials
CERCLA	Comprehensive Environmental Response, Compensation and Liability Act
CIA	Central Impoundment Area
CMC	criterion maximum concentration
CWA	Federal Water Pollution Control Act (Clean Water Act)
DEQ	Division of Environmental Quality
DOC	dissolved organic carbon
DOI	U.S. Department of the Interior
dw	dry weight
EDTA	ethylenediametetraacetic acid
ep&t	Ecological Planning and Technology, Inc.
GIS	geographic information system
HY	hatch year
ICBEMP	Interior Columbia Basin Ecosystem Management Project
IDEQ	Idaho Department of Environmental Quality
IDHW	Idaho Department of Health and Welfare
KNWR	Klamath National Wildlife Refuge
LOAEL	lowest observed adverse effect level
MNWR	Malheur National Wildlife Refuge
MPD	multiple pass depletion
MWMA	McArthur Wildlife Management Area
NCP	National Oil and Hazardous Substances Pollution and Contingency Plan
NOAA	National Oceanic and Atmospheric Administration
NRDA	natural resource damage assessment
NTR	National Toxics Rule
PCA	principal components analysis
QA/QC	quality assurance/quality control
RBP	rapid bioassessment protocol
RI/FS	remedial investigation/feasibility study
RIIB	renal intranuclear inclusion body
RM	river mile
RNA	Research Natural Area
ROW	right of ways
RPD	relative percent difference
SEAM	Surface Environment and Mining

STORET	Storage and Retrieval of U.S. Waterways Parametric Data
SVNRT	Silver Valley Natural Resource Trustees
TNWR	Turnbull National Wildlife Refuge
tpd	tons per day
TSA	temporary storage area
TSS	total suspended sediment
UCL	upper confidence limit
U.S. BLM	U.S. Bureau of Land Management
USDA	U.S. Department of Agriculture
U.S. EPA	U.S. Environmental Protection Agency
USFS	U.S. Forest Service
USFWS	U.S. Fish and Wildlife Service
USGS	U.S. Geological Survey